

Pump model	Power (kW)	Q		H (m)	Speed RPM	Efficiency (%)	m	Impeller Diameter (mm)	Diameter	
		m <sup>3</sup> /h	l/s						Suction	Drainage
ES32/13	2.2	9	2.5	24.9	2900	44	1.2	139	50	32
	2.2	15	4.2	23		55	1.8			
	2.2	18	5.0	21		56	2.3			
ES32/13A	1.5	8.5	2.4	21.2	2900	43.5	1.8	130	50	32
	1.5	14	3.9	19		54	1.95			
	2.2	17	4.7	17.3		53	2.3			
ES32/13B	1.1	7.8	2.2	17.3	2900	42	1.8	120	50	32
	1.5	13	3.6	15.3		51	1.88			
	1.5	15.5	4.3	13.8		52	2.08			
ES32/16	3	10.8	3.0	40	2900	47	1.2	174	50	32
	4	18	5.0	38.5		58.5	2			
	5.5	21.6	6.0	36		59	2.6			
ES32/16A	3	10.5	2.9	35.7	2900	46	1.9	165	50	32
	4	17	4.7	33		55	1.95			
	4	21	5.8	30		56	2.4			
ES32/16B	2.2	9.8	2.7	32.4	2900	44	1.9	155	50	32
	4	16	4.4	29.5		53	1.95			
	4	19.5	5.4	27		54	2.2			
ES32/20	5.5	10.8	3.0	66	2900	43	1.3	214	50	32
	7.5	18	5.0	61.5		52.5	1.9			
	11	21.6	6.0	57		53.5	2.3			
ES32/20A	5.5	10.2	2.8	58.2	2900	40	1.8	205	50	32
	7.5	17	4.7	55.8		53	1.95			
	7.5	20.4	5.7	52.2		53	2.2			
ES32/20B	5.5	9.9	2.8	51.5	2900	28	1.8	195	50	32
	5.5	16.5	4.6	48		49	1.9			
	7.5	19.8	5.5	45		48.8	2.15			

Whatsapp: +86158 8887 1087  
E-mail: service@teskpump.com

Pump model	Power (kW)	Q		H (m)	Speed RPM	Efficiency (%)	m	Impeller Diameter (mm)	Diameter	
		m <sup>3</sup> /h	l/s						Suction	Drainage
ES32/26	15	13.2	3.7	102	2900	32.7	1.8	264	50	32
	18.5	22	6.1	96		40.8	2.7			
	18.5	26.4	7.3	89		41	3.3			
ES32/26A	15	12.6	3.5	92.5	2900	31.4	2.1	255	50	32
	15	21	5.8	88		40	2.2			
	15	25.2	7.0	83		41	2.5			
ES32/26B	15	12.3	3.4	84.5	2900	30	2.15	245	50	32
	15	20.6	5.7	81		38.5	2.16			
	15	24.6	6.8	77		40	2.38			
ES40/13	3	18	5.0	26	2900	61	1.4	139	65	40
	4	30	8.3	24.5		75.5	2.5			
	4	36	10.0	23		77.5	3.5			
ES40/13A	2.2	16.8	4.7	22.5	2900	59	1.8	130	65	40
	3	28	7.8	21		70	2			
	4	33.6	9.3	20		72	2.25			
ES40/13B	1.5	15.5	4.3	18.5	2900	53	1.8	120	65	40
	3	26	7.2	17.5		65	1.9			
	3	31	8.6	16.5		65	2.15			
ES40/16	5.5	18	5.0	41	2900	54	2.7	174	65	40
	7.5	30	8.3	38.5		64	3.2			
	7.5	36	10.0	35.5		64.5	3.7			

Whatsapp: +86158 8887 1087  
E-mail: service@teskpump.com

Pump model	Power (kW)	Q		H (m)	Speed RPM	Efficiency (%)	m	Impeller Diameter (mm)	Diameter	
		m <sup>3</sup> /h	l/s						Suction	Drainage
ES40/16A	4	17	4.7	36	2900	52	2.1	165	65	40
	5.5	28.5	7.9	33.5		65	2.5			
	5.5	34	9.4	31		62	3.25			
ES40/16B	4	16	4.4	31.5	2900	48	2.05	155	65	40
	4	26.5	7.4	29		59.5	2.4			
	4	32	8.9	25.5		59	2.9			
ES40/20	7.5	18	5.0	64	2900	48	1.85	214	65	40
	11	30	8.3	61		59.5	2.7			
	11	36	10.0	58.6		62	3.2			
ES40/20A	7.5	17	4.7	58.5	2900	48.5	1.8	205	65	40
	11	29	8.1	56		61	1.95			
	11	34.5	9.6	53.5		63	2.45			
ES40/20B	5.5	16.5	4.6	52.5	2900	46	1.8	195	65	40
	7.5	27.5	7.6	49		59	1.9			
	11	33	9.2	47		61	2.2			
ES40/26	15	21.6	6.0	98.5	2900	45	1.5	264	65	40
	18.5	36	10.0	95.5		56	2			
	22	43.2	12.0	91		59	2.4			
ES40/26A	15	19.5	5.4	89	2900	42	1.8	255	65	40
	18.5	32	8.9	87		53	1.95			
	18.5	38.5	10.7	84		55	2.35			
ES40/26B	15	18.5	5.1	80	2900	40	1.8	245	65	40
	15	30.5	8.5	78		53	1.9			
	18.5	37	10.3	76		54	2.2			

Whatsapp: +86158 8887 1087  
E-mail: service@teskpump.com

Pump model	Power (kW)	Q		H (m)	Speed RPM	Efficiency (%)	m	Impeller Dia (mm)	Diameter	
		m <sup>3</sup> /h	l/s						Suction	Drainage
ES40/32	30	21.6	6.0	150	2900	34	2	329	65	40
	37	36	10.0	139		55	2.8			
	37	43.2	12.0	127		45	3.8			
ES40/32A	18.2	19.44	5.4	124	2900	34	1.7	300	65	40
	30	32.4	9.0	115		43	2.8			
	30	38.88	10.8	107		44	3.8			
ES40/32B	22	17.28	4.8	109	2900	32	1.7	280	65	40
	22	28.8	8.0	102		41	2.8			
	22	34.56	9.6	95		42	3.8			
ES50/13	5.5	36	10.0	26	2900	67.5	2.4	139	65	50
	5.5	60	16.7	23.5		76	3.3			
	7.5	72	20.0	21.5		74.5	3.9			
ES50/13A	4	33.5	9.3	21.5	2900	64.5	2.5	130	65	50
	5.5	56	15.6	18.5		70.5	3.1			
	5.5	67.5	18.8	15.5		65.5	3.6			
ES50/13B	3	31	8.6	18.5	2900	61	2.5	120	65	50
	4	52	14.4	16.5		70	2.8			
	5.5	62	17.2	15		69	3.3			
ES50/16	11	40	11.1	42.5	2900	68.5	2	174	65	50
	11	65	18.1	39		76	3.8			
	11	78	21.7	35.5		73.5	4.7			
ES50/16A	7.5	38	10.6	38	2900	70	2.5	165	65	50
	11	61.5	17.1	34.5		76	3.3			
	11	74	20.6	30		74	3.9			

Whatsapp: +86158 8887 1087  
E-mail: service@teskump.com

Pump model	Power (kW)	Q		H (m)	Speed RPM	Efficiency (%)	m	Impeller Dia (mm)	Diameter	
		m <sup>3</sup> /h	l/s						Suction	Drainage
ES50/16B	5.5	35.5	9.9	34	2900	71	2.35	155	65	50
	11	58	16.1	30.5		75	3.1			
	11	69.5	19.3	28		73	3.7			
ES50/20	15	36	10.0	61	2900	64	1.9	214	65	50
	15	60	16.7	55		70	3.2			
	18.5	72	20.0	51		69.5	4.1			
ES50/20A	11	34.5	9.6	57	2900	60	2.5	205	65	50
	15	57.5	16.0	53		72	3.1			
	15	69	19.2	50.5		73	3.75			
ES50/20B	11	33	9.2	49.5	2900	62	2.5	195	65	50
	15	54.5	15.1	43		68	3			
	15	65.5	18.2	38		66	3.5			
ES50/26 ES50/26G	30	40	11.1	109	2900	54	2.2	264	65	50
	30	65	18.1	97.5		63.5	4			
	37	78	21.7	91		63	4.9			
ES50/26A ES50/26GA	22	38.5	10.7	91.5	2900	50	2.4	255	65	50
	30	63	17.5	85.5		60	3.3			
	30	75.5	21.0	80		61.5	3			
ES50/26B ES50/26GB	18.5	37	10.3	84	2900	50	2.3	245	65	50
	30	60.5	16.8	77		60	3.2			
	30	72.5	20.1	71		58	3.9			
ES50/32	45	54	15.0	146	2900	52	3.5	329	65	50
	75	90	25.0	137		61	7			
	75	108	30.0	130		52	8			
ES50/32A	45	48.6	13.5	130	2900	50	3.3	300	65	50
	55	81	22.5	124		60	6.5			
	75	97.2	27.0	117		61	7.5			

Whatsapp: +86158 8887 1087  
E-mail: service@teskpump.com

Pump model	Power (kW)	Q		H (m)	Speed RPM	Efficiency (%)	m	Impeller Diameter (mm)	Diameter	
		m <sup>3</sup> /h	l/s						Suction	Drainage
ES50/32B	30	46.8	13.0	105	2900	52	2.5	280	65	50
	45	78.12	21.7	98		59.5	5			
	45	93.6	26.0	91		59	6.5			
ES65/13	7.5	60	16.7	25.5	2900	66.5	2.6	139	65	50
	11	100	27.8	21		70	3.9			
	11	120	33.3	16		59	4.8			
ES65/13A	7.5	56	15.6	21.8	2900	65	3	130	65	50
	11	93.5	26.0	17.5		70	3.5			
	11	112.5	31.3	13		57	4.1			
ES65/13B	5.5	52	14.4	18	2900	62.5	3	120	80	65
	7.5	86.5	24.0	13.7		66	3.3			
	7.5	104	28.9	10.6		57	3.75			
ES65/16	15	64.8	18.0	39	2900	69	3.2	174	80	65
	15	108	30.0	33.5		77.5	4.2			
	18.5	129.5	36.0	29		72	5			
ES65/16A	11	57	15.8	34	2900	63	3.6	165	80	65
	15	95	26.4	30.5		74	4.1			
	15	114	31.7	27		71	4.8			
ES65/16B	11	53.5	14.9	30	2900	60	3.9	155	80	65
	11	89	24.7	25.5		70	3.95			
	11	107	29.7	22.5		69	4.5			

Whatsapp: +86158 8887 1087  
E-mail: service@teskpump.com

Pump model	Power (kW)	Q		H (m)	Speed RPM	Efficiency n(%)	m	Impeller Diameter (mm)	Diameter	
		m <sup>3</sup> /h	l/s						Suction	Drainage
ES65/20 ES65/20G	22	66	18.3	64	2900	65	2.2	214	80	65
	30	110	30.6	59		74.05	4.2			
	30	132	36.7	54.5		73.5	6.2			
ES65/20A ES65/20GA	18.5	63	17.5	60	2900	64	3	205	80	65
	30	105.5	29.3	55.5		74	3.75			
	30	126.5	35.1	52		73.5	4.85			
ES65/20B ES65/20GB	18.5	60	16.7	50	2900	62	3	195	80	65
	22	100	27.8	45.5		75.5	3.6			
	22	120	33.3	42		75	4.4			
ES65/26	37	72	20.0	98	2900	64.5	3.3	264	80	65
	45	120	33.3	90		73	4.5			
	55	144	40.0	82		73	5.4			
ES65/26A	37	69.5	19.3	92	2900	65	3.25	255	80	65
	45	116	32.2	86		70	4.4			
	45	139	38.6	79		72	4.95			
ES65/26B	30	67	18.6	82.5	2900	63	3.2	245	80	65
	37	111.5	31.0	76		71	4.25			
	45	133.5	37.1	71		70	4.95			
ES65/32	75	81	22.5	147	2900	54	3.8	329	80	65
	90	135	37.5	131		63	4.4			
	110	162	45.0	115		60	5.5			
ES65/32A	55	81	22.5	120	2900	55	3.7	300	80	65
	75	135	37.5	108		62	4.3			
	90	162	45.0	97		58	5.2			
ES65/32B	45	81	22.5	107	2900	59	3.5	280	80	65
	55	135	37.5	94		61	4.3			
	75	162	45.0	83		54	4.8			

Whatsapp: +86158 8887 1087  
E-mail: service@teskpump.com

Pump model	Power (kW)	Q		H (m)	Speed RPM	Efficiency n(%)	m	Impeller DI A (mm)	Diameter	
		m <sup>3</sup> /h	1/s						Suction	Drainage
ES80/16 ES80/16G	18.5	100	27.8	39.5	2900	71	3.3	174		
	22	162	45.0	35		78	4.3			
	30	195	54.2	31		75	5.2			
ES80/16A ES80/16GA	18.5	95	26.4	33	2900	65	3.3	165	80	80
	18.5	53.5	14.9	28		72	3.85			
	22	185	51.4	24		68	4.6			
ES80/16B ES80/16GB	15	89	24.7	29.5	2900	64	3.25	155		
	15	44.5	12.4	25		74	3.7			
	18.5	174	48.3	21		70	4.3			
ES80/20	37	115	31.9	60	2900	70	3.2	214		
	37	190	52.8	55		78	5.1			
	45	225	62.5	50		74.5	6.5			
ES80/20A	30	110	30.6	57	2900	68	4	205	100	80
	37	185	51.4	53.5		77	4.9			
	370	215.5	59.9	44.5		70	5.85			
ES80/20B	30	105	29.2	49.5	2900	68	4	195		
	30	173	48.1	45		76	4.7			
	37	205	56.9	40		70	5.5			
ES80/26	55	115	31.9	97	2900	65	3.8	264	100	80
	75	190	52.8	88		75	6.1			
	75	225	62.5	81		73.5	8			

Whatsapp: +86158 8887 1087  
E-mail: service@teskpump.com



Pump model	Power (kW)	Q		H (m)	Speed RPM	Efficiency n(%)	m	Impeller Diameter (mm)	Diameter	
		m <sup>3</sup> /h	l/s						Suction	Drainage
ES80/26A	55	111	30.8	91.5	2900	63	3.95	255	100	80
	75	183.5	51.0	81.5		75	5.2			
	75	217.5	60.4	73		73	6.25			
ES80/26B	45	106.5	29.6	79	2900	61	3.9	245	100	80
	55	176.5	49.0	6S.5		73	5			
	75	208	57.8	60		71	6			
ES80/32	90	126	35.0	146	2900	64	5.6	329	100	80
	132	210	58.3	134		74	6.3			
	132	252	70.0	121		73	7			
ES80/32A	75	117	32.5	125	2900	62	6.1	300	100	80
	90	195	54.2	114		73	6.3			
	110	234	65.0	103		72	6.9			
ES80/32B	55	108	30.0	104	2900	64	5	280	100	80
	75	180	50.0	95		73	5.8			
	90	216	60.0	85		70	6.3			
ES100/20	55	180	50.0	61	2900	72	4	214	125	100
	75	295	81.9	51.5		79	5.8			
	75	340	94.4	42		74	7			
ES100/20A	45	172.5	47.9	51	2900	69	3.95	205	125	100
	55	473	131.4	42		74	4.9			
	55	325.5	90.4	36		69	5.95			
ES100/20B	37	164	45.6	46	2900	68	3.9	195	125	100
	45	260	72.2	35		70	4.8			
	45	310	86.1	31		67	5.6			

Whatsapp: +86158 8887 1087  
E-mail: service@teskpump.com

Pump model	Power (kW)	Q		H (m)	Speed RPM	Efficiency (%)	m	Impeller Diameter (mm)	Diameter	
		m <sup>3</sup> /h	l/s						Suction	Drainage
ES100/26 ESI00/26G	90	190	52.8	97	2900	71	3.7	264		
	110	295	81.9	86		76	5.5			
	110	350	97.2	80		74	7.5			
ES100/26A ES100/26G A	75	183.5	51.0	85.5	2900	69	3.75	255	125	100
	90	285	79.2	75		74	5			
	110	338	93.9	66		71	6.2			
ES100/26B ES100/26G B	75	177	49.2	76	2900	67	3.7	245		
	90	274	76.1	66		72	4.8			
	90	325	90.3	58		68	5.9			
ES125/20	75	237.6	66.0	57.5	2900	64.5	7	214	150	32
	90	360	100.0	50.5		74.5	7.5			
	90	475.2	132.0	40		68	7.8			
ES32/13	0.55	4.5	1.3	6.2	1450	36	0.62	139	50	32
	0.55	7.5	2.1	5.6		46	0.75			
	0.55	9	2.5	5.2		49	0.9			
ES32/16	0.55	6	1.7	9.7	1450	42	0.7	174	50	32
	0.55	9	2.5	9		48	1			
	0.55	11	3.1	8		49.5	1.4			
ES32/20	0.75	6	1.7	16.3	1450	40	0.8	214	50	32
	1.1	9	2.5	15.4		48	1			
	1.1	11	3.1	14.5		51	1.2			
ES32/26	2.2	7.2	2.0	25	1450	60	0.85	264	50	32
	2.2	12	3.3	23.5		39.5	1.6			
	3	14.4	4.0	22		42	2.3			

Whatsapp: +86158 8887 1087  
E-mail: service@teskpump.com

Pump model	Power (kW)	Q		H (m)	Speed RPM	Efficiency (%)	m	Impeller Diameter (mm)	Diameter	
		m <sup>3</sup> /h	l/s						Suction	Drainage
ES40/13	0.55	10.8	3.0	6.55	1450	57	0.6	139	65	40
	0.55	18	5.0	5.8		67	0.9			
	0.55	21.6	6.0	5.4		67	1.3			
ES40/16	0.55	10.8	3.0	10.2	1450	55	0.9	175	65	40
	0.75	18	5.0	8.8		62	1.4			
	1.1	21.6	6.0	7.8		60	1.8			
ES40/20	1.1	10.8	3.0	16.2	1450	50	1.1	214	65	40
	1.5	18	5.0	14		56	1.3			
	1.5	21.6	6.0	12.4		55	1.5			
ES40/26	2.2	12.6	3.5	24.4	1450	42	0.85	254	65	40
	2.2	21	5.8	22		52	1.3			
	3	25.2	7.0	20		52.5	1.8			
ES40/32	4	9	2.5	38	1450	30	0.9	329	65	40
	4	14.4	4.0	37.5		42	1.3			
	5.5	18	5.0	37		45	1.6			
ES40/32A	4	10.5	2.9	34.5	1450	30.5	3.3	315	65	40
	5.5	17	4.7	32		38.5	2			
	5.5	20.5	5.7	29		37.5	2.9			
ES40/32B	4	10	2.8	31	1450	29	3.6	300	65	40
	5.5	16.5	4.6	29		37	2			
	5.5	20	5.6	26		36	2.7			
ES50/13	0.75	18	5.0	6.6	1450	60	1.2	139	65	50
	0.75	30	8.3	6.3		75.5	1.6			
	1.1	36	10.0	5.7		74	1.9			
ES50/16	1.1	20	5.6	20.4	1450	64	1.25	174	65	50
	1.5	32	8.9	9.8		74.3	1.7			
	1.5	38	10.6	9.4		74.5	2			

Whatsapp: +86158 8887 1087  
E-mail: service@teskpump.com

Pump model	Power (kW)	Q		H (m)	Speed RPM	Efficiency (%)	m	Impeller Diameter (mm)	Diameter	
		m <sup>3</sup> /h	l/s						Suction	Drainage
ES50/20	1.5	18	5.0	16	1450	58	1.4	214	65	50
	2.2	30	8.3	14		34	1.8			
	2.2	36	10.0	13.5		65	2.1			
ES50/26	3	20	5.6	25	1450	52.5	0.9	264	65	50
	4	32	8.9	24		64.5	1.5			
	5.5	38	10.6	23		66.4	2			
ES50/32	5.5	32.4	9.0	37	1450	56.5	2	329	65	50
	7.5	54	15.0	30.5		57.5	2.3			
	11	64.8	18.0	23.5		47.5	2.5			
ES50/32A	5.5	23	6.4	33.5	1450	50	2	315	65	50
	7.5	38.5	10.7	31.3		62	2.4			
	7.5	46	12.8	30		63	3			
ES50/32B	5.5	22	6.1	29.8	1450	50	2	300	65	50
	7.5	36.5	10.1	28.5		61	2.3			
	7.5	44	12.2	27		62	2.8			
ES65/13	1.1	21.6	6.0	6.7	1450	50	1.2	139	80	65
	1.1	36	10.0	6.4		66	1.35			
	1.5	43.2	12.0	6		69	1.5			
ES65/16	2.2	32.4	9.0	10	1450	64	1.1	174	80	65
	2.2	54	15.0	9.2		78	1.3			
	2.2	64.8	18.0	8.4		81.5	1.5			

Whatsapp: +86158 8887 1087  
E-mail: service@teskpump.com

Pump model	Power (kW)	Q		H (m)	Speed RPM	Efficiency (%)	m	Impeller Diameter (mm)	Diameter	
		m <sup>3</sup> /h	l/s						Suction	Drainage
ES65/20	3	35	9.7	6.4	1450	66	1.8	214	80	65
	4	55	15.3	15		76.5	2.4			
	4	66	18.3	13.8		77.5	2.7			
ES65/26	5.5	43.2	12.0	25.3	1450	66.5	1.7	364	80	65
	7.5	72	20.0	21.5		73.5	2.5			
	7.5	86.4	24.0	18.7		68	3.2			
ES65/32	11	43.2	12.0	37.4	1450	59	0.7	329	80	65
	11	72	20.0	33		67	1.6			
	15	86.4	24.0	29		65	2.4			
ES65/32A	11	37	10.3	34.5	1450	55	1.9	345	80	65
	11	62	17.2	32		65	2			
	11	74.5	20.7	28		62	2.3			
ES65/32B	7.5	34	9.4	30.5	1450	48	2	300	80	65
	11	56.5	15.7	28		59	2			
	11	68	18.9	25.8		59	2.1			
ES80/16	3	50	13.9	10.6	1450	62.5	1.7	174	100	80
	3	80	22.2	10		75	2.1			
	3	96	26.7	9.3		77	2.4			
ES80/20	5.5	63	17.5	15.7	1450	75	1.8	214	100	80
	7.5	105.12	29.2	14		82	2.6			
	7.5	126	35.0	12.8		78	3.4			
ES80/26	7.5	63	17.5	24	1450	70	1.3	264	100	80
	11	105.12	29.2	21		76	1.9			
	11	126	35.0	18.5		72	2.3			

Whatsapp: +86158 8887 1087  
E-mail: service@teskpump.com

Pump model	Power (kW)	Q		H (m)	Speed RPM	Efficiency (%)	m	Impeller Diameter (mm)	Diameter	
		m <sup>3</sup> /h	l/s						Suction	Drainage
ES80/32	15	60	16.7	36	1450	62.5	1.9	329	100	80
	15	100	27.8	33		71	2			
	18.5	120	33.3	30		69.5	2.6			
ES80/32A	11	57.5	16.0	34	1450	58	1.9	315	100	80
	15	95.5	26.5	29.7		69	2			
	15	114.5	31.8	26		68	2.3			
ES80/32B	11	54.5	15.1	30.4	1450	56	1.9	300	100	80
	15	91	25.3	27.3		67	2			
	15	109	30.3	25		66	2.2			
ES80/40	22	60	16.7	59	1450	55.5	1.5	409	100	80
	30	100	27.8	55.5		65.5	2.3			
	30	120	33.3	52.5		66.5	2.5			
ES80/40A	22	59	16.4	55	1450	55	2.2	395	100	80
	30	96.5	26.8	52.5		64	2.4			
	30	116	32.2	49		63	3.2			
ES80/40B	22	56	15.6	51	1450	54	2.2	380	100	80
	30	93	25.8	49		66	2.4			
	30	111.5	31.0	47		67	3			
ES100/20	7.5	90	25.0	15	1450	80	1.3	214	125	100
	7.5	142	39.4	12.7		82	1.8			
	11	170	47.2	10.5		74.5	2			
ES100/26	11	99	27.5	24	1450	76	1.5	264	125	100
	15	165	45.8	21		81.5	2.3			
	15	198	55.0	19		75	2.8			

Whatsapp: +86158 8887 1087  
E-mail: service@teskump.com

Pump model	Power (kW)	Q		H (m)	Speed RPM	Efficiency (%)	m	Impeller DI A (mm)	Diameter	
		m <sup>3</sup> /h	l/s						Suction	Drainage
ES100/32	15	81	22.5	39	1450	72	1.1	329	125	100
	22	35	9.7	33.7		80	1.6			
	22	162	45.0	30		76.5	19			
ES100/32 A	15	77.5	21.5	34	1450	70	2	315	125	100
	22	130	36.1	29.5		76	2			
	22	155	43.1	26.5		73	2.18			
ES100/32B	15	73.5	20.4	30	1450	67	2	300	125	100
	18.5	123	34.2	27		76	2			
	18.5	147.5	41.0	23		71	2.1			
ES100/40	30	90	25.0	58.8	1450	60.5	0.9	409	125	100
	37	150	41.7	51		67.5	1.6			
	45	180	50.0	44		64.5	2.1			
ES100/40A	30	87	24.2	54	1450	56	1	395	125	100
	37	145	40.3	48.2		66	2			
	37	174	48.3	42		66.4	2.5			
ES100/40B	30	84	23.3	49.5	1450	54	1.7	380	125	100
	37	139.5	38.8	45.2		64	1.9			
	37	167.5	46.5	41.2		64	2.4			
ES125/20	11	115	31.9	15.2	1450	62	2.6	214	150	125
	11	190	52.8	13		77	3.5			
	11	230	63.9	11.5		76.5	3			
ES125/26	18.5	144	40.0	24.2	1450	74	1.5	264	150	125
	22	240	66.7	21.2		81	2.4			
	22	288	80.0	17		72	2.8			
ES125/26A	15	139	38.6	21.3	1450	68	2.3	255	150	125
	22	232	64.4	18.2		79	2.5			
	22	278.5	77.4	15.4		75	3			
ES125/26B	15	134	37.2	19.7	1450	74	2.3	245	150	125
	18.5	223	61.9	16		76	2.4			
	18.5	267.5	74.3	13.4		68	2.8			

Whatsapp: +86158 8887 1087  
E-mail: service@teskpump.com

Pump model	Power (kW)	Q		H (m)	Speed RPM	Efficiency n(%)	m	Impeller Diameter (mm)	Diameter	
		m <sup>3</sup> /h	l/s						Suction	Drainage
ES125/32	22	120	33.3	35	1450	67.5	1.3	329	150	125
	30	200	55.6	32.5		79	2			
	30	240	66.7	30		78	2.6			
ES125/32A	18.5	115	31.9	32.8	1450	68	2.15	315	150	125
	30	191	53.1	29.5		77	1.95			
	30	229	63.6	27.5		75	2.4			
ES125/32B	18.5	109	30.3	28.9	1450	72.5	2.2	300	150	125
	22	182	50.6	25.2		76	2			
	22	218.5	60.7	12.9		74	2.2			
ES125/40	45	144	40.0	59.5	1450	77	1.3	409	150	125
	5	245	68.1	52		76.5	2.1			
	75	300	83.3	45		70.5	2.8			
ES125/40A	37	139	38.6	53.5	1450	64.5	2.2	395	150	125
	55	236.5	65.7	46		74	2.4			
	55	289	80.3	38.5		67	3			
ES125/40B	37	133.5	37.1	51.2	1450	64	2.2	380	150	125
	45	227.5	63.2	40		70.5	2.3			
	55	278.5	77.4	32.5		61	2.8			

Whatsapp: +86158 8887 1087  
E-mail: service@teskump.com



Pump model	Power (kW)	Q		H (m)	Speed RPM	Efficiency (%)	m	Impeller Diameter (mm)	Diameter	
		m <sup>3</sup> /h	l/s						Suction	Drainage
ES125/50	75	150	41.7	83.5	1450	63	2.3	500	150	125
	90	250	69.4	78		70	2.5			
	110	300	83.3	72		65	2.6			
ES125/50A	55	135	37.5	78.5	1450	60	1.8	485	150	125
	75	225	62.5	75		74	2.1			
	75	270	75.0	71		76	2.5			
ES125/50B	55	120	33.3	75	1450	54	1.6	470	150	125
	75	200	55.6	72		67	2			
	75	240	66.7	69		70	2.4			
ES125/50C	37	900	250.0	67	1450	50	1.6	445	150	125
	45	150	41.7	65.5		64	2			
	55	180	50.0	62		67	2.4			
ES150/20	78.5	216	60.0	14.4	1450	70	3	220	200	150
	78.5	390	108.3	12.2		80	3.5			
	78.5	424.8	118.0	10.3		77	4			
ES150/20A	15	172.8	48.0	13.4	1450	68	2.8	210	200	150
	15	288	80.0	12		78	3.3			
	15	245.6	68.2	10.5		76	3.8			
ES150/26	22	194	53.9	23.5	1450	75	2.7	264	200	150
	30	324	90.0	20.5		82	3			
	30	414	115.0	16		68	3.3			
ES150/26A	18.5	480	133.3	21.2	1450	72	2.5	255	200	150
	30	300	83.3	19		79.5	2.8			
	30	388.8	108.0	14.5		68	3.1			
ES150/26B	15	162	45.0	19	1450	74	2.3	240	200	150
	22	270	75.0	16.5		79	2.6			
	22	342	95.0	12.5		68	3			

Whatsapp: +86158 8887 1087  
E-mail: service@teskump.com

Pump model	Power (kW)	Q		H (m)	Speed RPM	Efficiency (%)	m	Impeller Diameter (mm)	Diameter	
		m <sup>3</sup> /h	l/s						Suction	Drainage
ES150/32	37	230	63.9	36.5	1450	74	2.3	329	200	150
	45	370	102.8	33		81	2.8			
	55	445	123.6	28.5		75	3.2			
ES150/32A	37	220	61.1	33.4	1450	72	2.8	315	200	150
	45	354	98.3	29.3		79	3.1			
	45	426	118.3	25		74	3.5			
ES150/32B	30	209.5	58.2	30	1450	71	2.8	300	200	150
	37	337.5	93.8	26		77	3			
	37	405.5	112.6	21.9		73	3.3			
ES150/40	75	240	66.7	58	1450	75	2.4	409	200	150
	75	385	106.9	53.5		84	3			
	90	460	127.8	49		83	3.6			
ES150/40A	55	232	64.4	52	1450	72	2.8	395	200	150
	75	372	103.3	47.5		78	3.2			
	75	444	123.3	42.5		77	3.6			
ES150/40B	55	223	61.9	48	1450	70	2.8	380	200	150
	75	357.5	99.3	43.5		76	3.1			
	75	427.5	118.8	39		74	3.5			
ES150/50	132	300	83.3	86.5	1450	79	3.1	500	200	150
	160	500	138.9	77.5		84	3.5			
	160	600	166.7	69		81	3.8			

Whatsapp: +86158 8887 1087  
E-mail: service@teskpump.com

Pump model	Power (kW)	Q		H (m)	Speed RPM	Efficiency (%)	m	Impeller Diameter (mm)	Diameter	
		m <sup>3</sup> /h	l/s						Suction	Drainage
ES150/50A	110	270	75.0	79.5	1450	71	3	485	200	150
	132	450	125.0	72		80	3.4			
	132	540	150.0	63		77	3.6			
ES150/50B	90	240	66.7	75.5	1450	69	2.8	470	200	150
	110	400	111.1	70		79	3.2			
	132	480	133.3	65		68	3.5			
ES150/50C	75	210	58.3	68	1450	67	2.6	445	200	150
	90	350	97.2	63		77	3			
	110	420	116.7	60.5		76	3.3			
ES200/26	22	259.2	72.0	19.5	1450	73	3	264	200	150
	30	432	120.0	15.2		82	3.2			
	30	518.4	144.0	12		74	3.3			
ES200/26A	22	248.4	69.0	18	1450	72	2.9	255	200	150
	22	414	115.0	14		81	3.1			
	22	496.8	138.0	10.5		72	3.2			
ES200/26B	18.5	273.6	76.0	15	1450	70	2.8	245	200	150
	18.5	396	110.0	12		80	3			
	18.5	475.2	132.0	9.7		70	3.1			
ES200/32	55	345	95.8	35	1450	72.5	3.2	340	250	200
	75	575	159.7	30		83.5	3.3			
	75	690	191.7	25.5		79.5	3.4			
ES200/32A	45	324	90.0	30	1450	71	3.1	320	250	200
	55	540	150.0	25.5		83	3.2			
	55	648	180.0	21		78	3.3			
ES200/32B	45	302.4	84.0	26.5	1450	67.5	3	300	250	200
	45	504	140.0	22		82	3.1			
	45	604.8	168.0	18.3		77.5	3.2			

Whatsapp: +86158 8887 1087  
E-mail: service@teskpump.com

Pump model	Power (kW)	Q		H (m)	Speed RPM	Efficiency (%)	m	Impeller Diameter (mm)	Diameter	
		m <sup>3</sup> /h	l/s						Suction	Drainage
ES200/40	110	390	108.3	59.5	1450	74	3	418	250	200
	132	650	180.6	53.5		84	3.8			
	132	780	216.7	48.5		82	4.5			
ES200/40A	90	360	100.0	52.5	1450	70	2.9	400	250	200
	110	600	166.7	46.5		81	3.6			
	110	720	200.0	41.5		80	4.4			
ES200/40B	75	330	91.7	41.5	1450	69	2.8	370	250	200
	90	550	152.8	36		81	3.5			
	90	660	183.3	31		78	4.2			
ES200/50	132	330	91.7	90	1450	68	3.2	500	250	200
	200	550	152.8	87		81	4			
	250	660	183.3	84.5		80	4.8			
ES200/50A	110	300	83.3	82.5	1450	69	3	480	250	200
	160	500	138.9	80		82.5	3.8			
	200	600	166.7	77.5		84	4.5			
ES200/50B	110	270	75.0	73	1450	63	2.8	460	250	200
	132	450	125.0	71.5		78	3.6			
	160	540	150.0	69		80	4.2			
ES250/32	75	522	145.0	32	1450	69	3	328	300	250
	90	870	241.7	27.5		83.5	4.8			
	90	1044	290.0	24		82	6.5			

Whatsapp: +86158 8887 1087  
E-mail: service@teskpump.com

Pump model	Power (kW)	Q		H (m)	Speed RPM	Efficiency n(%)	m	Impeller Diameter (mm)	Diameter	
		m <sup>3</sup> /h	l/s						Suction	Drainage
ES250/32A	75	480	133.3	29.5	1450	63	2.8	318	300	250
	75	800	222.2	25.5		82	4.5			
	90	960	266.7	22.5		83.5	6.2			
ES250/32B	75	450	125.0	28	1450	62	2.5	310	300	250
	75	750	208.3	24.5		81	4.2			
	75	900	250.0	22		82	6			
ES250/32C	55	432	120.0	23.5	1450	61	2.4	300*288	300	250
	55	720	200.0	20		80	4			
	75	864	240.0	17.5		76	5.8			
ES250/40	132	550	152.8	56.5	1450	75.5	3	422	300	250
	160	760	211.1	54		85	3.5			
	200	950	263.9	48.5		83	4.5			
ES250/40A	90	360	100.0	45	1450	62	2.6	380	300	250
	110	600	166.7	43		80	3.2			
	no	720	200.0	40.5		83	4.2			
ES250/40B	75	300	83.3	35	1450	55.5	2.3	338	300	250
	75	500	138.9	33		75	3			
	75	600	166.7	31		79	4			
ES250/50	250	534	148.3	85.5	1450	70	3	500	300	250
	280	890	247.2	80		82	5			
	315	1068	296.7	74		81	7			
ES250/50A	200	480	133.3	76	1450	67	2.8	475	300	250
	250	800	222.2	70.5		80	4.6			
	250	930	258.3	65.5		80	6.7			
ES250/50B	160	450	125.0	68	1450	65	2.6	450	300	250
	200	750	208.3	63		78.5	4.4			
	200	900	250.0	58.4		79	6.5			

Whatsapp: +86158 8887 1087  
E-mail: service@teskpump.com

Pump model	Power (kW)	Q		H (m)	Speed RPM	Efficiency (%)	m	Impeller Diameter (mm)	Diameter	
		m <sup>3</sup> /h	l/s						Suction	Drainage
ES300/40	200	831.6	231.0	52	1450	70	5	415	350	300
	220	1386	385.0	46.5		86	7			
	250	1663.2	462.0	42		87.5	8			
ES300/40A	160	720	200.0	45	1450	65	4.8	385	350	300
	200	1200	333.3	40.5		81	6.5			
	200	1440	400.0	37		82	7.5			
ES300/40B	132	594	165.0	38.5	1450	54.5	4.5	360*6	350	300
	160	990	275.0	35		74	6			
	160	1188	330.0	32.5		79	7			

**Whatsapp: +86158 8887 1087**  
**E-mail: [service@teskpump.com](mailto:service@teskpump.com)**