

Model	motor(kW)	Q(m <sup>3</sup> /h)	2	4	6	8	10	12.5	14	16
TK32-18/2	1.1	H (m)	19.4	19.1	18.7	18	16.7	14.3		
TK32-21/2	1.5		24.5	24.2	23.9	23.3	22.5	21	19.4	15.9
TK32-25/2	2.2		28.3	28.2	28	27.5	26.7	25	23.6	20.7
TK32-32/2	3		34.3	34.2	33.9	33.6	33.1	32	30.8	28.2
TK32-38/2	4		39.8	39.8	39.7	39.4	39	38	37	35.2
TK32-50/2	5.5		51.7	51.6	51.4	51.1	50.7	50	49.3	48
Model	motor(kW)	Q(m <sup>3</sup> /h)	4	8	12.5	16	20	25	28	32
TK40-16/2	1.1	H (m)	17.8	17.3	16	12.5				
TK40-20/2	1.5		21.5	21.1	20	17.2				
TK40-18/2	2.2		19.9	19.8	19.5	19	18	15.8		
TK40-25/2	3		27.7	27.5	27.1	26.4	25	22.5		
TK40-30/2	4		33.8	33.6	33.1	32.6	31.7	30	28.6	26.1
TK40-36/2	5.5		39	38.8	38.5	38.1	37.3	36	35	32.6
TK40-48/2	7.5		49.8	49.7	49.5	49.4	49	48	46.6	44.2

Model	motor(kW)	Q(m <sup>3</sup> /h)	2.5	5	7.5	10	12.5	15	17.5	20			
TK50-32/2	3	H (m)	35	34.6	34	33.2	32	30.5	27.9	23.3			
TK50-38/2	4		40.8	40.6	40.2	39.2	38	36.2	33.9	30.4			
TK50-48/2	5.5		50.5	50	49.7	49	48	46.5	44.2	40.7			
Model	motor(kW)	Q(m <sup>3</sup> /h)	5	10	16	20	25	30	35	40	45	50	60
TK50-12/2	1.1	H (m)	15.2	14.2	12	10							
TK50-15/2	1.5		18.9	18	16.5	15	12.6						
TK50-18/2	2.2		22.8	22.3	21	19.8	18	15					
TK50-24/2	3		26.2	26	25.5	25	24	22.3					
TK50-28/2	4		31.5	31.3	31	30.5	29.5	28	25.5				
TK50-35/2	5.5		36.9	36.7	36.5	36.2	35.8	35	33.7	31.5			
TK50-40/2	7.5		42.3	42.2	41.9	41.7	41.3	40.8	40	38.3	35		
TK50-50/2	11		53.5	53.4	53.1	52.9	52.5	51.9	51.1	50	48.4	45.8	
TK50-60/2	15		65.7	65.8	65.7	65.6	65.3	64.7	63.9	62.8	61.6	60	55.4
TK50-70/2	18.5		73.7	73.6	73.4	73.3	73.1	72.9	72.5	72	71.2	70	65.4
TK50-81/2	22	85.5	85.3	85	84.8	84.5	84	83.5	82.8	82.1	81	77.1	
Model	motor(kW)	Q(m <sup>3</sup> /h)	5	10	15	20	25	30	35				
TK65-36/2	5.5	H (m)	39.2	39.1	38.9	38.2	36	31.8	24.8				
TK65-48/2	7.5		50.4	50.3	50	49.3	48	45.9	42.5				
Model	motor(kW)	Q(m <sup>3</sup> /h)	10	20	30	40	50	60	70	80	90		
TK65-15/2	2.2	H (m)	17.9	17	15	10.7							
TK65-19/2	3		21.7	20.8	19	15.2							
TK65-22/2	4		25.1	24.7	23.9	22	17.5						
TK65-30/2	5.5		32.4	32.1	31.5	30	26.1						
TK65-34/2	7.5		38.6	38.2	37.6	36.4	34	29.6					
TK65-40/2	11		43.4	42.9	42.3	41.4	40	37.6					
TK65-50/2	15		53.6	53.3	52.7	51.6	50	47.3					
TK65-61/2	18.5		63.1	63.2	63	62.3	61	58.8	54.8				
TK65-67/2	22		68	67.8	67.7	67.5	67	65.8	63.4	59.7			
TK65-83/2	30		85.4	85.1	84.6	83.9	83	81.7	80	77.8	74.2		

Model	motor(kW)	Q(m <sup>3</sup> /h)	10	20	30	40	50	60	65								
TK80-40/2	11	H (m)	42.8	42.8	42.7	41.8	40	36.5									
TK80-48/2	15		50.4	50.4	50.2	49.5	48	45	42.6								
Model	motor(kW)	Q(m <sup>3</sup> /h)	10	20	30	40	50	60	70	80	90	100					
TK80-13/2	3	H (m)	16.1	15.8	15.2	14.3	13	10.9									
TK80-18/2	4		21.1	20.8	20.2	19.2	18	16.2	13.2								
TK80-22/2	5.5		24.4	24.1	23.7	23	22	20.5	18	14.3							
TK80-28/2	7.5		30.6	30.4	30	29.3	28	26.3	24	20.6							
TK80-30/2	11		34.8	34.5	34.2	33.8	33.2	32.4	31.3	30	27.8	24.7					
TK80-38/2	15		41.2	41.2	41.1	40.9	40.6	40.1	39.3	38	36	32.9					
TK80-47/2	18.5		50.6	50.4	50	49.8	49.6	49.1	48.3	47	44.8	41.4					
TK80-54/2	22		57	57	56.8	56.6	56.3	56	55.3	54	52.2	49.2					
TK80-67/2	30		69.2	69	68.8	68.7	68.6	68.3	67.8	67	65.9	63.9					
Model	motor(kW)	Q(m <sup>3</sup> /h)	10	20	30	40	50	60	70	80	90	100	110	120	130	145	160
TK100-9/2	2.2	H (m)	13.9	13.2	12.2	10.8	9	6.8	4.4								
TK100-15/2	4		18.6	18.2	17.7	17.1	16.2	15	13.4	11							
TK100-17/2	5.5		21.7	21.5	21.1	20.7	20	19.2	18.3	17	15.3	13	10.4				
TK100-22/2	7.5		26.8	26.6	26.3	25.9	25.3	24.5	23.4	22	20.3	18.2	15.8				
TK100-27/2	11		31.5	31.3	31.1	30.9	30.7	30.3	29.8	29.2	28.2	27	25.5	23.6	20.8		
TK100-33/2	15		37.1	37	36.8	36.6	36.2	35.8	35.3	34.7	33.9	33	31.7	30.1	27.9		
TK100-40/2	18.5		43.3	43.2	43.1	42.9	42.7	42.4	42.1	41.6	40.9	40	38.9	37.4	35.3		
TK100-48/2	22		51.2	51.1	51	50.8	50.6	50.3	49.9	49.4	48.8	48	46.9	45.3	43.2		
TK100-52/2	30		55.3	55.3	55.3	55.3	55.2	55.1	54.8	54.6	54.4	54.2	53.8	53.1	52	49	43.5

Model	motor(kW)	Q(m <sup>3</sup> /h)	40	60	80	100	120	140	160	180	200
TK125-11/4	5.5	H (m)	12.9	12.7	12.4	11.8	11	9.9	8		
TK125-14/4	7.5	H (m)	16.2	15.9	15.5	14.9	14	12.8	11.2		
TK125-18/4	11	H (m)	21.5	21.3	21	20.6	19.9	19.1	18	16.4	14.1
TK125-22/4	15	H (m)	26.7	26.5	26.2	25.7	24.9	23.7	22	19.8	16.7
TK125-28/4	18.5	H (m)	30.9	30.8	30.7	30.5	30.1	29.3	28	25.8	22.2
TK125-32/4	22	H (m)	34.6	34.6	34.5	34.4	34	33.3	32	30.2	27.3
TK125-40/4	30	H (m)	43.9	43.6	43.3	42.9	42.2	41.3	40	38	35.4
TK125-48/4	37	H (m)	51.5	51.3	51	50.5	49.9	49.1	48	46.4	44.2
Model	motor(kW)	Q(m <sup>3</sup> /h)	50	80	110	140	170	200	220	240	
TK150-12,5/4	11	H (m)	14.6	14.5	14.4	14.2	13.7	12.5	11.1	9.2	
TK150-17/4	15		18.8	18.8	18.7	18.5	18	17	16.1	15	
TK150-21/4	18.5		23.3	23.1	22.9	22.6	22	21	19.8	17.9	
TK150-25/4	22		28	28	27.8	27.3	26.5	25	23.5	21.3	
TK150-33/4	30		35.5	35.4	35.2	34.8	34.2	33	31.5	29.6	
TK150-40/4	37		43.1	43	42.8	42.4	41.6	40	38.4	36.2	
TK150-50/4	45		52.4	52.2	52	51.7	51.1	50	48.7	46.7	

Model	motor(kW)	Q(m <sup>3</sup> /h)	90	120	150	180	210	240	270	300	330	360
TK200-15/4	18.5	H (m)	18	17.7	17.5	17.2	16.8	16.4	15.8	15	14.1	12.9
TK200-18/4	22		21	20.7	20.5	20.2	19.8	19.4	18.8	18	17.1	15.8
TK200-24/4	30		26.1	26	25.8	25.7	25.4	25.1	24.6	24	23.1	21.9
TK200-30/4	37		33.4	33.2	33	32.6	32.2	31.6	30.9	30	29	27.7
TK200-35/4	45		38.3	38.3	38.1	37.8	37.3	36.7	35.9	35	33.8	32.2
TK200-44/4	55		46.3	46.1	45.9	45.6	45.4	45	44.6	44	43.1	41.9
TK200-53/4	75		55.7	55.7	55.7	55.5	55.3	54.8	54	53	51.6	50
Model	motor(kW)	Q(m <sup>3</sup> /h)	160	200	240	280	320	360	400	440	480	
TK200-12,5/4	22	H (m)	17.2	16.9	16.5	15.9	15.1	14	12.5	10.7	8	
TK200-20/4	30		24.6	24.4	24	23.6	22.8	21.7	20	17.5	14.2	
TK200-23/4	37		28.1	27.8	27.4	26.8	25.9	24.8	23	20.9	18.2	
TK200-27/4	45		32.1	31.7	31.2	30.5	29.6	28.4	27	24.9	22.5	
TK200-32/4	55		37.5	37.1	36.5	35.7	34.7	33.3	32	29.9	27.7	
TK200-43/4	75		47	46.7	46.4	45.9	45.3	44.4	43	41.1	38.6	
TK200-50/4	90		52.9	52.8	52.6	52.2	51.7	51	50	48.3	45.5	

Model	motor(kW)	Q(m <sup>3</sup> /h)	150	200	250	300	350	400	450	500	550	600	
TK250-15/4	30	H (m)	18.8	18.4	18	17.6	17.1	16.4	15.8	15	14.1	12.7	
TK250-18/4	37		21.2	20.9	20.5	20.1	19.7	19.2	18.7	18	17.1	15.9	
TK250-21/4	45		24.1	23.8	23.5	23.1	22.8	22.3	21.8	21	20	18.8	
TK250-27/4	55		30.3	30	29.6	29.2	28.8	28.3	27.7	27	26.1	24.9	
TK250-36/4	75		39.1	38.8	38.5	38.2	37.8	37.3	36.8	36	35	33.4	
TK250-44/4	90		47.4	47.1	46.8	46.4	45.9	45.4	44.8	44	43	41.6	
TK250-53/4	110		56.2	55.9	55.6	55.3	54.8	54.3	53.7	53	52.1	50.9	
Model	motor(kW)	Q(m <sup>3</sup> /h)	240	300	360	420	480	540	600	630	660	720	750
TK250-12,5/4	30	H (m)	18.4	17.9	17.2	16.4	15.5	14.5	13.2	12.5	11.8	9.9	8.7
TK250-14/4	37		20	19.5	18.9	18.2	17.5	16.6	15.6	14	13.4	12.6	11.6
TK250-17/4	45		21.8	21.3	20.8	20.1	19.4	18.6	17.6	17	16.3	14.4	13.4
TK250-20/4	55		24.5	24.1	23.7	23.1	22.4	21.5	20.5	20	19.3	17.6	16.5
TK250-26/4	75		31.7	31.1	30.6	29.9	29.1	28.2	26.8	26	25.2	23.1	21.9
TK250-32/4	90		36.7	36.3	35.7	35.1	34.3	33.5	32.6	32	31.3	29.5	28.4
TK250-40/4	110		46	45.5	44.9	44.2	43.4	42.3	40.8	40	39.1	36.8	35.5
TK250-50/4	132		55.6	55.2	54.6	53.9	53.2	52.3	50.9	50	49	46.7	45.4

Model	motor(kW)	Q(m <sup>3</sup> /h)	270	360	450	630	750	900	1080	1200
TK300-15/4	55	H (m)	22.7	22.3	21.6	19.5	17.8	15	11.6	8.5
TK300-20/4	75		26.4	26	25.5	24.1	22.4	20	17.1	14.5
TK300-25/4	90		30.8	30.4	29.8	28.2	27.1	25	22.5	20
TK300-30/4	110		34.5	34	33.5	32.4	31.6	30	27.5	25
TK300-35/4	132		38.6	38.1	37.8	36.9	36	35	32.6	29.6
TK300-44/4	160		49.5	49.2	48.8	47.6	46.3	44	40.5	37.5
TK300-55/4	200		58.2	57.9	57.6	56.7	56.1	55	52.5	49.2