

Model	Outlet	Q	H	Speed	Power	Current	Max. solids	Weight	Size (mm)				
	mm	m ³ /h	m	rpm	kW	A	mm	kg	H	H1	H2	B2	B3
40WQW10-10-0.75	40	10	10	2850	0.75	1.8	20	23	400	300	93	217	312
40WQW10-15-1.1	40	10	15	2850	1.1	2.6	20	27	415	315	93	217	312
50WQW10-10-0.75	50	10	10	2850	0.75	1.8	20	23	400	300	93	217	312
50WQW10-15-1.1	50	10	15	2850	1.1	2.6	20	27	415	315	93	217	312
50WQW15-10-1.1	50	15	10	2850	1.1	2.6	20	27	415	315	93	217	312
50WQW15-15-1.5	50	15	15	2880	1.5	3.3	26	35	493	370	103	250	345
50WQW9-22-2.2	50	9	22	2880	2.2	4.6	26	39	518	390	103	250	345
50WQW15-20-2.2	50	15	20	2880	2.2	4.6	26	39	518	390	103	250	345
50WQW15-25-3	50	15	25	2840	3	6.1	23	47	535	405	120	291	386
50WQW15-32-4	50	15	32	2840	4	7.7	18	52	565	435	120	291	386
50WQW25-25-4	50	25	25	2840	4	7.7	23	52	565	435	120	291	386
50WQW15-40-5.5	50	15	40	2940	5.5	10.8	18	86	650	510	123	313	408
50WQW20-45-7.5	50	20	45	2940	7.5	14.3	18	86	690	550	123	313	408
50WQW20-55-11	50	20	55	2950	11	21.8	19	100	765	480	128	346	441
50WQW20-60-15	50	20	60	2950	15	29.3	19	116	805	520	128	346	441
65WQW15-7-0.75	65	15	7	2850	0.75	1.8	20	23	400	300	93	217	312
65WQW15-10-1.1	65	15	10	2850	1.1	2.6	20	29	415	315	93	217	312
65WQW25-10-1.5	65	25	10	2880	1.5	3.3	26	38	493	370	103	250	355
65WQW25-14-2.2	65	25	14	2880	2.2	4.6	26	42	518	390	103	250	355
65WQW25-18-3	65	25	18	2840	3	6.1	26	48	535	405	120	291	396
65WQW40-16-4	65	40	16	2840	4	7.7	26	67	565	435	120	291	396
65WQW30-25-5.5	65	30	25	2940	5.5	10.8	18	87	650	510	123	313	418
65WQW30-35-7.5	65	30	35	2940	7.5	14.3	18	87	690	550	123	313	418
65WQW40-45-11	65	40	45	2950	11	21.8	19	122	765	480	128	346	441
65WQW40-50-15	65	40	50	2950	15	29.3	19	130	805	520	128	346	441

Whatsapp: +86158 8887 1087
E-mail: service@teskpump.com

Model	Outlet	Q	H	Speed	Power	Current	Max. solids	Weight	Size (mm)				
	mm	m ³ /h	m	rpm	kW	A	mm	kg	H	H1	H2	B2	B3
80WQW35-7-1.5	80	35	7	2880	1.5	3.3	45	51	505	390	107	276	401
80WQW40-8-2.2	80	40	8	2880	2.2	4.6	45	55	530	415	107	276	401
80WQW35-13-3	80	35	13	2840	3	6.1	45	49	560	430	130	295	420
80WQW50-12-4	80	50	12	2840	4	7.7	45	43	590	460	130	295	420
80WQW40-22-5.5	80	40	22	2940	5.5	10.8	26	87	660	520	125	325	450
80WQW45-28-7.5	80	45	28	2940	7.5	14.3	26	87	700	560	125	325	450
80WQW60-35-11	80	60	35	2950	11	21.8	32	122	775	490	136	340	490
80WQW60-40-15	80	60	40	2950	15	29.3	32	130	815	530	136	340	490
100WQW50-10-3	100	50	10	2840	3	6.1	55	50	578	458	136	306	456
100WQW60-11-4	100	60	11	2840	4	7.7	55	55	608	488	136	306	456
100WQW65-15-5.5	100	65	15	2940	5.5	10.8	46	92	690	550	143	320	470
100WQW70-17-7.5	100	70	17	2940	7.5	14.3	46	100	730	590	143	320	470
Model	Outlet	Q	H	Speed	Power	Current	Max. solids	Weight	Size (mm)				
	mm	m ³ /h	m	rpm	kW	A	mm	kg	H	H1	H2	B2	B3
100WQW100-25-11	100	100	25	2950	11	21.8	25	125	775	490	136	340	490
100WQW100-30-15	100	100	30	2950	15	29.3	25	133	815	530	136	340	490
150WQW100-10-5.5	150	100	10	2940	5.5	10.8	60	112	707	567	150	356	556
150WQW140-10-7.5	150	140	10	2940	7.5	14.3	60	120	747	607	150	356	556
150WQW140-15-11	150	140	15	2950	11	21.8	55	128	805	520	168	398	598
150WQW150-20-15	150	150	20	2950	15	29.3	55	136	845	560	168	398	598

Whatsapp: +86158 8887 1087
E-mail: service@teskpump.com

Model	Outlet	Q	H	Speed	Power	Current	Max. solids	Weight	Size (mm)				
	mm	m ³ /h	m	rpm	kW	A	mm	kg	H	H1	H2	B2	B3
200WQW300-7-11	200	300	7	2950	11	21.8	70	132	835	550	199	413	670
200WQW300-10-15	200	300	10	2950	15	29.3	70	140	875	590	199	413	670
Model	Outlet	Q	H	Speed	Power	Current	Max. solids	Weight	Size (mm)				
	mm	m ³ /h	m	rpm	kW	A	mm	kg	H	H1	H2	B2	B3
100WQW80-35-18.5	100	80	35	1450	18.5	35.6	30	290	1100	710	244	545	696
100WQW100-35-22	100	100	35	1450	22	43.2	30	300	1100	710	244	545	696
100WQW100-45-30	100	100	45	1460	30	57.5	30	320	1150	750	244	545	696
Model	Outlet	Q	H	Speed	Power	Current	Max. solids	Weight	Size (mm)				
	mm	m ³ /h	m	rpm	kW	A	mm	kg	H	H1	H2	B2	B3
150WQW180-20-	150	180	20	1450	18.5	35.6	50	295	1140	750	258	523	725
150WQW180-25-22	150	180	25	1450	22	43.2	50	305	1140	750	258	523	725
150WQW200-28-30	150	200	28	1460	30	57.5	55	325	1190	800	258	523	725
150WQW150-35-37	150	150	35	1470	37	72	55	590	1300	900	280	622	825
150WQW200-35-45	150	200	35	1470	45	87	55	630	1300	900	280	622	825
150WQW200-45-55	150	200	45	1480	55	106	55	790	1600	1200	330	750	950
150WQW200-50-75	150	200	50	1480	55	142	55	850	1600	1200	330	750	950
200WQW300-12-	200	300	12	1450	18.5	35.6	60	300	1150	750	260	566	826
200WQW300-15-22	200	300	15	1450	22	43.2	60	310	1150	750	260	566	826
200WQW400-10-22	200	400	10	1450	22	43.2	60	310	1150	750	260	566	826

Whatsapp: +86158 8887 1087
E-mail: service@teskpump.com

Model	Outlet	Q	H	Speed	Power	Current	Max. solids	Weight	Size (mm)				
	mm	m ³ /h	m	rpm	kW	A	mm	kg	H	H1	H2	B2	B3
200WQW250-22-30	200	250	22	1460	30	57.5	45	330	1200	810	260	566	826
200WQW400-15-30	200	400	15	1460	30	57.5	45	330	1200	810	260	566	826
200WQW300-26-37	200	300	26	1470	37	72	45	610	1300	900	358	699	960
200WQW400-22-37	200	400	22	1470	37	72	45	610	1300	900	258	699	960
200WQW400-25-45	200	400	25	1470	45	87	60	650	1300	900	258	699	960
200WQW400-30-55	200	400	30	1480	55	106	60	810	1600	1200	330	770	1000
200WQW350-40-75	200	350	40	1480	75	142	60	870	1600	1200	330	770	1000
200WQW500-30-75	200	500	30	1480	75	142	60	870	1600	1200	330	770	1000
250WQW400-15-30	250	400	15	1460	30	57.5	60	342	690	550	262	632	962
250WQW500-15-37	250	500	15	1470	37	72	60	630	1350	950	300	750	1080
250WQW600-15-45	250	600	15	1470	45	87	60	670	1350	950	300	750	1080
250WQW500-23-55	250	500	23	1480	55	106	60	810	1650	1250	320	820	1150
250WQW600-28-75	250	600	28	1480	75	142	60	880	1650	1250	320	820	1150
300WQW600-9-30	300	600	9	1460	30	57.5	60	350	690	550	262	687	1090
300WQW600-12-37	300	600	12	1470	37	72	60	650	1370	970	292	720	1120
300WQW800-12-45	300	800	12	1470	45	87	60	690	1370	970	292	720	1120
300WQW600-20-55	300	600	20	1480	55	106	55	830	1680	1280	320	850	1250
300WQW800-20-75	300	800	20	1480	75	142	60	905	1680	1280	320	850	1250

Whatsapp: +86158 8887 1087
E-mail: service@teskpump.com

Model	Q (m ³ / h)	5	10	15	20	25	30	35	40	45	50	55
40WQW10-10-0.75	H (m)	11.5	10	8	6							
40WQW10-15-1.1		17	15	12.7	9	4						
40WQW15-10-1.1		14.5	12	10	7.5	4.8						
50WQW10-10-0.75		11.5	10	8	6							
50WQW10-15-1.1		17	15	12.7	9	4						
50WQW15-10-1.1		14.5	12	10	7.5	4.8						
50WQW15-15-1.5		18	16.5	15	13.3	11.5	9					
50WQW15-20-2.2		23.3	21.8	20	18.2	16.3	14.2	12.7				
50WQW15-25-3		28.5	27	25	23.2	21.3	19.3	17				
50WQW15-32-4		36	34	32	30	28	29.5	23.6	21			
50WQW25-25-4		31	29.8	28.4	26.5	25	23	21				
50WQW15-40-5.5		42.5	41.7	40	38	36	34	32	30			
50WQW20-45-7.5		49.5	48.5	47	45	43	41	39	37			
50WQW20-55-11		60	58.5	57	55.6	54	52.5	50.1	48.2	43		
50WQW20-60-15		63	62.2	60.7	60	58.3	57	55	53.8	51.7	50	47.5
65WQW15-7-0.75		9.7	9	15.7	5.3	3.7						
65WQW15-10-1.1		12.8	11.5	10	8	6.5						
65WQW25-10-1.5		15.5	14.4	13.4	11.7	10	8	5.9	3			
65WQW25-14-2.2		17.2	16.7	15.2	14.7	14	13	11.2	9.5	7.6	5.5	
65WQW25-18-3		23	22	20.9	19.6	18	16.5	14.3	12.5	10.2	7.4	
65WQW40-16-4	25.3	24	22.8	21.5	20.2	19	17.5	16.2	14.2	12.6	10.5	
65WQW30-25-5.5	30	29.2	28.3	27	25.9	24.8	23	21.7	19.9	18	16.2	
65WQW30-35-7.5	42	41	40	38.7	37.2	35	33	30.7	28	24.7	21	
65WQW40-45-11	53	52.5	51.3	50.6	49.5	48	47	45	43.8	42	40.2	
65WQW40-50-15	59	57.6	57	55	54.5	52.6	51	50	48	46	44.9	

Whatsapp: +86158 8887 1087
E-mail: service@teskpump.com

Model	Q (m3/ h)	10	20	30	40	50	60	70	80	90	100	110
80WQW35-7-1.5	H (m)	10	8.9	7.6	6	4.4	2.5					
80WQW40-8-2.2		12	10.8	9.6	8	6.5	4.6					
80WQW35-13-3		16	15.3	13.8	12	9.7	6.7					
80WQW50-12-4		21	19.5	17.2	15	12	9	5.5				
80WQW40-22-5.5		30.8	28.2	25	22	17	12.1	7				
80WQW45-28-7.5		34.6	33.4	31.5	29.5	27.3	24.7	22	19			
80WQW60-35-11		42	41.2	40.2	39.7	37.3	35	33	30.6	27.6	23.8	
80WQW60-40-15		47	46.4	45	43.5	42	40	37.7	35	32	28.4	
100WQW50-10-3		15.5	14.2	13	10.8	10	7.5	5.8				
100WQW60-11-4		16.5	15.9	14.8	13.6	12.5	11	10	8.2			
100WQW65-15-5.5		21.8	21	20	19	18	16.5	14.5	12	8		
100WQW70-17-7.5		24	23	22	20.7	19.5	18.2	17	15.2	14.2	13	11
Model	Q (m3/ h)	20	40	60	80	100	120	140	160	180	200	220
100WQW100-25-11	H (m)	34.4	32.5	30	27.5	25	21	17	12.5			
100WQW100-30-15		39	37.3	35	32.8	30	26.8	23	19.3			
150WQW100-10-5.5		16.5	15.5	13.7	12	10	8	5.8	3.5			
150WQW140-10-7.5		19	18.3	17	15.5	14	12	10	7.8	5.2		
150WQW140-15-11		29	28	26	24	21.6	18.7	15	9.5			
150WQW150-20-15		36	34	32	30	27.7	25	22.2	19.5	11.3		

Whatsapp: +86158 8887 1087
E-mail: service@teskpump.com

Model	Q (m3/ h)	50	100	150	200	250	300	350	400	450	500	550
200WQW210-10-11	H (m)	14	13	11.7	10.3	8.7	6.6	3.8				
200WQW300-10-15		18	17	15.7	14.3	12.4	10	6.8	2			
Model	Q(m3/h)	20	40	60	80	100	120	140	160	180	200	220
100WQW80-35-18.5	H (m)	38.8	37.6	36.8	35	32.5	29.5	25.3	20			
100WQW100-35-22		42	40.5	39	37.4	35	32.3	28.5	24			
100WQW100-45-30		53	51	49	47	45	42	38.5	34	28.5	23	16
Model	Q(m3/h)	50	100	150	200	250	300	350	400	450	500	550
150WQW180-20-18.5	H (m)	29.2	26.6	23	18	10	5					
150WQW180-25-22		35	31.8	28	23	17.3	11					
150WQW200-28-30		35.5	33.5	30.8	29.2	24	18.3	12				
150WQW150-35-37		39.8	37.6	35	31.8	28	23.3	18				
150WQW200-35-45		42.3	40	38	35	32	28.2	25	19			
150WQW200-45-55		56.3	52.7	49.2	45	40.7	36	30.7	25.5	19.8		
150WQW200-50-75		62.5	57.8	54	50	45.5	41.3	37	32.2	27.5	12.8	5.5
200WQW300-12-18.5		20.5	19.5	17.5	17	14.8	12	9	7	3	22.5	17.6
200WQW300-15-22		21	20	19	18	17	15	12.4	10	3		
200WQW400-10-22		21	20	19	18	17	15	12.4	10	3		

Whatsapp: +86158 8887 1087
E-mail: service@teskpump.com

Model	Q(m ³ /h)	100	150	200	250	300	350	400	450	500	550	600
200WQW250-22-30	H(m)	29	26.5	24	22	20	17.5	15	12	9.5	6	2
200WQW400-15-30		29	26.5	24	22	20	17.5	15	12	9.5	6	2
200WQW300-26-37		34	32	29.7	27.8	26	24	22	20	17.5	15	12
200WQW400-22-37		34	32	29.7	27.8	26	24	22	20	17.5	15	12
200WQW400-25-45		40.5	38.5	36	33.5	31	28	25	21.5	17.8	14	10
200WQW400-30-55		48.8	46	43	39.5	36.3	33.2	30	25.8	22.5		
200WQW350-40-75		50.5	48.8	47	44.8	42.6	39.8	37	33.5	30		
200WQW500-30-75		50.5	48.8	47	44.8	42.6	39.8	37	33.5	30		
250WQW400-15-30		25	23.7	22.3	20.7	19	17	15	12.3	9.5	6	2
250WQW500-15-37		27	24.3	22	18.5	15	12	8	4.5			
250WQW600-15-45		32.3	29	24	22.3	19	15	11.8	7.8	3		
250WQW500-23-55		37	34	30.3	27.4	23	20	17	12.5	7.6		
250WQW600-28-75		43.8	40.8	37.8	35	32	28	25	22.3	18.5	15	
300WQW600-9-30		27.5	24.5	21.8	18	14	9	6	3			
300WQW600-12-37		26	23.5	21.2	17.8	15.6	12	8.9	4.5			
300WQW800-12-45			28	27	24.5	22.3	19.2	16	12	7.3	1.5	
300WQW600-20-55			34	31	27.5	24	20	16	11	6	1.5	
300WQW800-20-75		39	36.3	33.8	30.5	27.5	24	20	15	10	4	

Whatsapp: +86158 8887 1087
E-mail: service@teskpump.com