



WeChat



Web

NINGBO DRAGON TOOLS CO.,LTD.
NINGBO CUITOOL IMPORT&EXPORT CO.,LTD.

📍 No.1 Zhengjia Village,Zhangshui Town,Haishu District,Ningbo,China


📞 0086-15990555158

☎ 0086-574-88289998

📠 0086-574-88477485

✉ info@shenlongtool.com

🌐 www.cuitool.com



CUITOOOL 崔工


Chisel+Muscle=CUITOOOL

ABOUT CUITOOL






Founded in 1980, Ningbo Dragon Tools Co., Ltd is located in Zhangshui Town, Haishu District, Ningbo City of Zhejiang Province. With a land area of 12 thousand square meters, our company has owned a staff of from 100 to 150 people. After decades of development, our company has accumulated a strong technical capability.


Our company specializes in the production of various electric and pneumatic chisels and carbide electric drill bits in line with the technical standard issued by PGM. By introducing advanced equipment both at home and abroad, our company has developed a wide range of detection devices with reliable quality. The key brand "CUITOO" has been exported to many developed countries and also won the favor of our clients in the world. Our company has also obtained the ISO9001 international quality system. Our company will continue to offer best services for old and new customers on a global scale.




Art. No.	Spec	Overall Length (mm)	Width (mm)
101140	POINT	140	-
101250	POINT	250	-
102140	FLAT	140	20
102250	FLAT	250	20
103140	WIDE	140	40
103250	WIDE	250	40
104250	WIDE BEND 25°	250	40
113250	SHARPEN FLAT	250	20
105250	HOLLOW GOUGE	250	22
106250	CHANNEL	250	22
107250	WINGED GOUGE	250	22




	Art. No.	Spec	Overall Length (mm)	Width (mm)
	108250	SLOTTING	250	27
	111165	WIDE	165	75
	111250	WIDE	250	75
	112165	WIDE BEND 25°	165	75
	112250	WIDE BEND 25°	250	75
	114250	TILE	260	40
	115250	SHARPEN SPADE	250	40
	101250H	CONE POINT	250	-
	101250S	SHARPEN POINT	250	-



	Art. No.	Spec	Overall Length (mm)	Width (mm)
	5101140	POINT	140	-
	5101250	POINT	250	-
	5102140	FLAT	140	20
	5102250	FLAT	250	20
	5103140	WIDE	140	40
	5103250	WIDE	250	40
	5104250	WIDE BEND 25°	250	40
	5105250	HOLLOW GOUGE	250	22




Art. No.	Spec	Overall Length (mm)	Width (mm)
201280	POINT	280	-
201300	POINT	300	-
201360	POINT	360	-
201400	POINT	400	-
201460	POINT	460	-
201500	POINT	500	-
201550	POINT	550	-
201600	POINT	600	-
202280	FLAT	280	25
202300	FLAT	300	25
202360	FLAT	360	25
202400	FLAT	400	25
202460	FLAT	460	25
202500	FLAT	500	25
202550	FLAT	550	25
202600	FLAT	600	25
227400	COLLAR POINT	400	-
228400	COLLAR FLAT	400	25
201400S	SHARPEN POINT	400	-
229400	SHARPEN FLAT	400	25



Art. No. 货号	Spec 名称	Overall Length 总长度 /mm	Width 宽度 /mm
204400	WIDE	400	50
205400	WIDE BEND 25°	400	50
206300	TILE	300	50
207300	WIDE	300	75
208300	WIDE BEND 25°	300	75
207300-C80	WIDE	300	80
215350	WIDE	350	115
209300	HOLLOW GOUGE	300	26
211300	CHANNEL	300	33





Art. No.	Spec	Overall Length (mm)	Width (mm)
212380	WINGED GOUGE	380	35



213450	CLAY SPADE	450	110
--------	------------	-----	-----



214450	POINTED SPADE	450	100
--------	---------------	-----	-----



217300	MORTAR	300	27
--------	--------	-----	----



218300	SLOTING	300	27
--------	---------	-----	----




220450	ASPHALT CUTTER	450	125
--------	----------------	-----	-----



230300	COMB HOLDER	300	-
--------	-------------	-----	---



225250	DRIVE ROD	250	20
--------	-----------	-----	----



Art. No.	Spec	Overall Length (mm)	Width (mm)
401280	POINT	280	-
401350	POINT	350	-
401400	POINT	400	-
401450	POINT	450	-
401600	POINT	600	-



402280	FLAT	280	22
402350	FLAT	350	22
402400	FLAT	400	22
402450	FLAT	450	22
402600	FLAT	600	22



403280	WIDE	280	50
--------	------	-----	----




404280	WIDE	280	75
--------	------	-----	----



410450	POINTED SPADE	450	100
--------	---------------	-----	-----



401280S	SHARPEN POINT	280	-
---------	---------------	-----	---



Art. No.	Spec	Overall Length (mm)	Width (mm)
6201320	POINT	320	-
6201450	POINT	450	-
6201600	POINT	600	-



6202320	FLAT	320	-
6202450	FLAT	450	-
6202600	FLAT	600	-



Art. No.	Spec	Overall Length (mm)	Width (mm)
701300	POINT	300	-
701400	POINT	400	-
701450	POINT	450	-
701500	POINT	500	-
701600	POINT	600	-




702300	FLAT	300	25
702400	FLAT	400	25
702450	FLAT	450	25
702500	FLAT	500	25
702600	FLAT	600	25



703300	WIDE	300	50
703400	WIDE	400	50



704300	WIDE	300	75
--------	------	-----	----



Art. No.	Spec	Overall Length (mm)	Width (mm)
801300	POINT	300	-
801380	POINT	380	-
801450	POINT	450	-
801600	POINT	600	-




802300	FLAT	300	25
802380	FLAT	380	25
802450	FLAT	450	25
802600	FLAT	600	25



803300	WIDE	300	50
803350	WIDE	350	50
803400	WIDE	400	50



804300	WIDE	300	75
804350	WIDE	350	75



Art. No.	Spec	Overall Length (mm)	Width (mm)
1101300	POINT	300	-
1101380	POINT	380	-
1101450	POINT	450	-
1101600	POINT	600	-



1102300	FLAT	300	25
1102380	FLAT	380	25
1102450	FLAT	450	25
1102600	FLAT	600	25




1103300	WIDE	300	50
1103400	WIDE	400	50
1103500	WIDE	500	50







1104300	WIDE	300	75
1104400	WIDE	400	75




1106450	CLAY SPADE	450	110
---------	------------	-----	-----



	Art. No.	Spec	Overall Length (mm)	Width (mm)
	1401400S	SHARPEN POINT	400	-
	1401380	POINT	380	-
	1401500	POINT	500	-
	1402380	FLAT	380	-
	1402500	FLAT	500	-
	1403400	WIDE	400	75
	1406500	ASPHALT CUTTER	500	125
	1410500	TARMAC CUTTER	500	115
	1411450	DIGGER SPADE	450	75



	Art. No.	Spec	Overall Length (mm)	Width (mm)
	1501500S	SHARPEN POINT	500	-
	1501450	POINT	450	-
	1501500	POINT	500	-
	1502450	FLAT	450	-
	1502500	FLAT	500	-
	1503500	WIDE	500	75
	1506500	ASPHALT CUTTER	500	125
	1510500	DIGGER SPADE	500	75
	1511400	DRIVE ROD	400	-



Art. No.	Spec	Overall Length (mm)	Width (mm)
1601400S	SHARPEN POINT	400	-



1601400	POINT	400	-
1601500	POINT	500	-
1601600	POINT	600	-




1602400	FLAT	400	35
1602500	FLAT	500	35
1602600	FLAT	600	35



1604400	WIDE	400	75
---------	------	-----	----



1614400	WIDE	400	115
---------	------	-----	-----



Art. No.	Spec	Overall Length (mm)	Width (mm)
1605450	CLAY SPADE	450	110



1606450	POINTED SPADE	450	135
---------	---------------	-----	-----




1609450	ASPHALT CUTTER	450	125
---------	----------------	-----	-----




1611500	DIGGING SPADE	500	75
---------	---------------	-----	----





1612400	DRIVE ROD	400	-
---------	-----------	-----	---



	Art. No.	Spec	Overall Length (mm)	Width (mm)
	5201360S	SHARPEN POINT	360	-
	5201500S	SHARPEN POINT	500	-
	5201360	POINT	360	-
	5201500	POINT	500	-
	5202360	FLAT	360	30
	5206500	FLAT	500	30
	5203360	WIDE	360	50
	5203500	WIDE	500	50
	5204360	WIDE	360	75
	5204500	WIDE	500	75
	5205400	CLAY SPADE	500	110
	5206450	ASPHALT CUTTER	450	125



	Art. No.	Spec	Overall Length (mm)	Width (mm)
	6101500	POINT	500	-
	6102500	FLAT	500	-
	6103500	WIDE	500	75
	6104500	DIGGING SPADE	500	75
	6105500	ASPHALT CUTTER	500	125
	6106550	TIMPER	550	100
	6107400	DRIVE ROD	400	-



Art. No.	Spec	Overall Length (mm)	Width (mm)
4001300	POINT	300	-
4001350	POINT	350	-
4001400	POINT	400	-
4001450	POINT	450	-
4001500	POINT	500	-





4002300	FLAT	300	-
4002350	FLAT	350	-
4002400	FLAT	400	-
4002450	FLAT	450	-
4002500	FLAT	500	-



4005300	WIDE	300	50
---------	------	-----	----



4007300	WIDE	300	75
---------	------	-----	----



Art. No.	Spec	Overall Length (mm)	Width (mm)
1001400	POINT	400	-
1001450	POINT	450	-
1001500	POINT	500	-



1002400	FLAT	400	-
1002450	FLAT	450	-
1002500	FLAT	500	-





1003300	WIDE	300	50
---------	------	-----	----



1004300	WIDE	300	75
---------	------	-----	----



1007500	CALY SPADE	500	110
---------	------------	-----	-----



Art. No.	Spec	Overall Length (mm)	Width (mm)
4401400	POINT	400	-
4401450	POINT	450	-
4401500	POINT	500	-
4401550	POINT	550	-
4401600	POINT	600	-



4402400	FLAT	400	-
4402450	FLAT	450	-
4402500	FLAT	500	-
4402550	FLAT	550	-
4402600	FLAT	600	-



4403400	WIDE	400	75
---------	------	-----	----





4405450	CLAY SPADE	450	110
---------	------------	-----	-----



4406500	ASPHALT CUTTER	500	125
---------	----------------	-----	-----



4408500	DIGGING SPADE	500	75
---------	---------------	-----	----



Art. No.	Spec	Overall Length (mm)	Width (mm)
4501400	POINT	400	-
4501450	POINT	450	-
4501500	POINT	500	-
4501550	POINT	550	-
4501600	POINT	600	-



4502400	FLAT	400	-
4502450	FLAT	450	-
4502500	FLAT	500	-
4502550	FLAT	550	-
4502600	FLAT	600	-



4503450	WIDE	450	75
---------	------	-----	----




4505450	CLAY SPADE	450	110
---------	------------	-----	-----



4506500	ASPHALT CUTTER	500	125
---------	----------------	-----	-----



4508500	DIGGING SPADE	500	75
---------	---------------	-----	----



Art. No.	Spec	Overall Length (mm)	Width (mm)
4601400	POINT	400	-
4601450	POINT	450	-
4601500	POINT	500	-
4601550	POINT	550	-
4601600	POINT	600	-



4602400	FLAT	400	-
4602450	FLAT	450	-
4602500	FLAT	500	-
4602550	FLAT	550	-
4602600	FLAT	600	-



4603400	WIDE	400	75
4603450	WIDE	450	75




4605450	CLAY SPADE	450	110
---------	------------	-----	-----



4606500	ASPHALT CUTTER	500	125
---------	----------------	-----	-----



4608500	DIGGING SPADE	500	75
---------	---------------	-----	----



Art. No.	Spec	Overall Length (mm)	Width (mm)
4701450	POINT	450	-
4701500	POINT	500	-
4701550	POINT	550	-
4701600	POINT	600	-



4702450	FLAT	450	-
4702500	FLAT	500	-
4702550	FLAT	550	-
4702600	FLAT	600	-



4703450	WIDE	450	75
4703500	WIDE	500	75



4705450	TARMAC CUTTER	450	115
---------	---------------	-----	-----



4707550	ASPHALT CUTTER	550	125
---------	----------------	-----	-----



4710500	DIGGING SPADE	500	75
---------	---------------	-----	----



Art. No.	Spec	Overall Length (mm)	Width (mm)
4801450	POINT	450	-
4801500	POINT	500	-
4801550	POINT	550	-
4801600	POINT	600	-



4802450	FLAT	450	-
4802500	FLAT	500	-
4802550	FLAT	550	-
4802600	FLAT	600	-



4803450	WIDE	450	75
4803500	WIDE	500	75




4805450	TARMAC CUTTER	450	115
---------	---------------	-----	-----



4807550	ASPHALT CUTTER	550	125
---------	----------------	-----	-----



4810500	DIGGING SPADE	500	75
---------	---------------	-----	----



Art. No.	Spec	Overall Length (mm)	Width (mm)
4901450	POINT	450	-
4901500	POINT	500	-
4901550	POINT	550	-
4901600	POINT	600	-



4902450	FLAT	450	-
4902500	FLAT	500	-
4902550	FLAT	550	-
4902600	FLAT	600	-



4903450	WIDE	450	75
4903500	WIDE	500	75



4905450	TARMAC CUTTER	450	115
---------	---------------	-----	-----



4907550	ASPHALT CUTTER	550	125
---------	----------------	-----	-----




4908600	TAMPER	600	100
---------	--------	-----	-----






4909500	DIGGING SPADE	500	75
---------	---------------	-----	----




4911540	ROCK BREAKER	540	-
---------	--------------	-----	---



Art. No.	Spec	Overall Length (mm)	Width (mm)
5001450	POINT	450	-
5001500	POINT	500	-
5001550	POINT	550	-
5001600	POINT	600	-
5002450	FLAT	450	-
5002500	FLAT	500	-
5002550	FLAT	550	-
5002600	FLAT	600	-
5003450	WIDE	450	75
5003500	WIDE	500	75
5005450	TARMAC CUTTER	450	115
5007550	ASPHALT CUTTER	550	125
5008600	TAMPER	600	100
5009500	DIGGING SPADE	500	75
5011540	DIGGING SPADE	540	-



Art. No.	Spec	Overall Length (mm)	Width (mm)
3101255	POINT	255	-
3101300	POINT	300	-
3102255	FLAT	255	-
3102300	FLAT	300	-
3103300	WIDE	300	50
3104300	WIDE	300	75
Art. No.	Spec	Overall Length (mm)	Width (mm)
3201400	POINT	400	-
3201500	POINT	500	-
3201600	POINT	600	-
3202400	FLAT	400	-
3202500	FLAT	500	-
3202600	FLAT	600	-



Art. No.	Spec	Overall Length (mm)	Width (mm)
4301400	POINT	400	-




4302400	FLAT	400	-
---------	------	-----	---



4305450	CLAY SPADE	450	110
---------	------------	-----	-----



4306500	ASPHALT CUTTER	500	125
---------	----------------	-----	-----



Art. No.	Spec	Overall Length (mm)	Width (mm)
5401350	POINT	350	-




5402350	FLAT	350	-
---------	------	-----	---



Art. No.	Spec	Overall Length (mm)	Width (mm)
5701300	POINT	300	-



5702300	FLAT	300	-
---------	------	-----	---



Art. No.	Spec	Overall Length (mm)	Width (mm)
5801330S	SHARPEN POINT	330	-




5801330	POINT	330	-
---------	-------	-----	---




Art. No.	Spec	Overall Length (mm)	Width (mm)
5901330S	SHARPEN POINT	330	-




5901330	POINT	330	-
---------	-------	-----	---




	Art. No.	Spec	Overall Length (mm)	Width (mm)
	1802180	FLAT	180	19
	1803180	WIDE	180	35
	1804180	WIDE BEND	180	35



	Art. No.	Spec	Overall Length (mm)	Width (mm)
	2002180	FLAT	180	19
	2003180	WIDE	180	35
	2004180	WIDE BEND	180	35
	2005180	WIDE	180	50



	Art. No.	Spec	Overall Length (mm)	Width (mm)
	2301165	PANEL CUTTER	165	-
	2302165	SCRAPER BEND	165	32
	2305165	TAPER PUNCH	165	-
	2308165	PUNCH	165	-
	2309165	FLAT	165	19
	2314165	DOUBLE EDGE CUTTER	165	-
	2316165	TAIL PIPE CUTTER	165	28
	2323165	SHEET MATERIAL	165	-



Art. No.	Spec	Overall Length (mm)	Width (mm)
----------	------	---------------------	------------




2337190	WIDE	190	50
---------	------	-----	----



2336190	WIDE	190	75
---------	------	-----	----



2338190	WIDE	190	100
---------	------	-----	-----



Art. No.	Spec	Overall Length (mm)	Width (mm)
----------	------	---------------------	------------




2801230	POINT	230	-
2801305	POINT	305	-



2802230	FLAT	230	-
2802305	FLAT	305	-



2805230	WIDE	230	50
2805305	WIDE	305	50



Art. No.	Spec	Overall Length (mm)	Width (mm)
----------	------	---------------------	------------



3701230	POINT	230	-
3701305	POINT	305	-



3702230	FLAT	230	-
3702305	FLAT	305	-



3705230	WIDE	230	50
3705305	WIDE	305	50




Art. No.	Spec	Overall Length (mm)	Width (mm)
----------	------	---------------------	------------

FS3280	FLOOR SCRAPER	280	-
--------	---------------	-----	---



B30170	BLADE 2.0MM	170	-
--------	-------------	-----	---



RK1040	REPAIR KIT	-	-
--------	------------	---	---



216400	SDS MAX STEM	400	-
--------	--------------	-----	---



1109275	HEX STEM	275	-
---------	----------	-----	---



1408400	HEX STEM	400	-
---------	----------	-----	---



1508400	HEX STEM	400	-
---------	----------	-----	---



1608400	HEX STEM	400	-
---------	----------	-----	---



5207280B	HEX STEM	280	-
----------	----------	-----	---



Art. No.	Spec	Overall Length (mm)	Width (mm)
----------	------	---------------------	------------

1XQ	BOLT	75	-
-----	------	----	---



10085J	HEX ADAPTER	110	-
--------	-------------	-----	---



10115J	SDS PLUS ADAPTER	110	-
--------	------------------	-----	---



409220	HEX ADAPTER	220	-
--------	-------------	-----	---



226220	SDS MAX ADAPTER	220	-
--------	-----------------	-----	---



820220	SPUINE ADAPTER	220	-
--------	----------------	-----	---

	Art. No.	Spec	Overall Length (mm)	Width (mm)
	108150HJ3	SDS PLUS GROOVE EDGE 3 TIP	150	-
	108150HJ5	SDS PLUS GROOVE EDGE 5 TIP	250	-
	218300HJ5	SDS MAX GROOVE EDGE 5 TIP	300	-
	403180HJ4	HEX GROOVE EDGE 4 TIP	180	-
	F103150HJ4	CARBIDE BUSHING 4 TIP	150	-
	108HJ130	SDS PLUS GROOVE EDGE	130	32
	108HJ200	SDS PLUS GROOVE EDGE	200	32



Art. No.	Spec	Overall Length (mm)	Width (mm)
HJ28Y9	CARBIDE BUSHING 9 TIP	-	28
HJ35Y12	CARBIDE BUSHING 12 TIP	-	35
HJ35Y16	CARBIDE BUSHING 16 TIP	-	35

Art. No.	Spec	Overall Length (mm)	Width (mm)
F116160J12	CARBIDE BUSHING 12 TIP	160	-
F116180Y16	CARBIDE BUSHING 16 TIP	180	-
221240	BUSHING	240	45
221220J16	SDS MAX CARBIDE BUSHING 16 TIP	220	-
221220Y25	SDS MAX CARBIDE BUSHING 25 TIP	220	-
411190Y16	HEX CARBIDE BUSHING 5 TIP	190	-
411200F16	HEX CARBIDE BUSHING 16 TIP	200	-
806240	BUSHING	240	45



Art. No.	Spec	Overall Length (mm)	Width (mm)
16PD-160	PAD	160	-



Art. No.	Spec	Overall Length (mm)	Width (mm)
50PD-180	PAD	180	-



Art. No.	Spec	Overall Length (mm)	Width (mm)
11PD-100	PAD	-	100



Art. No.	Spec	Overall Length (mm)	Width (mm)
11PD-125	PAD	-	125



Art. No.	Spec	Overall Length (mm)	Width (mm)
50PD-150	PAD	-	150

Art. No.	Spec	Overall Length (mm)	Width (mm)
----------	------	---------------------	------------



6105300	STEM	300	-
---------	------	-----	---



16PA-400	STEM	400	-
----------	------	-----	---



5004400	STEM	400	-
---------	------	-----	---



44PA-400	STEM	400	-
----------	------	-----	---

Art. No.	Spec	Overall Length (mm)	Width (mm)
----------	------	---------------------	------------

FS201400	SDS MAX FLOOR SCRAPER	640	-
----------	-----------------------	-----	---



Art. No.	Spec	Overall Length (mm)	Width (mm)
----------	------	---------------------	------------

FS1601400	HEX FLOOR SCRAPER	640	-
-----------	-------------------	-----	---



Art. No.	Spec	Overall Length (mm)	Width (mm)
----------	------	---------------------	------------

FS1501400	HEX LOOR SCRAPER	530	-
-----------	------------------	-----	---



Art. No.	Spec	Overall Length (mm)	Width (mm)
----------	------	---------------------	------------

FS101250	SDS PLUS FLOOR SCRAPER	250	-
----------	------------------------	-----	---



SDS PLUS SHANK

ART.NO.	SPEC (MM)
SJG100	M16*100
SJG115	M16*115
SJG170	M22*170
SJG200	M22*200
SJG250	M22*250
SJG300	M22*300
SJG350	M22*350
SJG530	M22*530

SDS MAX SHANK

ART.NO.	SPEC (MM)
WJG180	M22*180
WJG250	M22*250
WJG400	M22*400
WJG530	M22*530

HEX SHANK

ART.NO.	SPEC (MM)
HJG180	M22*180
HJG250	M22*250
HJG400	M22*400
HJG530	M22*530

HOLE SAW

ART.NO.	SPEC (MM)
KQL25	25*72
KQL30	30*72
KQL35	35*72
KQL40	40*72
KQL45	45*72
KQL50	50*72
KQL55	55*72
KQL60	60*72
KQL65	65*72
KQL70	70*72

ART.NO.	SPEC (MM)
KQL75	75*72
KQL80	80*72
KQL85	85*72
KQL90	90*72
KQL95	95*72
KQL100	100*72
KQL105	105*72
KQL110	110*72
KQL115	115*72
KQL120	120*72

HEAVY HOLE SAW

ART.NO.	SPEC (MM)
KQL65	65*72
KQL80	80*72
KQL90	90*72
KQL100	100*72
KQL125	125*72
KQL150	150*72



NO.KYL

SDS MAX TCT CORE BITS



SPEC (MM)	280	310	320	550	600	700	800	1000
40							•	
45				•	•			•
50				•				•
55				•	•			•
60				•				•
65				•	•	•		•
68	•	•	•	•	•			•
72	•	•						•
80					•			•

NO.PUY

SDS PLUS HAMMER DRILL BIT
(FLAT TIP U FLUTE)



NO.PUX

SDS PLUS HAMMER DRILL BIT
(CROSS TIP U FLUTE)



SPEC (MM)	110	160	210	260	310	350	400	450	600	800
4	•	•								
5	•	•								
6	•	•	•							
8	•	•	•	•	•	•	•	•	•	
10	•	•	•	•	•	•	•	•	•	•
12		•	•	•	•	•	•	•	•	•
14		•	•	•	•	•	•	•	•	•
16		•	•	•	•	•	•	•	•	•
18			•	•	•	•	•	•	•	•
20			•	•	•	•	•	•	•	•
22			•	•	•	•	•	•	•	•
25			•	•	•	•	•	•	•	•

NO.MUY

SDS MAX HAMMER DRILL BIT
(FLAT TIP U FLUTE)



NO.MUX

SDS MAX HAMMER DRILL BIT
(CROSS TIP" U" FLUTE)



SPEC (MM)	280	340	400	505	600	800	1000
8	•	•					
10	•	•	•	•			
12	•	•	•	•			
14	•	•	•	•	•	•	•
16	•	•	•	•	•	•	•
18	•	•	•	•	•	•	•
20	•	•	•	•	•	•	•
22	•	•	•	•	•	•	•
25	•	•	•	•	•	•	•
28					•	•	•
28					•	•	•
30					•	•	•
32					•	•	•
35					•	•	•
38					•	•	•
40					•	•	•
45					•	•	•



CUITCA7

CUIG10

CUIG20

CUIB47

CUIB67C



CUIB87C

CUITPB40

CUITPB60

CUITPB90

Type	Weight(KG)	Air consumption(L/S)	Impact frequency(HZ)	Air pressure(MPA)
CUITCA7	7.2	≤20	≥21.6	0.4-0.49
CUIG10	10.9	≤20	≥16	0.4-0.63
CUIG20	20	≤23	≥16	0.63
CUIB47	21.5	≤23	≥21.6	0.63
CUIB67C	30	≤34	≥22	0.63
CUIB87C	39	≤44	≥16.5	0.63
CUITPB40	18	≤27	≥15	0.63
CUITPB60	30	≤34	≥23	0.63
CUITPB90	34	≤27	≥16	0.63



Constant Power: 1.2Kw

Impacting Frequency:720-1630r/min

Impacting Energy: 40J

Rotating Speed of engine: 7500r/min

Displacement of engine piston:90ml

Weight:25kg

End of drill rod size:32*160mm

Tank Capacity:1L