宝利兴[®] Bolison

广东宝利兴科技有限公司

Guangdong Bolison Technology CO.,LTD.

总部地址: 广东省佛山市云东海街道南丰大道 3 号百利达广场一座 1308

电话: +86+757-87781308 传真: +86+757-87838788 网址: www.bolisongd.com 邮箱: bolison@yeah.net

邮编: 528100

Add: NO.1308, Building 1, Bailida Square, NO.3 Nanfeng Avenue, Yundonghai Street, Sanshui District, Foshan City, Guangdong Province, China. Tel: +86+757-87781308

Fax: +86+757-87838788 Web: www.bolisongd.com E-mail: bolison@yeah.net Post Code: 528100



Bolison



Starting From Calcium-Zinc Stabilizer

技术 Science

超越 Beyond

创造力Creativity

品质 Quality

卓越 Excellence







▷企业简介	05	Introduction
▷公司文化	07	Corporate culture
▷发展历程	08	Development history
▷企业风采	09	Corporate style
▷ 生产基地与全球技术服务驻点	15	Global technical service points
▷ 注塑稳定剂系列	18	Injection stabilizer series
环保钙锌稳定剂 BS-400	18	Environmental Calcium-Zinc Stabilizer BS-400
环保钙锌稳定剂 B-888A、B-248	19	Environmental Calcium-Zinc Stabilizer B-888A、B-248
▷挤出稳定剂系列	20	Extrusion stabilizer series
环保钙锌稳定剂 B-718	20	Environmental Calcium-Zinc Stabilizer B-718
环保钙锌稳定剂 B-3045、B-3050	21	Environmental Calcium-Zinc Stabilizer B-3045、B-3050
环保钙锌稳定剂 B-668T、B-748C	22	Environmental Calcium-Zinc Stabilizer B-668T、B-748C
▷ 发泡稳定剂系列	23	Foam stabilizer series
环保钙锌稳定剂 B-628 (C)	23	Environmental Calcium-Zinc Stabilizer B-628 (C)
环保钙锌稳定剂 B-618	24	Environmental Calcium-Zinc Stabilizer B-618
环保钙锌稳定剂 B-608	25	Environmental Calcium-Zinc Stabilizer B-608
▷型材稳定剂系列	26	Profiles stabilizer series
环保钙锌稳定剂 B-306	26	Environmental Calcium-Zinc Stabilizer B-306
▷ 透明稳定剂系列	27	Transparent stabilizer series
环保钙锌稳定剂 BT-350	27	Environmental Calcium-Zinc Stabilizer BT-350
环保钙锌稳定剂 BT-320	28	Environmental Calcium-Zinc Stabilizer BT-320
▷复合稳定剂系列	20	Compound stabilizer series
	29	Compound stabilizer series
复合稳定剂 B-888	29	Compound Stabilizer B-888
复合稳定剂 B-668	30	Compound Stabilizer B-668

企业简介

INTRODUCTION



广东宝利兴科技有限公司是一家拥有自主科研能力的 PVC 加工助剂生产服务商,旨在为高速成长的 PVC 制品市场提供优质的助剂产品,长期为 PVC 领域的众多国内外客户服务。宝利兴科技通过与关联院校交流合作的方式,以行业和客户的重大需求为导向,坚持全链条协作和原始创新的原则,为用户解决难题。

宝利兴科技 2006 年开始海外布局,陆续在越南、柬埔寨、 缅甸等成立分支机构,技术服务范围覆盖东南亚、中东、 非洲、欧美等地区。

宝利兴科技于 2008 年成立"环保钙锌稳定剂"专研团队,通过对产品的不断试验、验证来满足市场需求,并有效解决了环保钙锌稳定剂在 PVC 制品生产应用过程中出现的各种难题,为客户提供六星级服务。目前已建立 4 个国内研发中心和 2 个国外研发中心,国内生产基地分别位于广东佛山和广东云浮,为市场提供环保钙锌稳定剂、PVC 加工助剂、抗冲改性剂、发泡调节剂等,产品应用范围包括PVC 管材、PVC 管件、发泡板、电线电缆、发泡鞋、发泡型材、塑钢型材等,其产品性能比传统产品更加环保、兼具强度和韧性。宝利兴所有的钙锌稳定剂都经过 SGS、ROHS、REACH 的 检测,并 通 过 ISO14001: 2015 和 ISO9001: 2015 认证。

宝利兴科技始终确保员工在安全与舒心的环境下工作,致力打造宝利兴五星级的生产车间,为员工提供一个五星级的家。员工们的工作与努力是宝利兴科技成功的驱动力,同时,宝利兴科技相当重视员工的培训与发展,其重要性不言而喻,基于互信与良好职业前景上的积极工作环境使员工获益。

宝利兴是一家朝气蓬勃的科技型企业,未来,宝利兴计划和国内知名大学开展产学研合作,为 PVC 行业的发展贡献更多的科技力量。



Bolison is an integration service provider with powerful scientific research ability in PVC processing aid production which is a company that aims to provide high-quality auxiliary products for the fast-growing PVC market and to serve many domestic and foreign customers in the PVC field for long time. Through exchanges and cooperation with related colleges and universities, Bolison is guided by the major needs of the industry and customers, and adheres to the principles of full-chain collaboration and original innovation to solve problems for users.

Bolison began overseas deployment in 2006, and successively established branches in Cambodia, Vietnam, Myanmar, etc., with technical services covering Southeast Asia, the Middle East, Africa, Europe and America and other regions.

Bolison established the "Environmental Calcium-Zinc Stabilizer" research team in 2008, through continuous testing and verification of products to meet market demand, and effectively solve the problem of environmentally friendly calcium and zinc stabilizers in the production and application of PVC products. At present 4 domestic R&D centers and 2 foreign R&D centers have been established. The two domestic production bases are located in Foshan, Guangdong and Yunfu, Guangdong. They provide the market with environmentally friendly calcium and zinc stabilizers, PVC processing aids, impact modifiers, and foam regulator, etc. The product application range includes PVC pipes, PVC pipe fittings, foam boards, wires and cables, foam shoes, foam profiles, plastic steel profiles, etc. Its product performance is more environmentally than traditional products, with both strength and toughness. All products are in compliance with EU ROHS and SGS standards, and have passed ISO14001:2015 and ISO9001:2015 certification.

Bolison always ensures that employees work in a safe and comfortable environment. The hard work of employees are the driving force for the success of Bolison. At the same time, Bolison attaches great importance to the training and development of employees. It goes without saying that a positive working environment based on mutual trust and good career prospects benefits employees.

Bolison is a vigorous technology-based enterprise. In the future, Bolison plans to carry out industry-university-research cooperation with well-known domestic universities to contribute more scientific and technological strength to the development of the PVC industry.





■ 愿景 VISION

成为全球领先的 PVC 加工技术服务商

 \cdot Become the world's leading PVC processing technology service provider.

■使命 MISSION

为人类绿色环保家园而奋斗

· Fighting for the green and environmental home of human beings.

■核心理念 CORE IDEAS

1、经营理念:宝初心,利使命,兴未来 2、服务理念:细致高效,超出预期 3、用人理念:德才兼备,能者居之 4、做事理念:只争朝夕,不负韶华

 \cdot Business philosophy: Keep the original aspiration and drived by mission, the future will be thriving.

· Service philosophy: Detailed and efficient, exceeding expectations.

 \cdot Employing philosophy: All employees should be moral and talented, and those who have the ability can be promoted.

 \cdot Work philosophy: Seize the day and live it to the fullest.

■价值观 VALUES

诚信、务实、创新、感恩

· Integrity, pragmatism, innovation, gratitude

■ 口号: 宝利未来,科技匠兴

SLOGAN: TECHNOLOGY WILL LEAD BOLISON TO A PROSPEROUS FUTURE.

- ·致力打造五星级的生产车间
- ·给员工五星级的家
- ·为客户提供六星级的服务
- ·以文化驱动企业发展
- ·以科研引领行业创新
- · Committed to building a five-star production workshop.
- · Provide a five-star home for employees.
- · Provide customers with six-star service.
- $\cdot \, \mathsf{Drive} \, \, \mathsf{enterprise} \, \mathsf{development} \, \, \mathsf{with} \, \mathsf{culture}.$
- · Lead industry innovation with R&D.

发展历程

DEVELOPMENT HISTORY

"佛山塑金新型材料有限公司"现广 东宝利兴科技有限公司正式成立



FOSHAN PLASTIC GOLD NEW MATERIAL CO.,LTD.

GUANGDONG BOLISON TECHNOLOGY CO.,LTD. was formally established.

成立"环保稳定剂"专研团队



Research technology team for environmental stabilizer was established.

宝利兴四川成都生产基地正式成立



Bolison production base was established

宝利兴南海生产基地正式成立



Bolison production base was established in Nanhai District, Foshan City.

宝利兴越南分部正式成立



Bolison branch was established in Vietnam

宝利兴缅甸分部正式成立



Bolison branch was established in Myanmar.

香港懿辰分公司正式成立,同年, 代表中小企业参加"一带一路沿线 国家中小企业合作论坛"



Hongkong Yision branch was officially established and Bolison represented SMES to participate in "2017 SME Cooperation Forum among the Belt and Road".

宝利兴南海生产基地改造五星级生产车间,宝利兴云浮生产基地正在建设中。 同年,受邀参加 2020 年 APEC 中小企业工商论坛,并接受多方采访。

2020

Bolison production base in Foshan was upgraded to be five-stars production base and another new production base in Yunfu city is under construction, and invited to participate in the APEC SME Business Forum 2020 and accepted interviews.

未来可期

2021

Creates futui

Corporate Style

CORPORATE STYLE

企业风采



2019 年国际橡塑展



巴西展会与国外客户留影 Taking photos with foreign customers in Brazil exhibition









企业风采

CORPORATE STYLE





■ 总经理李宝兴先生代表中小企业参加 2017 一带 一路沿线国家中小企业合作论坛

Mr.Li Baoxing, general manager, represented smes to participate in 2017 SME cooperation forum among the belt and road "

▶ 总经理李宝兴先生受邀参加 2020 年 APEC 中小企业工商论坛。

Mr.Li Baoxing, general manager, was invited to participate in the 2020 APEC SME Business Forum.





总经理李宝兴先生接受媒体采访

Mr. Li Baoxing, general manager, was interviewed by the media





▲ 宝利兴资助的武术队夺得比赛冠军 The Wushu team sponsored by Bolison won the control of the co

◀ 宝利兴资助的中学生排球队夺得比赛冠军

The middle school student volleyball team sponsored by Bolison won the championship

CORPORATE STYLE













健康扶贫捐款仪式 Donation ceremony for poverty relief

情系教育,奉献爱心 Emotional education, dedication of love


向越南广东商会捐款支缓抗疫 Donate to the Guangdong Chamber of Disaster relief activities Commerce in Vietnam to support the fight against the epidemic







工程师 外出调试





Global Technical Service Points

生产基地 与全球技术服务驻点

广东宝利兴科技有限公司(总部)

电话: +86-757-87781308 传真: +86-757-87838788 邮箱: bolison@yeah.net 网址: www.bolisongd.com 地址: 广东省佛山市三水区云东海街道南丰大道百利达广场 1308

宝利兴实业(广东)有限公司 地址: 广东省云浮市云安区六都镇

宝利兴 (南海) 生产基地

地址: 广东省佛山市南海区狮山镇

佛山塑金新型材料有限公司

电话: +86-757-87668911 传真: +86-757-87668220 邮箱: chnfoshansujin@163.com 网址: www.fssujin.com 地址: 广东省佛山市三水区西南街道沙头一路 3 号富恒花园一座 105

越南宝利发商贸有限公司

电话: 028 6658 3502 / 09311 02388 / 0120 5091 818 邮箱: baoloiphat@gmail.com 网址: www.fssujin.com

地址: 胡志明市平新郡平兴和坊黎文贵路 338 号

香港懿宸國際實業有限公司

电话: (00852) 2851 1312 传真: (00852) 2139 3217 地址: 香港干诺道中 137-139 号三台大厦 12 字楼全层

广东宝利兴科技有限公司 (缅甸驻点)

电话: +95 979605202 邮箱: bolison@yeah.net 地址: 缅甸仰光兰达亚水干达亚小区 NO.B-55.10 GUANGDONG BOLISON TECHNOLOGY CO.,LTD. (headquarters)

Tel: +86-757-87781308 Fax: +86-757-87838788
E-mail: bolison@yeah.net Web: www.bolisongd.com

Add:No.1308,Building 1,Bailida Square,No.3 Nanfeng Avenue,Yundonghai Street,Sanshui District,Guangdong

Province, China

BOLISON INDUSTRIAL (GUANGDONG)CO., LTD.

Add:Liudu Town,Yunan District, Yunfu City, Guangdong Province

BOLISON (NANHAI) PRODUCTION BASE

Add: Shishan Town, Nanhai District, Foshan City, Guangdong Province

FOSHAN PLASTIC GOLD NEW MATERIAL CO.,LTD.

Tel:+86-757-87668911 Fax: +86-757-87668220

E-mail: chnfoshansujin@163.com Web: www.fssujin.com

10.Add: No. 105,Building 1, No.3 Fuheng Garden, Shatou No.1 rd, Xinan Subdistrict,Sanshui District, Foshan City, Guangdong Province

CÔNG TY TNHH THƯƠNG MẠI BẢO LỢI PHÁT

ĐT: 028 6658 3502 / 09311 02388 / 0120 5091 818

E-mail: baoloiphat@gmail.com Website: http://www.fssujin.com

Đ/C : Số 338 Đường L ê Văn Quới, P Bì nh Hưng Hò a A ,Q Bì nh Tan ,TP HCM VN

HONGKONG YISON INTERNATIONAL INDUSTRIAL CO.,LIMITED

Tel: (00852) 2851 1312 Fax: (00852) 2139 3217

http://www.bolisongd.com

Add: 12/F., San Toi Building, 137-139 Connaught Road Central, Hong Kong.

GUANGDONG BOLISON TECHNOLOGY CO., LTD. (Myanmar service point)

Tel: +95 9979605202 E-mail: bolison@yeah.net

Add: No. B-55.10, Shwe Kan Thar Yar Housing, Hlaing Thar Yar Township, Yangon, Myanmar



注塑稳定剂系列

INJECTION STABILIZER SERIES

环保钙锌稳定剂 BS-400

ENVIRONMENTAL CALCIUM-ZINC STABILIZER BS-400

注塑稳定剂全系列产品可适用于高端给水、排水管材。 APPLICATION: HIGH OUALITY WATER SUPPLY PIPES, DRAIN-PIPES

性能特点 Features

- ·赋予光亮细腻的制品表面,增加制品的光亮度
- ·保证热稳定性,具有良好的稳定效果
- ·赋予填充剂良好的分散性,提高制品性能,减少机械磨损,延长设备的使用寿命
- ·兼具增韧和促进熔融作用,塑化效果良好,提高挤出速率,增强熔体强度
- $\cdot \text{To make bright and delicate surface of products, increase the brightness of \; products.}$
- $\cdot \, \text{Ensure thermal stability, with good stability effect.} \\$
- $\cdot \text{It endows the filler with good dispersion, improves the product performance, } reduces mechanical loss, and prolongs the life of the equipment.} \\$
- $\cdot \text{Covered both toughening and melting promotion with good plasticizing effect, the extrusion rate is increased and the melt strength is enhanced.} \\$

包装与贮存 Package and storage

25Kg/ 标准袋。防潮防晒,干燥贮存,避免雨水,密封阴凉处保存。与其他钙锌稳定 剂类似 ,产品容易受潮,若不与其他化工产品发生反应,经性能测试后如无变化, 仍可继续使用。

25Kg / standard bag. To avoid moisture-proof and sun protection or raining, please storage in dry and save in cool place. It similar to other calcium zinc stabilizers, the product is easy to be affected by damp. If it does not react with other chemical products, it can be used if there is no change after performance test.













- * 以上数据仅供参考,一切以实际情况为准。该资料最终解释权归广东宝利兴科技有限公司所有。
- *Above data is only for reference, please subject to the actual situation; The final interpretation of the information owned by Guangdong Bolison Technology Co., Ltd.

注塑稳定剂系列

INJECTION STABILIZER SERIES

环保钙锌稳定剂 B-888A、B-248

ENVIRONMENTAL CALCIUM-ZINC STABILIZER B-888A、B-248

注塑稳定剂全系列产品可适用于高端给水、排水管材。 APPLICATION: HIGH OUALITY WATER SUPPLY PIPES, DRAIN-PIPES

性能特点 Features

- ·具有优良的热稳定性,可与其他稳定剂并用与环氧化合物有效协作
- ·可适当提高填充剂用量,降低生产成本
- ·赋予 PVC 混合料良好的塑化能力及熔融流动性,表面光洁,增强制品抗压性能
- ·产品外观稳定不易氧化变色,烘箱实验效果明显
- ·可全部取代铅盐系、锡系等传统稳定剂,无毒无臭、无镉、无铅、环保卫生
- · Has excellent thermal stability, which can be used alone or in combination with other stabilizers and effective cooperation with epoxy compounds.
- $\cdot It has toughening and melting promotion, appropriately increase the filler \ amount and reduce the cost.$
- ·It can provides good plasticizing ability, melting fluidity and smooth surface to PVC mixture and also strengthen the product's compressive performance.
- \cdot Stable appearance, which is not easy to oxidize discoloration.
- ·It can replace all lead salt, tin and other traditional stabilizer, this type of product is environmental-friendly non-toxic odorless, cadmium and lead-free.

包装与贮存 Package and storage

25Kg/ 标准袋。防潮防晒,干燥贮存,避免雨水,密封阴凉处保存。与其他钙锌稳定 剂类似 ,产品容易受潮,若不与其他化工产品发生反应,经性能测试后如无变化, 仍可继续使用。

25Kg / standard bag. To avoid moisture-proof and sun protection or raining, please storage in dry and save in cool place. It similar to other calcium zinc stabilizers, the product is easy to be affected by damp. If it does not react with other chemical products, it can be used if there is no change after performance test.

- * 以上数据仅供参考,一切以实际情况为准。该资料最终解释权归广东宝利兴科技有限公司所有。
- *Above data is only for reference, please subject to the actual situation; The final interpretation of the information owned by Guangdong Bolison Technology Co., Ltd.

















挤出稳定剂系列

EXTRUSION STABILIZER SERIES

环保钙锌稳定剂 B-718

ENVIRONMENTAL CALCIUM-ZINC STABILIZER B-718

性能特点 Features


- ·有优良的抗紫外线效果,耐硫化污染性能好,提高制品户外使用效果
- ·可完全取代铅盐系、锡系等传统稳定剂,绿色环保无毒
- ·减少模口析出现象,生产电流稳定,降低成本
- ·成型加工性好,表面光洁,增强制品抗水压爆破性能
- · It has excellent anti-ultraviolet effect, good anti-sulfur pollution performance, and improves the outdoor use effect of products.
- · It is environmental product without toxic which can replace the traditional stabilizers such as lead and tin series.
- · Reduce the appearance of die segregation, stabilize the production current and reduce the cost.
- ·The product has good processability, smooth surface and enhanced water pressure blasting resistance.

包装与贮存 Package and storage

25Kg/标准袋。防潮防晒,干燥贮存,避免雨水,密封阴凉处保存。与其他钙锌稳定 剂类似 ,产品容易受潮,若不与其他化工产品发生反应,经性能测试后如无变化, 仍可继续使用。

25Kg / standard bag. To avoid moisture-proof and sun protection or raining, please storage in dry and save in cool place. It similar to other calcium zinc stabilizers, the product is easy to be affected by damp. If it does not react with other chemical products, it can be used if there is no change after performance test.











^{*} 以上数据仅供参考,一切以实际情况为准。该资料最终解释权归广东宝利兴科技有限公司所有。

^{*}Above data is only for reference, please subject to the actual situation; The final interpretation of the information owned by Guangdong Bolison Technology Co., Ltd.

诵过ISO9001:2015、ISO14001:2015体系认证

挤出稳定剂系列

EXTRUSION STABILIZER SERIES

环保钙锌稳定剂 B-3045、B-3050

ENVIRONMENTAL CALCIUM-ZINC STABILIZER B-3045、B-3050

性能特点 Features

- ·流动性优良,耐加工性能优异,抗老化程度高
- ·绿色环保无毒,可替换传统铅盐稳定剂
- · 改善析出现象,延长生产周期,减少机械磨损
- ·用途广泛,适用于挤出产品
- · Excellent fluidity, excellent resistance to processing and high degree of anti-aging.
- · Environmental and non-toxic, can replace traditional lead salt stabilizers.
- ·Improve the appearance of the phenomenon, prolong the production cycle and reduce mechanical wear.
- ·It is versatile and can be applied to extruded products.

包装与贮存 Package and storage

25Kg/ 标准袋。防潮防晒,干燥贮存,避免雨水,密封阴凉处保存。与其他钙锌稳定 剂类似 ,产品容易受潮,若不与其他化工产品发生反应,经性能测试后如无变化, 仍可继续使用。


25Kg / standard bag. To avoid moisture-proof and sun protection or raining, please storage in dry and save in cool place. It similar to other calcium zinc stabilizers, the product is easy to be affected by damp. If it does not react with other chemical products, it can be used if there is no change after performance test.

* 以上数据仅供参考,一切以实际情况为准。该资料最终解释权归广东宝利兴科技有限公司所有。

*Above data is only for reference, please subject to the actual situation; The final interpretation of the information owned by Guangdong Bolison Technology Co., Ltd.













环保钙锌稳定剂 B-668T、B-748C

ENVIRONMENTAL CALCIUM-ZINC STABILIZER B-668T、B-748C

性能特点 Features

- ·具有优良的热稳定性和润滑性,兼具光稳定化作用
- ·适用于室内制品,无毒环保无污染
- ·增进与树脂的包裹,提高制品性能,减少机械磨损,延长设备的使用寿命
- ·可赋予 PVC 混合料良好的塑化能力及熔融流动性
- · It has excellent thermal stability and lubricity, cover the light stabilization.
- ·Applicable to indoor products, no pollution without toxic.
- $\cdot \mbox{Enhance the compatibility with resin, improve the product performance, reduce mechanical wear and prolong the equipment's service life .} \\$
- · It can provides good plasticizing ability, melting fluidity.

包装与贮存 Package and storage

25Kg/标准袋。防潮防晒,干燥贮存,避免雨水,密封阴凉处保存。与其他钙锌稳定 剂类似 ,产品容易受潮,若不与其他化工产品发生反应,经性能测试后如无变化, 仍可继续使用。

25Kg / standard bag. To avoid moisture-proof and sun protection or raining, please storage in dry and save in cool place. It similar to other calcium zinc stabilizers, the product is easy to be affected by damp. If it does not react with other chemical products, it can be used if there is no change after performance test.

Bolison Free Proposed To Annual Control of the Co











* 以上数据仅供参考,一切以实际情况为准。该资料最终解释权归广东宝利兴科技有限公司所有。

*Above data is only for reference, please subject to the actual situation; The final interpretation of the information owned by Guangdong Bolison Technology Co., Ltd.

发泡稳定剂系列

FOAM STABILIZER SERIES

环保钙锌稳定剂 B-628 (C)

ENVIRONMENTAL CALCIUM-ZINC STABILIZER B-628 (C)

性能特点 Features

- ·环保无毒,不含铅,符合国际标准
- ·热稳定性优良,适用于生产发泡制品
- ·防止气泡的合并、溢出等,使制品可得到均匀的发泡效果
- ·产品着色稳定
- ·制品脱模性好,口模无析出
- · Environmentally friendly non-toxic, lead-free, in accord with international standards.
- · Excellent thermal stability, suitable for the foam products production.
- $\cdot \text{Avoid the bubble coalescence and overflow, which can make the products have a \ uniform \ effect.}$
- · Stable coloring.
- $\cdot \text{Products release mold is good, no precipitation of mouth.} \\$

包装与贮存 Package and storage

25Kg/ 标准袋。防潮防晒,干燥贮存,避免雨水,密封阴凉处保存。与其他钙锌稳定 剂类似 ,产品容易受潮,若不与其他化工产品发生反应,经性能测试后如无变化, 仍可继续使用。

25Kg / standard bag. To avoid moisture-proof and sun protection or raining, please storage in dry and save in cool place. It similar to other calcium zinc stabilizers, the product is easy to be affected by damp. If it does not react with other chemical products, it can be used if there is no change after performance test.









* 以上数据仅供参考,一切以实际情况为准。该资料最终解释权归广东宝利兴科技有限公司所有。

*Above data is only for reference, please subject to the actual situation; The final interpretation of the information owned by Guangdong Bolison Technology Co., Ltd.

环保钙锌稳定剂 B-618

ENVIRONMENTAL CALCIUM-ZINC STABILIZER B-618

性能特点 Features

- ·不含铅,环保卫生,符合国际标准
- ·具有较好的热稳定性,气泡均匀,产品结皮光滑平整
- ·有较好的稳定和塑化效果,尤其适用于生产广告板等各类厚质发泡产品
- ·有良好的润滑效果,减少机械磨损,降低保养成本
- · Environmentally friendly non-toxic, lead-free, in accord with international standards.
- · It has good thermal stability, uniform bubbles and smooth crust.
- \cdot It has good stability and plasticizing effect, especially suitable for producing all kinds of thick foamed products such as advertising boards.
- $\cdot \text{It has good lubrication effect, reduces mechanical loss and reduces maintenance cost.} \\$

包装与贮存 Package and storage

25Kg/ 标准袋。防潮防晒,干燥贮存,避免雨水,密封阴凉处保存。与其他钙锌稳定剂类似 ,产品容易受潮,若不与其他化工产品发生反应,经性能测试后如无变化,仍可继续使用。

25Kg / standard bag. To avoid moisture-proof and sun protection or raining, please storage in dry and save in cool place. It similar to other calcium zinc stabilizers, the product is easy to be affected by damp. If it does not react with other chemical products, it can be used if there is no change after performance test.











^{*}以上数据仅供参考,一切以实际情况为准。该资料最终解释权归广东宝利兴科技有限公司所有。

^{*}Above data is only for reference, please subject to the actual situation; The final interpretation of the information owned by Guangdong Bolison Technology Co., Ltd.

发泡稳定剂系列

FOAM STABILIZER SERIES

环保钙锌稳定剂 B-608

ENVIRONMENTAL CALCIUM-ZINC STABILIZER B-608

性能特点 Features

- ·不含铅氧化物,符合国际环保标准
- ·具有较好的热稳定性,通用于各类发泡制品的生产
- ·具有独特偶联作用,促进填充剂与树脂的结合,提高发泡制品性能
- ·塑化效果良好,能使产品在发泡产品均匀发泡
- · No lead oxide and in accord with international standards.
- ·It has good thermal stability and is widely used in the production of all kinds of foam products.
- \cdot It has unique coupling effect, promotes the combination of filler and resin, and improves the properties of foam products.
- $\cdot \text{The plasticizing effect is good, which can make the product foam evenly in the } foam \, \text{product.}$

包装与贮存 Package and storage

25Kg/ 标准袋。防潮防晒,干燥贮存,避免雨水,密封阴凉处保存。与其他钙锌稳定剂类似 ,产品容易受潮,若不与其他化工产品发生反应,经性能测试后如无变化,仍可继续使用。

25Kg / standard bag. To avoid moisture-proof and sun protection or raining, please storage in dry and save in cool place. It similar to other calcium zinc stabilizers, the product is easy to be affected by damp. If it does not react with other chemical products, it can be used if there is no change after performance test.









* 以上数据仅供参考,一切以实际情况为准。该资料最终解释权归广东宝利兴科技有限公司所有。

型材稳定剂系列

PROFILES STABILIZER SERIES

环保钙锌稳定剂 B-306

ENVIRONMENTAL CALCIUM-ZINC STABILIZER B-306

性能特点 Features

- ·具有良好的塑化效果,适用于各类型材制品
- ·产品环保无毒,抗老化性能优异,适用于室内外制品
- ·优异的焊接性能和抗冲击性能,便于安装拼接各类塑胶制品
- · It has good plasticizing effect and apply for all kinds of profile products.
- · It is the environmental product without toxic, and has excellent anti-aging performance. It is suitable for indoor and outdoor products.
- · Excellent welding and impact resistance, easy to install and splice all kinds of plastic products.

包装与贮存 Package and storage

25Kg/ 标准袋。防潮防晒,干燥贮存,避免雨水,密封阴凉处保存。与其他钙锌稳定剂类似 ,产品容易受潮,若不与其他化工产品发生反应,经性能测试后如无变化,仍可继续使用。

25Kg / standard bag. To avoid moisture-proof and sun protection or raining, please storage in dry and save in cool place. It similar to other calcium zinc stabilizers, the product is easy to be affected by damp. If it does not react with other chemical products, it can be used if there is no change after performance test.







^{*}Above data is only for reference, please subject to the actual situation; The final interpretation of the information owned by Guangdong Bolison Technology Co., Ltd.

^{*} 以上数据仅供参考,一切以实际情况为准。该资料最终解释权归广东宝利兴科技有限公司所有。

^{*}Above data is only for reference, please subject to the actual situation; The final interpretation of the information owned by Guangdong Bolison Technology Co., Ltd.

透明稳定剂系列

TRANSPARENT STABILIZER SERIES

环保钙锌稳定剂 BT-350

ENVIRONMENTAL CALCIUM-ZINC STABILIZER BT-350

性能特点 Features

- ·可全部取代传统锡系透明稳定剂,无毒无臭、无镉、无铅、环保卫生
- ·具有优异的热稳定性,稳定效果良好
- ·产品透明度高,清澈透明无杂质,适用于硬质透明制品
- · It is environmental product without toxic, cadmium and lead, which can replace the traditional stabilizers such as tin series.
- $\cdot \text{It has excellent thermal stability and good stabilization effect.} \\$
- $\cdot \text{The product has high transparency, clear and transparent without impurities, and is suitable for hard transparent products.}$

包装与贮存 Package and storage

25Kg/ 标准袋。防潮防晒,干燥贮存,避免雨水,密封阴凉处保存。与其他钙锌稳定剂类似 ,产品容易受潮,若不与其他化工产品发生反应,经性能测试后如无变化,仍可继续使用。

25Kg / standard bag. To avoid moisture-proof and sun protection or raining, please storage in dry and save in cool place. It similar to other calcium zinc stabilizers, the product is easy to be affected by damp. If it does not react with other chemical products, it can be used if there is no change after performance test







环保钙锌稳定剂 BT-320

ENVIRONMENTAL CALCIUM-ZINC STABILIZER BT-320

性能特点 Features

- ·热稳定性良好,抗老化作用明显,可增加产品使用寿命
- ·极大提高熔体流动性,适用于软质透明制品
- ·可全部取代传统锡系透明稳定剂,无毒无臭、无镉、无铅、环保卫生
- ·The product has good thermal stability and obvious anti-aging effect, which can increase the service life of the product.
- · It greatly improves melt fluidity and is suitable for soft and transparent products.
- ·It is environmental product without toxic, cadmium and lead, which can replace the traditional stabilizers such as tin series.

包装与贮存 Package and storage

25Kg/ 标准袋。防潮防晒,干燥贮存,避免雨水,密封阴凉处保存。与其他钙锌稳定剂类似 ,产品容易受潮,若不与其他化工产品发生反应,经性能测试后如无变化,仍可继续使用。

25Kg / standard bag. To avoid moisture-proof and sun protection or raining, please storage in dry and save in cool place. It similar to other calcium zinc stabilizers, the product is easy to be affected by damp. If it does not react with other chemical products, it can be used if there is no change after performance test.







- * 以上数据仅供参考,一切以实际情况为准。该资料最终解释权归广东宝利兴科技有限公司所有。
- *Above data is only for reference, please subject to the actual situation; The final interpretation of the information owned by Guangdong Bolison Technology Co., Ltd.

- *以上数据仅供参考,一切以实际情况为准。该资料最终解释权归广东宝利兴科技有限公司所有。
- *Above data is only for reference, please subject to the actual situation; The final interpretation of the information owned by Guangdong Bolison Technology Co., Ltd.

通过ISO 14001:2004认证

复合稳定剂

B-668

N.W.:25KG

佛山塑金新型材料有限公司

广东宣利兴科技有限公司研发

地址:中国广东 佛山

复合稳定剂系列

COMPOUND STABILIZER SERIES

复合稳定剂 B-888

COMPOUND STABILIZER B-888

性能特点 Features

- ·热稳定性、耐候性优良
- ·流动性优良,可降低熔体粘度、易注塑、挤出
- ·明显改善制品光亮度,延伸加工温度范围
- ·Excellent thermal stability and weather resistance.
- $\cdot \mbox{Good liquidity can reduce the melting viscosity, easy for injection and extrusion.} \\$
- · Significantly improve the product's brightness and extend the processing temperature range.

包装与贮存 Package and storage

25Kg/标准袋。防潮防晒,干燥贮存,避免雨水,密封阴凉处保存,产品容易受潮,若不与其他化工产品发生反应,经性能测试后如无变化,仍可继续使用。

25Kg/standard bag. To avoid moisture- proof and sun protection or raining, please storage in dry and save in cool place. The product is easy to be affected by damp, if it does not react with other chemical products, it can be used if there is no change after performance test.











* 以上数据仅供参考,一切以实际情况为准。该资料最终解释权归广东宝利兴科技有限公司所有。

复合稳定剂 B-668

COMPOUND STABILIZER B-668

性能特点 Features

- ·热稳定性及耐候性优良
- ·润滑性良好,加工工艺稳定
- ·改善制品光亮度,延伸加工温度范围
- ·根据需要配置产品可满足 70°C、90°C电缆料
- \cdot Excellent stability and plastify evenly.
- · Good lubrication and stable processing.
- · Good electric insulativity.
- ·According to the requirements, the product can meet the cable material of 70°C and 90°C .


包装与贮存 Package and storage

25Kg/标准袋。防潮防晒,干燥贮存,避免雨水,密封阴凉处保存,产品容易受潮,若不与其他化工产品发生反应,经性能测试后如无变化,仍可继续使用。

25Kg/standard bag. To avoid moisture- proof and sun protection or raining, please storage in dry and save in cool place. The product is easy to be affected by damp, if it does not react with other chemical products, it can be used if there is no change after performance test.









^{*}Above data is only for reference, please subject to the actual situation; The final interpretation of the information owned by Guangdong Bolison Technology Co., Ltd.

^{*}以上数据仅供参考,一切以实际情况为准。该资料最终解释权归广东宝利兴科技有限公司所有。

^{*}Above data is only for reference, please subject to the actual situation; The final interpretation of the information owned by Guangdong Bolison Technology Co., Ltd.