

广州蒂斯电梯配件有限公司 GUANGZHOU DEYSSE ELEVATOR FITTINGS CO., LTD.



www.deysse.com







Pitch:133.33

Outside chain plate:30×5

Inside chain plate:35×5

Poller:0:70×25

RollerΦ:70×25 Shaped pinΦ:14.63



Pitch:133.33
Outside chain plate:40×4.5
Inside chain plate:40×5
RollerΦ:76×25
Shaped pinΦ:14.63




Pitch:133.33
Outside chain plate:30×4
Inside chain plate:40×3
RollerΦ:76×25
Shaped pinΦ:12.63



Pitch:133.33
Outside chain plate:40×5
Inside chain plate:40×5
RollerΦ:70×25

Shaped pin 4:14.63



Pitch:133.33
Outside chain plate:40×5
Inside chain plate:40×5
RollerΦ:70×25
Shaped pinΦ:





Pitch:133.33

Outside chain plate:40×5
Inside chain plate:40×5

RollerΦ:76×25 Shaped pinΦ:



Pitch:133.33
Outside chain plate:35×4
Inside chain plate:35×4

RollerΦ:75×23.5 Shaped pinΦ:



Pitch:133.33

Outside chain plate:45×4 Inside chain plate:45×4

RollerΦ:75×23.5 Shaped pinΦ:



Pitch:133.33

Outside chain plate:50×4.5 Inside chain plate:50×5

RollerΦ:

Shaped pinΦ:



Pitch:133.33

Outside chain plate:55×6 Inside chain plate:55×6

RollerΦ:75×23.5 Shaped pinΦ:20



Pitch:133.33

Outside chain plate:35×4 Inside chain plate:35×4

RollerΦ:75×23.5 Shaped pinΦ:



Pitch:133.33

Outside chain plate:35×4 Inside chain plate:35×4

RollerΦ:75×23.5 Shaped pinΦ:12.75



Pitch:133.33

Outside chain plate:35×4 Inside chain plate:35×4

RollerΦ:75×23.5 Shaped pinΦ:



Pitch:133.33

Outside chain plate:35×4 Inside chain plate:35×4

RollerΦ:75×23.5 Shaped pinΦ:74.62





Pitch: 133.33mm

Outside chain plate: 50*5mm Inside chain plate: 50*5mm Roller: 76*25mm 6006Bearing



Pitch:133.33

Outside chain plate:40×3 Inside chain plate:40×3

RollerΦ:76×25 Shaped pinΦ:12.73



Pitch:133.33

Outside chain plate:25×4 Inside chain plate:35×3

RollerΦ:76×25 Shaped pinΦ:12.7



Pitch:133.33

Outside chain plate:30×4 Inside chain plate:40×3

RollerΦ:76×25 Shaped pinΦ:12.63



Pitch:133.33

Outside chain plate:40×4.5 Inside chain plate:33×5

RollerΦ:76×25 Shaped pinΦ:14.63



Pitch:133.33

Outside chain plate:30×4.7 Inside chain plate:35×4.7

RollerΦ:76×25 Shaped pinΦ:14.96



Pitch:120.73

Outside chain plate:56×5 Inside chain plate:63×5

RollerФ: Shaped pinФ:



Pitch:135.68

Outside chain plate:50×5 Inside chain plate:50×5

RollerΦ:80×25 Shaped pinΦ:18.15




Pitch:131

Outside chain plate:30×5 Inside chain plate:35×5

RollerΦ:80×25 Shaped pinΦ:14.63






Pitch:135.47

Outside chain plate:40×5 Inside chain plate:40×5


RollerΦ:76×25 Shaped pinΦ:14.63



Pitch:135.46

Outside chain plate:35×5 Inside chain plate:30×5


RollerΦ:76.2×21.6 Shaped pinΦ:12.7



Pitch: 135.47mm

Outside chain plate: 28*3.5mm Inside chain plate: 35*5mm


Roller: 76.2*21.6mm



Pitch:135.73

Outside chain plate:35×5 Inside chain plate:28×5


RollerΦ:76.2×21.6 Shaped pinΦ:12.7



Pitch: 135.47mm

Outside chain plate: 28*5mm Inside chain plate: 35*5mm

Roller: 76.2*21.6mm




Pitch: 136.8mm

Outside chain plate: 43*5mm Inside chain plate: 43*5mm

Roller: 80*22 6204 (Aluminium core)





广州蒂斯电梯配件有限公司

GUANGZHOU DEYSSE ELEVATOR FITTINGS CO., LTD.

Address: Room 2801-01, Jinhui Building, No. 123 Jiefang Road, Yuexiu District, Guangzhou City, 510120 China

Tel No:+86 20 8304 1994
Fax No:+86 20 8304 1967
Website:http://www.deysse.com
E-mail:info@deysse.com

