



Outline Drawing

VER	REVISED DESCRIPTION	Date
1.0	New Issue	2016.10.14
1.1	Change Temperature and Interface Signals	2017.10.12

CNI FOR LVDS			
PIN ASSIGNMENT	PIN	ASSIGNMENT	PIN ASSIGNMENT
1	VCC	6	RX0+
2	VCC	7	GND
3	GND	8	RX1-
4	LR/UD	9	RX1+
5	RX0-	10	NC
		11	RX2-
		12	RX2+
		13	GND
		14	RXCLK-
		15	RXCLK+
		16	GND
		17	RX3-
		18	RX3+
		19	NC
		20	SEL68

CN2 FOR LED BackLight			
PIN	VI		
1	Vi		
2	VGND		
3	EN		
4	Diming		
5	NC		

NOTES:

1. DISPLAY TYPE: 15.0" TFT
2. DISPLAY MODULE: Transmissive/Normally Black
3. Top : -20° C ~ 70° C, Tst : -30° C ~ 70° C
4. Viewing Direction: ALL
5. BACKLIGHT: LED
6. RoHS Compliant

DLC Display Co., Limited
www.dlcdisplay.com

DRAWN BY:	BY:	TITLE: DLC1500AIL
CHECKED BY:	BY:	SCALE:
APPROVED BY:	BY:	DWG NO:
CONFIRMED BY:	BY:	DWG NAME:
		SHEET NO: OF