Tel: 4008-750-250 QQ: 4008-750-250

Email: sales@cobioer.com



CERTIFICATE OF ANALYSIS NPM1-ALK Fusion

Product information

Name	NPM1-ALK Fusion	
Catalog No.	CBP20032R	
Lot No.	CGD2020060514	
Format	RNA	
Left Gene	NPM1	
Left Breakpoint	chr5:170818803:+	
Right Gene	ALK	
Right Breakpoint	chr2:29446394:-	
Ploidy	1.9	
Buffer	RNase-free H2O	
Storage Conditions	-80°C	
Date of Manufacture Jun05-2020		
Expiry	iry 12 months from the date of manufacture	

Quality Control

Test Items	Standard	Results	Passed
Quantity	2ug/vial*1vial	2ug/vial*1vial	1
Concentration	Qubit 3.0	60 ng/uL	1
OD ₂₆₀ /OD ₂₈₀	1.8~2.1	1.96	V
DNA electrophoresis	No Degradation	M 1 M 1 M: Marker 1:NPM1-ALK Fusion	√
Genotype	Sanger Sequencing	120 130 140 140 130 140 140 150 150 150 150 150 150 150 150 150 15	√
Copy Number	DdPCR	830.69 copies/ng	√





Caution:

For research use only.

If you have any questions about the Certificate of Analysis, please contact us.

Certified by: Date:***

Date:***

Date:***

Tel: 4008-750-250

QQ: 4008-750-250

Email: sales@cobioer.com