


## CERTIFICATE OF ANALYSIS

### Product information

Name	AI-Edigene® NACC2(E4)-NTRK2(E11) Fusion
Catalog No.	CBP20145R
Lot No.	CBFA22112907X
Format	RNA
Left Gene	NACC2(E4)
Left Breakpoint	chr9:138905045:-
Right Gene	NTRK2(E11)
Right Breakpoint	chr9:87359888:+
Ploidy	1.98
Buffer	RNase-free H <sub>2</sub> O
Storage Conditions	-80°C
Date of Manufacture	Nov.-29-2022
Expiry	12 months from the date of manufacture


### Quality Control

Test Items	Standard	Results	Passed
Quantity	1.00 µg/vial*5 vials	1.00 µg/vial*5 vials	√
Concentration	60.00 ng/uL±10%	58.20 ng/uL by Nanodrop detection	√
OD <sub>260</sub> /OD <sub>280</sub>	1.8~2.2	2.02 by Nanodrop detection	√
RQN value	>9 (Qsep)	9.81 by Qsep1 detection	√
Genotype	Positive	 By Sanger Sequencing	√
Copy number	Positive	13291.24 copies/ng by DdPCR detection	√

### Caution:

For research use only.

If you have any questions about the Certificate of Analysis, please contact us.

Certified by:  Date:\*\*\*\*

 Date:\*\*\*\*