



CERTIFICATE OF ANALYSIS

Product information

Name	FGFR3(E17)-TACC3(E11) Translocation
Catalog No.	CBP20166D
Lot No.	CBFA23020803
Format	Genomic DNA
Left Gene	FGFR3(E17)
Left Breakpoint	chr4:1808688:+
Left Gene Copy Number	3
Right Gene	TACC3(E11)
Right Breakpoint	chr4:1739920:+
Right Gene Copy Number	3
Ploidy	2.02
%AF	50.00%
Buffer	Tris-EDTA
Storage Conditions	4°C
Date of Manufacture	2023/02/08
Expiry	36months from the date of manufacture

Quality Control

Test Items	Standard	Results	Passed
Quantity	1.00 µg/vial*1 vial	1.00 µg/vial*1 vial	√
Concentration	40.00 ng/uL±10%	40.00 ng/uL by Qubit 3.0 detection	√
OD ₂₆₀ /OD ₂₈₀	1.7~2.1	1.78 by Nanodrop detection	√
DNA electrophoresis	No Degradation	 <p>1kb ladder</p> <p>M: Marker I: FGFR3(E17)-TACC3(E11) Translocation</p>	√
Genotype	Positive	 <p>By sanger sequencing</p>	√
%AF	50.00%	49.12 % by DdPCR detection	√

Caution:

For research use only.

If you have any questions about the Certificate of Analysis, please contact us.

Certified by:  Date: ****

 Date: ****