

Test Report

號碼(No.): ETR23902751M01 日期(Date): 22-Sep-2023 頁數(Page): 1 of 21

中山復盛機電有限公司 (ZHONGSHAN FU SHENG ELECTROMECHANICAL CO., LTD.) 廣東省中山市火炬開發區火炬大道12號 (NO. 12, TORCH ROAD, TORCH HI-TECH INDUSTRIAL DEVELOPMENT ZONE, ZHONGSHAN CITY, GUANGDONG PROVINCE.)

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by the applicant as):

樣品名稱(Sample Name) : COPPER LEAD FRAME (銅合金導線架)

樣品型號(Style/Item No.) : C7025

收件日(Sample Receiving Date)

: 15-Sep-2023

測試期間(Testing Period)

: 15-Sep-2023 to 22-Sep-2023

測試需求(Test Requested)

(1) 依據客戶指定、參考RoHS 2011/65/EU Annex II及其修訂指令(EU) 2015/863測試 鎘、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP, BBP, DEHP, DIBP。 (As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample(s).)

(2) 其他測試項目請見下一頁。 (Please refer to next pages for the other item(s).) 請參閱下一頁 (Please refer to following pages.)

測試結果(Test Results)

結 論(Conclusion) :

(1) 根據客戶所選擇的部位測試,其鎘、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP, BBP, DEHP, DIBP的測試結果符合RoHS 2011/65/EU Annex II暨其修訂指令(EU) 2015/863之限值要求。 (Based on the performed tests on selected part of

submitted sample(s), the test results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS Directive

(EU) 2015/863 amending Annex II to Directive 2011/65/EU.)

Troy Chang / Department Malager Signed for and on behalf of Alwah SGS TAIWAN LTD. Chemical Laboratory - Taipei



PIN CODE: DF4140A8



Test Report

號碼(No.): ETR23902751M01 日期(Date): 22-Sep-2023 頁數(Page): 2 of 21

中山復盛機電有限公司 (ZHONGSHAN FU SHENG ELECTROMECHANICAL CO., LTD.) 廣東省中山市火炬開發區火炬大道12號 (NO. 12, TORCH ROAD, TORCH HI-TECH INDUSTRIAL DEVELOPMENT ZONE, ZHONGSHAN CITY, GUANGDONG PROVINCE.)

測試部位敘述 (Test Part Description)

No.1 : 銅色金屬底材 (C7025) (BASE MATERIAL OF COPPER COLORED METAL (C7025))

測試結果 (Test Results)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1	限值 (Limit)
鎘 (Cd) (Cadmium (Cd))	參考IEC 62321-5: 2013 · 以感應耦合電漿 發射光譜儀分析。(With reference to IEC 62321-5: 2013, analysis was performed by ICP-OES.)	mg/kg	2	n.d.	100
鉛 (Pb) (Lead (Pb))	參考IEC 62321-5: 2013·以感應耦合電漿發射光譜儀分析。(With reference to IEC 62321-5: 2013, analysis was performed by ICP-OES.)	mg/kg	2	n.d.	1000
汞 (Hg) (Mercury (Hg))	參考IEC 62321-4: 2013 + AMD1: 2017 · 以感應耦合電漿發射光譜儀分析。(With reference to IEC 62321-4: 2013 + AMD1: 2017, analysis was performed by ICP-OES.)	mg/kg	2	n.d.	1000
六價鉻 (Hexavalent Chromium) Cr(VI) (#2)	參考IEC 62321-7-1: 2015·以紫外光-可見 光分光光度計分析。(With reference to IEC 62321-7-1: 2015, analysis was performed by UV-VIS.)	μg/cm²	0.1	n.d.	-
六價鉻 Cr(VI) (Hexavalent Chromium Cr(VI))	參考IEC 62321-7-2: 2017·以紫外光-可見 光分光光度計分析。(With reference to IEC 62321-7-2: 2017, analysis was performed by UV-VIS.)	mg/kg	8	n.d.	-



Test Report

號碼(No.): ETR23902751M01 日期(Date): 22-Sep-2023 頁數(Page): 3 of 21

中山復盛機電有限公司 (ZHONGSHAN FU SHENG ELECTROMECHANICAL CO., LTD.) 廣東省中山市火炬開發區火炬大道12號 (NO. 12, TORCH ROAD, TORCH HI-TECH INDUSTRIAL DEVELOPMENT ZONE, ZHONGSHAN CITY, GUANGDONG PROVINCE.)

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
一溴聯苯 (Monobromobiphenyl)		mg/kg	5	n.d.	-
二溴聯苯 (Dibromobiphenyl)		mg/kg	5	n.d.	-
三溴聯苯 (Tribromobiphenyl)		mg/kg	5	n.d.	-
四溴聯苯 (Tetrabromobiphenyl)		mg/kg	5	n.d.	-
五溴聯苯 (Pentabromobiphenyl)		mg/kg	5	n.d.	-
六溴聯苯 (Hexabromobiphenyl)		mg/kg	5	n.d.	-
七溴聯苯 (Heptabromobiphenyl)		mg/kg	5	n.d.	-
八溴聯苯 (Octabromobiphenyl)		mg/kg	5	n.d.	-
九溴聯苯 (Nonabromobiphenyl)		mg/kg	5	n.d.	-
十溴聯苯 (Decabromobiphenyl)	參考IEC 62321-6: 2015,以氣相層析儀/質	mg/kg	5	n.d.	-
多溴聯苯總和 (Sum of PBBs)	譜儀分析。(With reference to IEC 62321-	mg/kg	-	n.d.	1000
一溴聯苯醚 (Monobromodiphenyl ether)	6: 2015, analysis was performed by	mg/kg	5	n.d.	-
二溴聯苯醚 (Dibromodiphenyl ether)	GC/MS.)	mg/kg	5	n.d.	-
三溴聯苯醚 (Tribromodiphenyl ether)		mg/kg	5	n.d.	-
四溴聯苯醚 (Tetrabromodiphenyl ether)		mg/kg	5	n.d.	-
五溴聯苯醚 (Pentabromodiphenyl ether)		mg/kg	5	n.d.	-
六溴聯苯醚 (Hexabromodiphenyl ether)		mg/kg	5	n.d.	-
七溴聯苯醚 (Heptabromodiphenyl ether)		mg/kg	5	n.d.	-
八溴聯苯醚 (Octabromodiphenyl ether)		mg/kg	5	n.d.	-
九溴聯苯醚 (Nonabromodiphenyl ether)		mg/kg	5	n.d.	-
十溴聯苯醚 (Decabromodiphenyl ether)		mg/kg	5	n.d.	-
多溴聯苯醚總和 (Sum of PBDEs)		mg/kg	-	n.d.	1000
六溴環十二烷及所有主要被辨別出的異構物(HBCDD) (α- HBCDD, β- HBCDD, γ- HBCDD) (Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α- HBCDD, β- HBCDD, γ- HBCDD)) (CAS No.: 25637-99-4, 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8))	參考IEC 62321: 2008·以氣相層析儀/質譜儀分析。(With reference to IEC 62321: 2008, analysis was performed by GC/MS.)	mg/kg	5	n.d.	-



Test Report

號碼(No.): ETR23902751M01 日期(Date): 22-Sep-2023

頁數(Page): 4 of 21

中山復盛機電有限公司 (ZHONGSHAN FU SHENG ELECTROMECHANICAL CO., LTD.) 廣東省中山市火炬開發區火炬大道12號 (NO. 12, TORCH ROAD, TORCH HI-TECH INDUSTRIAL DEVELOPMENT ZONE, ZHONGSHAN CITY, GUANGDONG PROVINCE.)

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
鄰苯二甲酸二丁酯 (DBP) (Dibutyl		mg/kg	50	n.d.	1000
phthalate (DBP))					
鄰苯二甲酸丁苯甲酯 (BBP) (Butyl benzyl		mg/kg	50	n.d.	1000
phthalate (BBP))					
鄰苯二甲酸二(2-乙基己基)酯 (DEHP) (Di-		mg/kg	50	n.d.	1000
(2-ethylhexyl) phthalate (DEHP))					
鄰苯二甲酸二異丁酯 (DIBP) (Diisobutyl		mg/kg	50	n.d.	1000
phthalate (DIBP))					
鄰苯二甲酸二異壬酯 (DINP) (Diisononyl		mg/kg	50	n.d.	-
phthalate (DINP)) (CAS No.: 28553-12-					
0, 68515-48-0)					
鄰苯二甲酸二正辛酯 (DNOP) (Di-n-octyl		mg/kg	50	n.d.	-
phthalate (DNOP)) (CAS No.: 117-84-0)	 參考IEC 62321-8: 2017·以氣相層析儀/質				
鄰苯二甲酸二異癸酯 (DIDP) (Diisodecyl	iii 儀分析。(With reference to IEC 62321-	mg/kg	50	n.d.	-
phthalate (DIDP)) (CAS No.: 26761-40-	8: 2017, analysis was performed by				
0, 68515-49-1)	GC/MS.)				
鄰苯二甲酸二正己酯 (DNHP) (Di-n-hexyl	GC, 1113.)	mg/kg	50	n.d.	-
phthalate (DNHP)) (CAS No.: 84-75-3)					
鄰苯二甲酸二正戊酯 (DNPP) (Di-n-		mg/kg	50	n.d.	-
pentyl phthalate (DNPP)) (CAS No.:					
131-18-0)					
鄰苯二甲酸雙(2-甲氧基乙基)酯 (DMEP)		mg/kg	50	n.d.	-
(Bis(2-methoxyethyl) phthalate (DMEP))					
(CAS No.: 117-82-8)					
鄰苯二甲酸正戊異戊酯 (NPIPP) (N-pentyl		mg/kg	50	n.d.	-
iso-pentyl phthalate (NPIPP)) (CAS No.:					
776297-69-9)					
鄰苯二甲酸二異戊酯 (DIPP) (Diisopentyl		mg/kg	50	n.d.	-
phthalate (DIPP)) (CAS No.: 605-50-5)					



Test Report

號碼(No.): ETR23902751M01 日期(Date): 22-Sep-2023 頁數(Page): 5 of 21

中山復盛機電有限公司 (ZHONGSHAN FU SHENG ELECTROMECHANICAL CO., LTD.) 廣東省中山市火炬開發區火炬大道12號 (NO. 12, TORCH ROAD, TORCH HI-TECH INDUSTRIAL DEVELOPMENT ZONE, ZHONGSHAN CITY, GUANGDONG PROVINCE.)

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
氟 (F) (Fluorine (F)) (CAS No.: 14762-94-		mg/kg	50	n.d.	-
8)					
氯 (Cl) (Chlorine (Cl)) (CAS No.: 22537-	參考BS EN 14582: 2016,以離子層析儀分	mg/kg	50	n.d.	-
15-1)	析。(With reference to BS EN 14582:				
溴 (Br) (Bromine (Br)) (CAS No.: 10097-	2016, analysis was performed by IC.)	mg/kg	50	n.d.	-
32-2)					
碘 (I) (Iodine (I)) (CAS No.: 14362-44-8)		mg/kg	50	n.d.	-
全氟辛烷磺酸及其鹽類 (PFOS and its	参考CEN/TS 15968: 2010 · 以液相層析串	mg/kg	0.01	n.d.	-
salts) (CAS No.: 1763-23-1 and its salts)	聯質譜儀分析。(With reference to				
全氟辛酸及其鹽類 (PFOA and its salts)	CEN/TS 15968: 2010, analysis was	mg/kg	0.01	n.d.	-
(CAS No.: 335-67-1 and its salts)	performed by LC/MS/MS.)				
多氯聯苯 (PCBs) (Polychlorinated	参考US EPA 3550C: 2007,以氣相層析儀/	mg/kg	0.5	n.d.	-
biphenyls (PCBs))	質譜儀分析。(With reference to US EPA				
	3550C: 2007, analysis was performed by				
	GC/MS.)				
多氯奈 (PCNs) (Polychlorinated	参考US EPA 3550C: 2007 · 以氣相層析儀/	mg/kg	5	n.d.	-
naphthalene (PCNs))	質譜儀分析。(With reference to US EPA				
	3550C: 2007, analysis was performed by				
	GC/MS.)				
多氯三聯苯 (PCTs) (Polychlorinated	參考US EPA 3550C: 2007 · 以氣相層析儀/	mg/kg	0.5	n.d.	-
terphenyls (PCTs))	質譜儀分析。(With reference to US EPA				
	3550C: 2007, analysis was performed by				
	GC/MS.)				
短鏈氯化石蠟(C10-C13) (SCCP) (Short	參考ISO 18219-1: 2021‧以氣相層析儀/	mg/kg	50	n.d.	
Chain Chlorinated Paraffins(C10-C13)	質譜儀分析。(With reference to ISO				
(SCCP)) (CAS No.: 85535-84-8)	18219-1: 2021, analysis was performed				
	by GC/MS.)				
三丁基錫 (TBT) (Tributyl tin (TBT))	參考ISO 17353: 2004 · 以氣相層析儀/火	mg/kg	0.03	n.d.	-
	焰光度偵測器分析。(With reference to				
	ISO 17353: 2004, analysis was				
	performed by GC/FPD.)				



Test Report

號碼(No.): ETR23902751M01 日期(Date): 22-Sep-2023 頁數(Page): 6 of 21

中山復盛機電有限公司 (ZHONGSHAN FU SHENG ELECTROMECHANICAL CO., LTD.) 廣東省中山市火炬開發區火炬大道12號 (NO. 12, TORCH ROAD, TORCH HI-TECH INDUSTRIAL DEVELOPMENT ZONE, ZHONGSHAN CITY, GUANGDONG PROVINCE.)

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
氧化雙三丁基錫 (TBTO) (Bis(tributyltin)	由三丁基錫測試結果計算得之。	mg/kg	0.03 ▲	n.d.	-
oxide (TBTO)) (CAS No.: 56-35-9)	(Calculated from the result of Tributyl Tin (TBT).)				
三苯基錫 (TPT) (Triphenyl tin (TPT))	參考ISO 17353: 2004·以氣相層析儀/火焰光度偵測器分析。(With reference to ISO 17353: 2004, analysis was performed by GC/FPD.)	mg/kg	0.03	n.d.	-
二丁基錫 (DBT) (Dibutyl tin (DBT))	參考ISO 17353: 2004·以氣相層析儀/火焰光度偵測器分析。(With reference to ISO 17353: 2004, analysis was performed by GC/FPD.)	mg/kg	0.03	n.d.	-
二辛基錫 (DOT) (Dioctyl tin (DOT))	參考ISO 17353: 2004·以氣相層析儀/火焰光度偵測器分析。(With reference to ISO 17353: 2004, analysis was performed by GC/FPD.)	mg/kg	0.03	n.d.	-
聚氯乙烯 (Polyvinyl chloride) (PVC)	參考ASTM E1252: 2021·以傅立葉轉換紅外線光譜儀及焰色法分析。(With reference to ASTM E1252: 2021, analysis was performed by FT-IR and Flame Test.)	**	-	Negative	-
銻 (Sb) (Antimony (Sb)) (CAS No.: 7440-36-0)	參考US EPA 3050B: 1996 · 以感應耦合電 漿發射光譜儀分析。(With reference to US EPA 3050B: 1996, analysis was performed by ICP-OES.)	mg/kg	2	n.d.	-
三氧化二銻 (Sb ₂ O ₃) (Antimony trioxide (Sb ₂ O ₃)) (CAS No.: 1309-64-4)	由銻結果計算得之。(Calculated from the result of Antimony.)	mg/kg	2▲	n.d.	-
鈹 (Be) (Beryllium (Be)) (CAS No.: 7440-41-7)	參考US EPA 3050B: 1996 · 以感應耦合電 漿發射光譜儀分析。(With reference to US EPA 3050B: 1996, analysis was performed by ICP-OES.)	mg/kg	2	n.d.	-
砷 (As) (Arsenic (As)) (CAS No.: 7440-38-2)	參考US EPA 3052: 1996.以感應耦合電漿發射光譜儀分析。(With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.)	mg/kg	2	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

新北市五股區新北產業園區五權七路 25 號 t+886(02)2299 3939 f+886(02)2299 3237 25, Wu Chyuan 7th Road, New Taipei Industrial Park, Wu Ku District, New Taipei City, Taiwan



Test Report

號碼(No.): ETR23902751M01 日期(Date): 22-Sep-2023 頁數(Page): 7 of 21

中山復盛機電有限公司 (ZHONGSHAN FU SHENG ELECTROMECHANICAL CO., LTD.) 廣東省中山市火炬開發區火炬大道12號 (NO. 12, TORCH ROAD, TORCH HI-TECH INDUSTRIAL DEVELOPMENT ZONE, ZHONGSHAN CITY, GUANGDONG PROVINCE.)

備註(Note):

- 1. mg/kg = ppm; 0.1wt% = 0.1% = 1000ppm
- 2. MDL = Method Detection Limit (方法偵測極限值)
- 3. n.d. = Not Detected (未檢出); 小於MDL / Less than MDL
- 4. "-" = Not Regulated (無規格值)
- 5. **= Qualitative analysis (No Unit) 定性分析(無單位)
- 6. Negative = Undetectable 陰性(未偵測到); Positive = Detectable 陽性(已偵測到)
- 7. (#2) =
 - a. 當六價鉻結果大於0.13 μg/cm²·表示樣品表層含有六價鉻。(The sample is positive for Cr(VI) if the Cr(VI) concentration is greater than 0.13 μg/cm². The sample coating is considered to contain Cr(VI).)
 - b. 當六價鉻結果為n.d. (濃度小於0.10 μg/cm²),表示表層不含六價鉻。(The sample is negative for Cr(VI) if Cr(VI) is n.d. (concentration less than 0.10 μg/cm²). The coating is considered a non-Cr(VI) based coating)
 - c. 當六價鉻結果介於 0.10 及 0.13 $\mu g/cm^2$ 時,無法確定塗層是否含有六價鉻。(The result between 0.10 $\mu g/cm^2$ and 0.13 $\mu g/cm^2$ is considered to be inconclusive unavoidable coating variations may influence the determination.)
- 8. ▲: MDL是針對元素/測試化合物之評估。(The MDL was evaluated for element / tested substance.) 換算公式 (Conversion Formula): AX = A × F

15.77 A 20 (COTTOTTICIO): TOTTICIO): TOTTICIO):				
AX	Α	F		
氧化雙三丁基錫 (Bis(tributyltin)oxide) (TBTO)	三丁基錫 (Tributyl Tin) (TBT)	1.0276		
三氧化二銻 (Antimony trioxide)	銻 (Antimony)	1.1971		

參數換算表 (Parameter Conversion Table):

https://eecloud.sgs.com/Region_TW/DocDownload.aspx?name=Others

- 9. 除非另有說明,參照ILAC-G8:09/2019,採用簡單二元(w=0)允收規則進行符合性判定;根據此規則,符合性結果之判定係以測試結果與限值做比較。(Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019. According to this rule, the judgement of conformity is based on the comparing test results with limits.)
- 10. 本報告為 ETR23902751 之異動報告。(This is the additional test report of ETR23902751.)



Test Report

號碼(No.): ETR23902751M01 日期(Date): 22-Sep-2023 頁數(Page): 8 of 21

中山復盛機電有限公司 (ZHONGSHAN FU SHENG ELECTROMECHANICAL CO., LTD.) 廣東省中山市火炬開發區火炬大道12號 (NO. 12, TORCH ROAD, TORCH HI-TECH INDUSTRIAL DEVELOPMENT ZONE, ZHONGSHAN CITY, GUANGDONG PROVINCE.)

PFAS Remark:

現有PFAS定量技術是分析PFAS物質的特定結構,但同碳數族群之PFAS酸及鹽類物質,其可被辨識的特定結構相同,因此無法區別所分析的特定結構是來自酸或者鹽類,故測試結果為同碳數族群之PFAS之酸及鹽類物質的濃度總合。下表PFAS物質濃度皆已包含在測試結果中,相關資訊請參見下表:(下表列舉PFAS物質僅為範例,並不包含所有同碳數族群之PFAS鹽類。)

(The quantitative technology of PFAS is to analyze the specific structure of PFAS substances. However, PFAS acid and its salts with the same carbon number group have the same specific structure that can be identified. The tested results of the analyzed specific structure cannot be distinguished to identify the contribution from PFAS acid or its salts. Therefore, the tested results display the sum of concentrations of PFAS acids and its salts with the same carbon number group. The concentration of PFAS substances in the below table have been included in the tested results, please refer to the table for relevant information: (The listed PFAS substances are examples only, it do not include all PFAS salts with the same carbon number group.))

物質濃度分類 (Classification of Substance Concentration)	物質名稱 (Substance Name)	CAS No.
全氟辛烷磺酸及其鹽類 Perfluorooctane sulfonates and its	全氟辛基磺酸鉀 (PFOS-K) Potassium perfluorooctanesulfonate (PFOS-K)	2795-39-3
salts (PFOS and its salts) (CAS No.: 1763-23-1 and its salts)	全氟辛基磺酸鋰 (PFOS-Li) Perfluorooctanesulfonic acid, lithium salt (PFOS-Li)	29457-72-5
	全氟辛基磺酸銨 (PFOS-NH ₄) Perfluorooctanesulfonic acid, ammonium salt (PFOS-NH ₄)	29081-56-9
	全氟辛基磺酸二乙醇銨 (PFOS-NH(OH) ₂) Perfluorooctane sulfonate diethanolamine salt (PFOS-NH(OH) ₂)	70225-14-8
	全氟辛基磺酸四乙基銨 (PFOS-N(C_2H_5) ₄) Perfluorooctanesulfonic acid,tetraethylammonium salt (PFOS-N(C_2H_5) ₄)	56773-42-3



Test Report

號碼(No.): ETR23902751M01 日期(Date): 22-Sep-2023 頁數(Page): 9 of 21

中山復盛機電有限公司 (ZHONGSHAN FU SHENG ELECTROMECHANICAL CO., LTD.) 廣東省中山市火炬開發區火炬大道12號 (NO. 12, TORCH ROAD, TORCH HI-TECH INDUSTRIAL DEVELOPMENT ZONE, ZHONGSHAN CITY, GUANGDONG PROVINCE.)

物質濃度分類 (Classification of Substance Concentration)	物質名稱 (Substance Name)	CAS No.
全氟辛烷磺酸及其鹽類 Perfluorooctane sulfonates and its salts (PFOS and its salts) (CAS No.: 1763-23-1 and its salts)	全氟辛基磺酸二癸二甲基銨 (PFOS-DDA) N-decyl-N,N-dimethyldecan-1-aminium 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctane- 1-sulfonate (PFOS-DDA)	251099-16-8
	全氟辛基磺醯氟 (POSF) Perfluorooctane sulfonyl fluoride (POSF)	307-35-7
	全氟辛基磺酸鎂 (PFOS-Mg) Perfluorooctanesulfonic acid, magnesium salt (PFOS-Mg)	91036-71-4
	全氟辛基磺酸鈉 (PFOS-Na) Perfluorooctanesulfonic acid, sodium salt (PFOS-Na)	4021-47-0
全氟辛酸及其鹽類 Perfluorooctanoic acid and its salts	全氟辛酸鈉 (PFOA-Na) Sodium perfluorooctanoate (PFOA-Na)	335-95-5
(PFOA and its salts) (CAS No.: 335-67-1 and its salts)	全氟辛酸鉀 (PFOA-K) Potassium perfluorooctanoate (PFOA-K)	2395-00-8
	全氟辛酸銀 (PFOA-Ag) Silver perfluorooctanote (PFOA-Ag)	335-93-3
	全氟辛氟 (PFOA-F) Perfluorooctanoyl fluoride (PFOA-F)	335-66-0
	全氟辛酸銨 (APFO) Ammonium pentadecafluorooctanoate (APFO)	3825-26-1
	全氟辛酸鋰 (PFOA-Li) Lithium perfluorooctanoate (PFOA-Li)	17125-58-5



Test Report


號碼(No.): ETR23902751M01 日期(Date): 22-Sep-2023 頁數(Page): 10 of 21

中山復盛機電有限公司 (ZHONGSHAN FU SHENG ELECTROMECHANICAL CO., LTD.) 廣東省中山市火炬開發區火炬大道12號 (NO. 12, TORCH ROAD, TORCH HI-TECH INDUSTRIAL DEVELOPMENT ZONE, ZHONGSHAN CITY, GUANGDONG PROVINCE.)

重金屬流程圖 / Analytical flow chart of heavy metal

根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外)

These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr^{6+} test method excluded)






Test Report

號碼(No.): ETR23902751M01 日期(Date): 22-Sep-2023 頁數(Page): 11 of 21

中山復盛機電有限公司 (ZHONGSHAN FU SHENG ELECTROMECHANICAL CO., LTD.) 廣東省中山市火炬開發區火炬大道12號 (NO. 12, TORCH ROAD, TORCH HI-TECH INDUSTRIAL DEVELOPMENT ZONE, ZHONGSHAN CITY, GUANGDONG PROVINCE.)

多溴聯苯/多溴聯苯醚分析流程圖 / Analytical flow chart - PBBs/PBDEs






Test Report

號碼(No.): ETR23902751M01 日期(Date): 22-Sep-2023 頁數(Page): 12 of 21

中山復盛機電有限公司 (ZHONGSHAN FU SHENG ELECTROMECHANICAL CO., LTD.) 廣東省中山市火炬開發區火炬大道12號 (NO. 12, TORCH ROAD, TORCH HI-TECH INDUSTRIAL DEVELOPMENT ZONE, ZHONGSHAN CITY, GUANGDONG PROVINCE.)

六溴環十二烷分析流程圖 / Analytical flow chart - HBCDD






Test Report

號碼(No.): ETR23902751M01 日期(Date): 22-Sep-2023 頁數(Page): 13 of 21

中山復盛機電有限公司 (ZHONGSHAN FU SHENG ELECTROMECHANICAL CO., LTD.) 廣東省中山市火炬開發區火炬大道12號 (NO. 12, TORCH ROAD, TORCH HI-TECH INDUSTRIAL DEVELOPMENT ZONE, ZHONGSHAN CITY, GUANGDONG PROVINCE.)

鹵素分析流程圖 / Analytical flow chart - Halogen






Test Report

號碼(No.): ETR23902751M01 日期(Date): 22-Sep-2023 頁數(Page): 14 of 21

中山復盛機電有限公司 (ZHONGSHAN FU SHENG ELECTROMECHANICAL CO., LTD.) 廣東省中山市火炬開發區火炬大道12號 (NO. 12, TORCH ROAD, TORCH HI-TECH INDUSTRIAL DEVELOPMENT ZONE, ZHONGSHAN CITY, GUANGDONG PROVINCE.)

全氟化合物(包含全氟辛酸/全氟辛烷磺酸/其相關化合物等等)分析流程圖 / Analytical flow chart – PFAS (including PFOA/PFOS/its related compound, etc.)





Test Report


號碼(No.): ETR23902751M01 日期(Date): 22-Sep-2023 頁數(Page): 15 of 21

中山復盛機電有限公司 (ZHONGSHAN FU SHENG ELECTROMECHANICAL CO., LTD.) 廣東省中山市火炬開發區火炬大道12號 (NO. 12, TORCH ROAD, TORCH HI-TECH INDUSTRIAL DEVELOPMENT ZONE, ZHONGSHAN CITY, GUANGDONG PROVINCE.)

分析流程圖 / Analytical flow chart

【適用於:多氯聯苯、多氯奈、多氯三聯苯、滅蟻靈、氯化石蠟、DBBT】

*Apply to: PCBs, PCNs, PCTs, Mirex, Chlorinated Paraffins, DBBT






Test Report

號碼(No.): ETR23902751M01 日期(Date): 22-Sep-2023 頁數(Page): 16 of 21

中山復盛機電有限公司 (ZHONGSHAN FU SHENG ELECTROMECHANICAL CO., LTD.) 廣東省中山市火炬開發區火炬大道12號 (NO. 12, TORCH ROAD, TORCH HI-TECH INDUSTRIAL DEVELOPMENT ZONE, ZHONGSHAN CITY, GUANGDONG PROVINCE.)

有機錫分析流程圖 / Analytical flow chart - Organic-Tin






Test Report

號碼(No.): ETR23902751M01 日期(Date): 22-Sep-2023 頁數(Page): 17 of 21

中山復盛機電有限公司 (ZHONGSHAN FU SHENG ELECTROMECHANICAL CO., LTD.) 廣東省中山市火炬開發區火炬大道12號 (NO. 12, TORCH ROAD, TORCH HI-TECH INDUSTRIAL DEVELOPMENT ZONE, ZHONGSHAN CITY, GUANGDONG PROVINCE.)

聚氯乙烯物質判定分析流程圖 / Analysis flow chart - PVC





Test Report


號碼(No.): ETR23902751M01 日期(Date): 22-Sep-2023 頁數(Page): 18 of 21

中山復盛機電有限公司 (ZHONGSHAN FU SHENG ELECTROMECHANICAL CO., LTD.) 廣東省中山市火炬開發區火炬大道12號 (NO. 12, TORCH ROAD, TORCH HI-TECH INDUSTRIAL DEVELOPMENT ZONE, ZHONGSHAN CITY, GUANGDONG PROVINCE.)

元素以 ICP-OES 分析的消化流程圖

(Flow chart of digestion for the elements analysis performed by ICP-OES)

根據以下的流程圖之條件,樣品已完全溶解。 / These samples were dissolved totally by pre-conditioning method according to below flow chart.



鋼,銅,鋁,焊錫 / Steel, copper, aluminum, solder	王水,硝酸,鹽酸,氫氟酸,雙氧水 / Aqua regia, HNO ₃ , HCl, HF, H ₂ O ₂
玻璃 / Glass	硝酸,氫氟酸 / HNO ₃ ,HF
金,鉑,鈀,陶瓷 / Gold, platinum, palladium, ceramic	王水 / Aqua regia
銀 / Silver	硝酸 / HNO₃
塑膠 / Plastic	硫酸,雙氧水,硝酸,鹽酸 / H ₂ SO ₄ , H ₂ O ₂ , HNO ₃ , HCl
其他 / Others	加入適當的試劑至完全溶解 / Added appropriate reagent to total digestion



Test Report

號碼(No.): ETR23902751M01 日期(Date): 22-Sep-2023 頁數(Page): 19 of 21


中山復盛機電有限公司 (ZHONGSHAN FU SHENG ELECTROMECHANICAL CO., LTD.) 廣東省中山市火炬開發區火炬大道12號 (NO. 12, TORCH ROAD, TORCH HI-TECH INDUSTRIAL DEVELOPMENT ZONE, ZHONGSHAN CITY, GUANGDONG PROVINCE.)

元素(含重金屬)分析流程圖 / Analytical flow chart of elements (Heavy metal included)

根據以下的流程圖之條件,樣品已完全溶解。

These samples were dissolved totally by pre-conditioning method according to below flow chart.

【参考方法/Reference method: US EPA 3051A、US EPA 3052】



* US EPA 3051A 方法未添加氫氟酸 / US EPA 3051A method does not add HF.




Test Report

號碼(No.): ETR23902751M01 日期(Date): 22-Sep-2023 頁數(Page): 20 of 21

中山復盛機電有限公司 (ZHONGSHAN FU SHENG ELECTROMECHANICAL CO., LTD.) 廣東省中山市火炬開發區火炬大道12號 (NO. 12, TORCH ROAD, TORCH HI-TECH INDUSTRIAL DEVELOPMENT ZONE, ZHONGSHAN CITY, GUANGDONG PROVINCE.)

可塑劑分析流程圖 / Analytical flow chart - Phthalate

【測試方法/Test method: IEC 62321-8】






Test Report

號碼(No.): ETR23902751M01 日期(Date): 22-Sep-2023 頁數(Page): 21 of 21

中山復盛機電有限公司 (ZHONGSHAN FU SHENG ELECTROMECHANICAL CO., LTD.) 廣東省中山市火炬開發區火炬大道12號 (NO. 12, TORCH ROAD, TORCH HI-TECH INDUSTRIAL DEVELOPMENT ZONE, ZHONGSHAN CITY, GUANGDONG PROVINCE.)

* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. * (The tested sample / part is marked by an arrow if it's shown on the photo.)

ETR23902751



** 報告結尾 (End of Report) **