

**Metaflux HT-Super Spray**

70-84

**1. Identification of the substance/preparation**

<b>Name of product</b>	<b>Metaflux HT-Super Spray</b> Art-Nr. 70-84
<b>Manufacturer/distributor</b>	Techno-Service GmbH Detmolder Str.515, D-33605 Bielefeld Phone 0521/924440, Fax 0521-207432
<b>Advice</b>	Verkauf Phone 0521/9244420 Fax 0521/207432
<b>Emergency advice</b>	Zentrale Phone 0521/924440

**! 2. Composition/information on ingredients****! Chemical characterization**

polyolefins, petroleum distillates, natural fats and oils, E.P.-additives, aliphatic hydrocarbon solvent, propane/  
butane

**! Hazardous ingredients**

<b>CAS-No.</b>	<b>Name</b>	<b>[% weight]</b>	<b>Classification</b>	
000074-98-6	propane	5 - 10	F+	R12
000106-97-8	butane	30 - 35	F+	R12
064742-48-9	Naphtha (petroleum), hydrotreated heavy	5 - 10	Xn	R10-65-66
064742-49-0	Naphtha (petroleum), hydrotreated light	10 - 19,9	Xn; F; N	R11-38-51/53-65-67

**! Additional advice**

Classification and labelling Xn/R65 is not required for preparations in aerosols containing  $\geq 10\%$  of  
hydrocarbon solvents (s. Directive 96/54/EC, Annex V, No.8.4)

to CAS-No. 64742-49-0 : This material contains < 0.1 Benzene and must not be classified as carcinogenic  
(nota P)

to CAS-No. 654742-48-9 : This material contains <0.1% Benzene an must not classified as carcinogen

Use: Lubricant

R-Phrases see chapter 16

**3. Special hazards information for man and environment****R-phrases**

12	Extremely flammable.
52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
67	Vapours may cause drowsiness and dizziness.

**Special hazards information for humans and environment**

When used formation of explosive gas/air mixtures may be possible

**4. First aid measures****General information**

Do not leave casualty unattended.

**In case of inhalation**

In case of inhalation remove the casualty into fresh air and seek medical advice.

**In case of skin contact**

In case of contact with skin wash off with soap and water.

**In case of eye contact**

Eye rinsing with water carefully while protecting unhurt eye.

**In case of ingestion**

If swallowed seek medical advice immediately and show the doctor packing or label.

**Physician's information / possible symptoms**

unknown

**Physician's information / possible dangers**

Risk of aspiration by vomiting if swallowed, also without vomiting

**Treatment (Advice to doctor)**

Treat symptoms.

---

**5. Fire-fighting measures**

**Suitable extinguishing material**

Foam

Dry powder

Carbon dioxide

**Extinguishing material that may not be used for safety reasons**

Full water jet

**Special exposure hazards arising from the substance, combustible products or resulting gases**

Risk of bursting by fire heat

**Special protective equipment for firefighters**

Use breathing apparatus with independent air supply.

**Additional information**

Cool containers at risk with water spray jet.

---

**! 6. Accidental release measures**

**Personal precautions**

Ensure adequate ventilation.

Keep away sources of ignition.

**! Environmental precautions**

Product shall not reach the drain or soil.

**Methods for cleaning up/taking up**

Stem and take up with absorbent material (e.g. sand, peat, earth).

**Additional Information**

Keep off any handling equipment with engines (source of ignition)

---

**7. Handling and storage**

**Advice on safe handling**

Use only in well-ventilated areas.

**Advice on protection against fire and explosion**

Risk of injuries and fire spreading by bursting caused by fire heat

**Requirements for storage rooms and vessels**

Observe National and Local regulation

**Advice on storage compatibility**

no

**Further information on storage conditions**

Protect from heat and direct solar radiation.

---

**Storage group** 2B

**Fire class** C

**Information on storage stability**

Storage time above 24 months.

## ! 8. Exposure controls / personal protection

**Additional advice on system design**

use only in well-ventilated area

**Ingredients with occupational exposure limits to be monitored**

CAS-No.	Name	Code	[mg/m <sup>3</sup> ]	[ml/m <sup>3</sup> ]	Remark
000074-98-6	propane	MAK	1800	1000	
000106-97-8	butane	MAK	2400	1000	
064742-48-9	hydrocarbon vapours		1000	200	
64742-49-0	hydrocarbon vapours	MAK	1000	200	

**Respiratory protection**

Generally not required

**! Hand protection**

If contamination is possible use chemical-resistant gloves made of nitrile (EN 374)

**Eye protection**

Generally not required

**Skin protection**

Generally not required

**General protective measures**

Do not inhale aerosols

**Hygiene measures**

Cloths contaminated with product should not be kept in trouser pockets.

## ! 9. Physical and chemical properties

**Form**

aerosol

**Colour**

yellowish

**Odour**

like petrol (gasoline )

**Data relevant for safety**

	Value	Temperature	at	Method	Remark
<b>pH value in delivery state</b>					not applicable
<b>Acid number</b>					not applicable
<b>Changes in physical state solid/fluid</b>					not applicable
<b>Changes in physical state gas</b>					not applicable
<b>Flash point</b>	< 0 °C				
<b>Flammable solid</b>					not applicable

# Safety data-sheet (91/155 EEC)

Printed 11.06.2003

Revision 11.06.2003

## Metaflux HT-Super Spray

70-84

	Value	Temperature	at	Method	Remark
<b>Flammable gas</b>					not applicable
<b>Combustion temperature</b>					not applicable
<b>Autoignition</b>					not applicable
<b>Lower explosion limit</b>	ca. 1,5 Vol-%				informations concern to propellant only
<b>Upper explosion limit</b>	ca. 11 Vol-%				informations concern to propellant only
<b>Vapour pressure</b>	3000 - 3400 hPa	20 °C			
<b>Density</b>	ca. 0,68 g/cm3	20 °C			
<b>Bulk density</b>					not applicable
<b>Rel. vapour density</b>					not applicable
<b>Solubility in water</b>					insoluble
<b>Solubility/other</b>					organic solvent
<b>Partition coefficient (log p<sub>OW</sub>)</b>					not determined
<b>Viscosity 1</b>					not applicable
<b>Viscosit 2</b>					not applicable
<b>Solvent separation test</b>					not applicable
<b>Solvent concentration</b>	ca. 28 %				
<b>Explosive properties</b>	When used formation of explosive mixtures may be possible				
<b>Additional information</b>	no				

## 10. Stability and reactivity

### Conditions to avoid

near ignition sources(sparks, flames, glow)

### Materials to avoid

no

### Hazardous decomposition products

At burning formation of toxic fumes occur which by inhalation may cause polymer.smoke.fever

**Page**

Method no

Remark no

**Additional information**

no

**11. Toxicological information****Acute toxicity/Irritability/Sensitization**

	Value/Validation	Species	Method	Remark
<b>LD 50 acute oral</b>				no data available
<b>LD 50 acute dermal</b>				no data available
<b>LC 50 acute inhalation</b>				no data available
<b>Irritability skin</b>				low
<b>Irritability eye</b>				low
<b>Sensitization skin</b>				no
<b>Sensitization respiratory system</b>				no

**Subacute Toxicity - Carcinogenicity**

	Value	Species	Method	Validation
<b>Subacute Toxicity</b>				no data available
<b>Subchronic Toxicity</b>				no data available
<b>Chronic Toxicity</b>				no data available
<b>Mutagenicity</b>				no
<b>Reproduction-Toxicity</b>				no
<b>Carcinogenicity</b>				no
<b>Toxicity test (Additional information)</b>				no
<b>Experiences made from practice</b>				no negative experience
<b>Additional information</b>				no

**! 12. Ecological information****Data on elimination (persistence and degradability)**

	Elimination rate	Method of analysis	Method	Validation
<b>Physico-chemical degradability</b>	The product doesn't reach sewage by using as destined			
<b>Biological degradability</b>	The product doesn't reach sewage by using as destined			
<b>Degradability</b>	The product doesn't reach sewage by using as destined			
<b>Biological eliminability</b>	The product doesn't reach sewage by using as destined			
<b>Degradability according to WRMG</b>	The product doesn't reach sewage by using as destined			

**Mobility and bioaccumulative potential**

The product has not been tested. Because of the product's consistency and low solubility in water bioavailability is not likely.

**Ecotoxicological effects**

	Value	Species	Method	Validation
<b>Fish</b>				no data available
<b>Daphnia</b>				no data available
<b>Algae</b>				no data available
<b>Bacteria</b>				no data available

**Behaviour in sewage plant**

The product doesn't reach sewage by using as destined

**Breathing inhibition of activated sludge**

	Value	Method	Remark
<b>EC 50</b>			not determined

**Additional ecological information**

	Value	Method	Remark
<b>OC</b>			not determined
<b>COD</b>			not determined
<b>BOD</b>			not determined
<b>AOX</b>	no		

**Contains following heavy metals and compounds of the 76/464/EWG**

no

**! General regulation**

VOC = 0.192 kg/can

---

**! 13. Disposal considerations**

<b>! Waste code No.</b>	<b>Name of waste</b>
13 02 05	mineral-based non-chlorinated engine, gear and lubricating oils
16 05 04	gases in pressure containers (including halons) containing dangerous substances

**Recommendations for the product**

material recycling according to National or Local regulations

**Recommendations for packaging**

material recycling EWC 150104

**Recommended cleansing agent**

no

**General information**

Give only emptied containers to recycling

---

**! 14. Transport information****Land and inland navigation transport (ADR/RID/GGVS/GGVE/ADNR)**

<b>Identification</b>	UN 1950 AEROSOLS, 2.1
<b>UN-No.</b>	1950
<b>Class</b>	2 / Classification Code 5F
<b>PG</b>	-

**! Remarks**

Transportation as Limited Quantities (LQ 2); Marking: UN 1950 (rhombe)

Entry in the transportation document: Transportation according chapter 3.4 ADR

**Marine transport IMDG/GGV See**

<b>Proper shipping name</b>	AEROSOLS
<b>UN-No.</b>	1950
<b>Class</b>	2
<b>PG</b>	-
<b>Marine pollutant</b>	No
<b>EmS-No.</b>	2-13

**Remarks**

Entry in transportation document: limited quantities

Marks: AEROSOLS UN 1950

**Air transport ICAO/IATA**

<b>Proper shipping name</b>	Aerosols, flammable
<b>UN/ID-No.</b>	UN1950
<b>Class</b>	2.1
<b>PG</b>	II

**Remarks**

UN-4G/Y fibre board boxes required

Label: Flammable Gas

Marking: Aerosols, flammable UN 1950

**Transport/further informations**

ADR Transport Emergency Card: not required

---

**! 15. Regulatory information****Remarks for classification**

Labelling "extremely flammable" is according to Directive 94/1/EC. Using the regulations of the EC-Dangerous Preparation Directive does not lead to classification.

**Classification****F+** Extremely flammable**R-phrases**

12 Extremely flammable.  
 52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  
 67 Vapours may cause drowsiness and dizziness.

**! S-phrases**

23.3 Do not breathe vapour.  
 24/25 Avoid contact with skin and eyes.  
 35 This material and its container must be disposed of in a safe way.  
 51 Use only in well-ventilated areas.

**! Special labelling for certain preparations**

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

Do not spray on a naked flame or any incandescent material. Keep away from sources of ignition - no smoking. Keep out of the reach of children.

Without sufficient ventilation formation of explosive mixtures may be possible.

**National regulations****Restriction of occupation**

no

**Decree for case of interference/ remarks** not applicable

**Classification according to VbF/ remarks** not applicable

**German TA LUFT remarks**

not applicable

**Water hazard class** 1 self-classification to German water pollution class

**Other regulations, restrictions and prohibition regulations**

no

**! 16. Other information****Training advice**

Use the entries of this Material Safety Data Sheet

**Recommend uses and restrictions**

Observe care instructions

**! Further information**

R-Phrases from chapter 2:

R 11: Highly flammable

R 12: Extremely flammable

R 67: Vapours may cause drowsiness and dizziness.

R 66: Repeated exposure may cause skin dryness or cracking.

R 65: Harmful: may cause lung damage if swallowed.

R 38 :Irritating to skin.

R 51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R 10: Flammable

Safety data-sheet (91/155 EEC)

Printed 11.06.2003

Revision 11.06.2003

**Metaflux HT-Super Spray**

70-84

---

**Sources of key data used**

Material Safety Data Sheets of raw materials