

Trampoline & Enclosure Assembly Instructions



This manual is suitable for FJTR06 MAT DIAMETER MAT HEIGHT FROM GROUND
6 FT (1.8m) 3 FT(0.51m)

MINIMUM HEIGHT ABOVE MAT MAXIMUM USER WEIGHT
5 FT (1.5m) 110 lbs(50kg)

The information in this document is subject to change without notice.
© Copyright Free Jump Trampoline. All rights reserved.

Use only Free Jump-made accessories.
Use only parts that are recommended by Free Jump

- Do not attempt or allow somersaults. Landing on the head or neck can cause serious injury, paralysis or death even when landing on the middle of the mat.
- Do not allow more than one person at the same time on the trampoline or enclosure. Use by more than one person can result in serious injury.
- Treat any loaded rod with caution until you are sure it is properly installed or uninstalled. Keep your face well away from any loaded rod.
- Never attempt to remove a black net rod from its net pocket while the black net rod is under tension.
- Your trampoline has been designed for residential backyard use by both children and adults. The Maximum User Weight for this trampoline is located on the front panel of this manual. Jumpers at or near the Maximum User Weight should take extra precaution in their manoeuvres to ensure they do not initiate contact with the ground while jumping as this can cause serious injury
- Do not hold onto, or place fingers between the rods while someone is jumping on the trampoline.

- Note:**
- Safe use of trampolines
 - When children are on the trampoline:
 - keep toddlers away when the trampoline is in use to prevent them from going underneath it.
 - Allow only one child at a time on the trampoline.
 - Teach children to jump in the centre of the mat.
 - Teach them to climb on and off the trampoline rather than jumping off
 - Ensure children do not wear helmets, jewellery, buckles or shoes on the trampoline clearly explain the rules and make sure the children follow and understand them.
 - The trampoline shall be assembled by an adult in accordance with the assembly instructions and thereafter checked before the first use.
 - Only one user. Collision hazard.
 - Do not use the mat when it is wet.
 - Empty pockets and hands before jumping.
 - Always jump in the middle of the mat.
 - Do not eat while jumping.
 - Do not exit by a jump.
 - Limit the time of continuous usage(make regular stops).
 - Always close the net opening before jumping.
 - Do not use in strong wind conditions and secure the trampoline.
 - WIND: Disconnect the Safety Net from the Net Poles, and cover the Safety Net and Jump Mat with a storm cover.


WARNING: Read the warnings on this page and those contained in the User Guide before you assemble and use the trampoline and enclosure.

1. Keep small children at least 23 ft (7.0 m) away while assembling the trampoline; they could be injured by improperly assembled rods releasing and ejecting from the frame.
2. Do not attempt to use the trampoline until it is completely assembled.
3. Installation typically takes two hours to complete. Two people are recommended for assembly.
4. Gloves are recommended during the assembly process.
5. Treat any loaded rod with caution until you are sure it is properly installed. In particular, keep your face well clear of the rods during assembly or disassembly. An improperly installed rod could release and cause facial injury or blindness.
6. The sleeves on the rods are intended to provide protection from fibers or splinters. Do not remove the sleeve. If they are damaged, replace them.
7. A minimum of 28 ft (8.5 m) overhead clearance when measured from the ground is required to prevent users inadvertently contacting overhead hazards such as electric wires, tree limbs and clotheslines.
8. Place the trampoline on a level surface at least 6ft(2m) from any structure or obstruction such as a fence,garage,house, overhanging branches,laundry lines or electrical wires.
9. The trampoline shall neither be installed over concrete,asphalt or any other hard surface nor at proximity of other conflicting installations(e.g.Padding pools,swings,slides,climbing frames).
10. Not intended to be buried into the ground.
11. Move the trampoline with a minimum of 4 adults, to ensure that the lift is within heavy lifting regulations
12. Do not drag the trampoline. Parts may bend or warp if insufficiently lifted.
13. Avoid tilting the trampoline or resting it on its side; the frame may bend under its own weight.
14. Disassemble the trampoline, and return it to its original packaging, to transport it over long distances.
15. Inspect before and after each use. It is essential that you replace any worn, defective or missing parts immediately and only through Free Jump.
16. Ensure that the Safety Net is always correctly attached and in good condition.Replace the Safety Net every 2 year.
17. Check all nuts and bolts for tightness and tighten when required.
18. Check that all rod joints are still intact and cannot become dislodged during play.
19. Check all coverings and sharp edges and replace when required.
20. Retain the maintenance instruction manual.
21. In certain countries during winter period,the snow load and the very lowtemperature can damage the trampoline.
22. It is recommended to remove the snow and store the mat and the enclosure indoor.
23. Check that mat,enclosure and soft surface are without defects.
24. Components of this trampoline are susceptible to deterioration from use and environmental conditions-such as sunlight, rain, salt and heat, to varying degrees.
25. Remove any fallen debris on your trampoline after rain. Wipe off residual water with a dry cloth;components and weaken textiles.
26. Components will deteriorate over time
27. Carry out checks and maintenance of the main parts (frame, suspension system, mat, padding, and enclosure) at the beginning of each season and also at regular intervals.if these checks are not carried out, the trampoline could become dangerous.


Assembly Precautions: Read the following steps before beginning the assembly process.




- Find level ground, and make sure that there are no obstructions nearby.
- Check that you have all the parts required for assembly.
- If you are missing any parts,pls contact Free Jump Trampoline directly.




- A.Lay out the remaining parts as illustration shown, the colored stickers all face upwards.
- B.Lay out the all of Curved poles in a circle.
- C.Insert the rod sockets into the holes to connect each Curved Poles,until you complete a circle frame.
(NOTE: Make sure that the rod sockets are properly inserted into the Curved Poles)



- A.Follow the illustration, lay out the U-legs face upwards
- B.Lift the Circle frame up,take one U-leg inset into the frame till the snap button fully fixed into the frame tube.
- C.Repeat the step B to finish all the U-legs assembly.
- **Note:**One people hold the one side of shorter-U leg,while the another one hold the other side,then install into the taller-U leg at the same time.




- **Note:**When install the mat rod into the mat rod sockets,please make sure you have inserted the bottom of the frame.
- A . Take the mat rod and insert into the mat rod sockets which with the blue stickers.
- B . Locate the blue tag on the frame and match it with the blue label on the jumping mat.
- C.Hold the handle with right hand and keep your arms stable ,push the rod with handle and keep your left hand pulling the white buckle, till the rod hooks onto the buckle.
- D.Find the Orange tag (marked as Number 2) on the frame and match it with the Orange label on the jumping mat.
Then use the handle to connect mat and net
- **Note:**Follow the illustration (1-2-3-4-5) ,step by step to install the mat.



- Keeps every interval for Two buckles**
- Note:**Before you install the rod into a mat rod holder, read the illustration in step 7.
Note:Following the sequence shown spreads the tension evenly across the mat.
If you do not follow this sequence, it will be much difficult to attach the mat.
Note:Follow the illustration (6-7-8-9-10) ,step by step to install the mat.
Make sure orange tags on the jumping mat must be matched the orange label on the frame


09

Keeps every interval for Two buckles




- Keeps every interval for Two buckles to assemble the other rods,till all of the rods are fixed onto the buckle.
- **Note:**when install the mat rod into the mat rod sockets,please make sure you have inserted the bottom of the frame.

10



- Referring to the illustration, find the round accessory at the top of the safety net,then insert into the safety upper pole
 - After inserting,switch the safety pole till completely lock.
 - Put all the upper poles on the trampoline after insert the round accessory.
- Tips:** Make sure one of upper net pole is for keeping the basketball hoop(optional).
- Take lower safety pole.
 - Insert the upper pole into the top of lower pole till they fully seated.

11




- Referring to the illustration, insert the bottom end of the lower pole into the net pole socket on the trampoline frame.
- Please double check if the net pole is fully seated.

12




- Referring to the illustration, insert the bottom end of the lower pole into the net pole socket on the trampoline frame.
- Please double check if the net pole is fully seated.

13




- Referring to the illustration, insert the bottom end of the lower pole into the net pole socket on the trampoline frame.
- Please double check if the net pole is fully seated.

14



- Referring to the illustration, insert the bottom end of the lower pole into the net pole socket on the trampoline frame.
- Please double check if the net pole is fully seated.

15



- Referring to the illustration, insert the bottom end of the lower pole into the net pole socket on the trampoline frame.
- Please double check if the net pole is fully seated.

16



- Pull the safety net down to bottom of curved poles as illustration shown until the hook hooks onto the net.