


Type : CI Cores



规格 Type	尺寸Dimensions (mm)							图号 Fig.
	A	B	C	D	E	E1	E2	
CI-4.4-4.0-1.35-0.9	4.40±0.1 5	1.30±0.1 0	4.00±0.1 5	-	1.80±0.1 5	-	-	4
CI-5.6-5.65-2.9-2.0	5.60±0.1 5	2.90±0.1 0	5.65±0.1 5	0.15±0.1 0	2.00±0.1 0	2.00±0.1 0	-	5
CI-6.0-3.6-1.2-0.95	6.00±0.2 0	1.20±0.1 0	3.60±0.2 0	-	3.63±0.2 0	-	-	4
CI-6.35-6.35	6.35±0.1 3	2.40±0.1 0	6.35±0.1 3	-	3.05ref	-	-	2
CI-6.35-6.35A	6.35±0.1 0	1.45±0.1 0	6.35±0.1 0	-	3.20±0.1 0	-	-	2
CI-6.6-6.1	6.61±0.1 5	2.74±0.1 0	6.10±0.1 5	-	-	2.60±0.1 0	3.25ref	1
CI6.6-6.8-2.65-2	6.60±0.2 0	2.65±0.1 0	6.80±0.2 0	-	-	2.70±0.1 5	2.80±0.1 5	1
CI-6.6-9.1	6.61±0.1 5	2.74±0.1 0	9.07±0.1 5	-	-	2.60±0.1 0	3.25ref	1
CI-6.6-9.1A	6.61±0.1 5	4.00±0.2 0	9.07±0.1 5	-	-	2.60±0.1 0	3.25±0.1 0	1
CI-6.6A-6.1-2.55-1.8	6.61±0.1 5	2.55±0.1 0	6.10±0.1 5	-	3.15±0.1 5	2.60±0.1 5	-	6
CI6.6B-6.0-2.25-2.24	6.60±0.1 5	2.55±0.1 0	6.00±0.1 5	-	-	-	-	7
CI-6.6D-9.1-2.25-2.24	6.60±0.1 5	2.55±0.1 0	9.10±0.1 5	-	-	-	-	7
CI-6.6F-6.8-2.65-2.1	6.60±0.1 5	2.65±0.1 0	6.80±0.2 0	-	-	2.70±0.1 0	2.90±0.1 0	8
CI-6.7-6.7-3.6-3	6.70±0.1 5	3.60±0.1 0	6.70±0.1 5	-	-	2.20±0.1 0	2.50±0.2 0	1
CI-6.8B-6.8-2.45-1.9	6.80±0.1 5	2.45±0.1 0	6.80±0.1 5	-	2.50±0.1 5	-	-	9
CI-6.85A-9.2-2.2-1.65	6.85±0.1 5	2.20±0.1 0	9.20±0.1 0	-	2.55±0.1 5	-	-	4




规格 Type	尺寸Dimensions (mm)							图号 Fig.
	F	G	H	J	A1	C1	I	
CI-4.4-4.0-1.35-0.9	0.35±0.0 8	-	-	-	4.40±0.1 5	4.00±0.1 5	0.90±0.0 5	4
CI-5.6-5.65-2.9-2.0	0.60±0.1 0	0.15±0.1 0	4.95±0.1 5	-	5.60±0.1 5	5.65±0.1 5	2.00±0.0 5	5
CI-6.0-3.6-1.2-0.95	0.25±0.0 8	-	-	-	6.00±0.2 0	3.60±0.2 0	0.95±0.0 5	4
CI-6.35-6.35	0.35±0.1 0	0.22±0.0 5	-	1.40±0.1 0	6.35±0.1 3	6.35±0.1 3	2.27±0.1 0	2
CI-6.35-6.35A	0.40±0.0 8	0.25±0.0 5	-	1.60±0.1 0	6.35±0.1 0	6.35±0.1 0	1.10±0.1 0	2
CI-6.6-6.1	0.51±0.1 0	0.25±0.1 0	-	-	6.71±0.1 5	6.20±0.1 5	1.86±0.1 0	1
CI6.6-6.8-2.65-2	0.50±0.1 0	0.15±0.1 0	6.15±0.2 0	-	6.60±0.2 0	6.80±0.2 0	2.00±0.1 0	1
CI-6.6-9.1	0.51±0.1 0	0.25±0.1 0	-	-	6.71±0.1 5	9.15±0.1 5	1.86±0.1 0	1
CI-6.6-9.1A	0.61±0.0 8	0.25±0.1 0	-	-	6.71±0.1 5	9.15±0.1 5	2.50±0.2 0	1
CI-6.6A-6.1-2.55-1.8	0.51±0.1 0	0.24±0.1 0	-	-	6.71±0.1 5	6.20±0.1 5	1.80±0.1 0	6
CI6.6B-6.0-2.25-2.24	0.40±0.1 0	0.24±0.1 0	-	-	6.60±0.1 5	6.00±0.1 5	2.24±0.1 0	7
CI-6.6D-9.1-2.25-2.24	0.40±0.1 0	0.24±0.1 0	-	-	6.60±0.1 5	9.10±0.1 5	2.24±0.1 0	7
CI-6.6F-6.8-2.65-2.1	0.50±0.1 0	0.20±0.1 0	6.20±0.2 0	-	6.60±0.2 0	6.80±0.2 0	2.10±0.1 0	8
CI-6.7-6.7-3.6-3	0.70±0.1 0	0.35±0.1 0	5.80±0.1 5	-	6.70±0.1 5	6.70±0.1 5	3.00±0.0 5	1
CI-6.8B-6.8-2.45-1.9	0.35±0.1 0	0.10±0.1 0	6.00±0.1 5	-	6.80±0.1 5	6.80±0.1 5	1.90±0.0 5	9
CI-6.85A-9.2-2.2-1.65	0.55±0.1 0	-	-	-	6.85±0.1 5	9.20±0.2 0	1.65±0.0 5	4



规格 Type	磁芯参数					图号 Fig.
	Cl(mm <sup>2</sup> )	Le(mm)	Ae(mm <sup>2</sup> )	Ve(mm <sup>3</sup> )	Wt(g/set)	
CI-4.4-4.0-1.35-0.9	1.89	7.7	4.07	31.32	0.18	4
CI-5.6-5.65-2.9-2.0	1	11.37	11.33	128.84	0.67	5
CI-6.0-3.6-1.2-0.95	3.11	11.07	3.56	39.37	0.2	4
CI-6.35-6.35	1.01	12.69	12.6	159.89	0.81	2
CI-6.35-6.35A	1.51	11.2	7.4	82.88	0.48	2
CI-6.6-6.1	1.03	12.33	11.96	147.54	0.83	1
CI6.6-6.8-2.65-2	0.96	12.9	13.48	173.89	0.91	1
CI-6.6-9.1	0.67	12.23	18.19	222.46	1.26	1
CI-6.6-9.1A	0.63	14.06	22.2	312.13	1.26	1
CI-6.6A-6.1-2.55-1.8	1.04	12.38	11.88	147.1	0.84	6
CI6.6B-6.0-2.25-2.24	1.01	12.36	12.2	150.83	0.79	7
CI-6.6D-9.1-2.25-2.24	0.67	12.36	18.51	228.76	1.19	7
CI-6.6F-6.8-2.65-2.1	0.94	13.02	13.81	179.79	0.94	8
CI-6.7-6.7-3.6-3	0.78	13.87	17.69	245.38	1.32	1
CI-6.8B-6.8-2.45-1.9	0.88	12.21	13.92	169.98	0.95	9
CI-6.85A-9.2-2.2-1.65	0.73	12.08	16.48	199.11	1.2	4



Type : EFD Cores



规格 Type	尺寸Dimensions (mm)							图号 Fig.
	A	B	C	D	E	E1	E2	
CI-7.0-9.8-4.5-2.2	7.00±0.1 5	4.50±0.1 0	9.80±0.1 5	-	-	1.90±0.1 0	2.70ref	3
CI-7.0-9.9-3.6-2.95	7.00±0.1 5	3.60±0.1 0	9.90±0.1 5	-	-	2.50±0.1 0	3.00±0.1 0	1
CI-7.0B-3.6-1.35-0.95	7.00±0.1 5	1.35±0.1 0	3.60±0.2 0	-	5.00±0.2 0	-	-	4
CI-7.1B-9.95-4.2-2.4	7.00±0.1 0	4.20±0.1 0	9.95±0.1 5	-	-	1.90±0.1 0	2.50ref	10
CI-7.2A-10.2-4.75-3.75	7.20±0.1 5	4.75±0.1 0	10.20±0.20	-	1.08±0.1 5	-	-	11
CI-7.5-13.3-2.05-1.45	7.50±0.1 5	2.05±0.1 0	13.30±0.20	-	4.30±0.1 5	-	-	9
CI-7.5A-9.0-3.8-3.2	7.50±0.1 5	3.80±0.1 0	9.00±0.1 5	-	-	-	-	7
CI-7.5B-9.5-3.0-3.0	7.50±0.1 5	3.00±0.1 0	9.50±0.1 5	-	-	-	-	7
CI-7.7R-9.8-4.85-2.7	7.70±0.1 5	4.85±0.1 0	9.80±0.1 5	3.80±0.1 0	2.40±0.1 0	-	-	13
CI-8.7-9.4-5.3-4.3	8.70±0.1 5	5.30±0.1 0	9.40±0.1 5	-	1.00±0.1 0	-	-	11
CI-8.7F-10.5-3.75-3	8.70±0.1 5	3.75±0.1 0	10.50±0.15	-	2.00±0.1 0	-	-	4
CI-9.6-11.7-2.9-2.5	6.85±0.1 5	2.90±0.0 5	11.70±0.20	-	4.20±0.1 5	-	-	9
CI-9.9-10.52-4.57-3.81	9.60±0.1 5	4.57±0.1 0	10.52±0.20	-	-	2.35±0.1 0	3.18±0.1 5	1
CI-10-10-5.2-3.6	9.90±0.2 0	5.20±0.1 5	10.00±0.15	6.40±0.1 5	2.30±0.1 0	-	-	12
CI-10.52-10.52	10.00±0.15	4.57±0.1 0	10.52±0.20	-	-	2.35±0.1 0	3.18±0.1 0	1
CI-10.7-9.7	10.52±0.20	4.70±0.1 0	9.70±0.2 0	-	-	2.50±0.1 0	2.50±0.1 0	1
CI-12.68-12.68	10.70±0.20	4.20±0.1 0	12.68±0.15	-	-	5.69±0.1 5	3.25ref	1
CI-12.7-13-4.57-3.81	12.68±0.15	4.57±0.1 0	13.00±0.20	-	-	3.10±0.1 0	3.98±0.2 0	1
CI-12.7D-12.7-3.6-3.7	12.70±0.15	3.60±0.1 0	12.70±0.15	-	-	-	-	7
CI-13-12.5-5.2-3.6	13.00±0.15	5.20±0.1 5	12.50±0.15	9.30±0.1 5	3.20±0.1 0	-	-	12



规格 Type	磁芯参数					图号 Fig.
	Cl(mm <sup>1</sup> )	Le(mm)	Ae(mm <sup>2</sup> )	Ve(mm <sup>3</sup> )	Wt(g/set)	
CI-7.0-9.8-4.5-2.2	0.53	13.64	25.98	354.34	2.07	3
CI-7.0-9.9-3.6-2.95	0.53	14.18	26.99	382.83	2.07	1
CI-7.0B-3.6-1.35-0.95	3.92	13.79	3.52	48.57	0.25	4
CI-7.1B-9.95-4.2-2.4	0.56	14.75	26.12	385.48	2.17	10
CI-7.2A-10.2-4.75-3.75	0.43	14.91	34.34	512.16	3.03	11
CI-7.5-13.3-2.05-1.45	0.65	14.1	21.8	307.51	1.51	9
CI-7.5A-9.0-3.8-3.2	0.58	15.09	26.05	393.24	2.21	7
CI-7.5B-9.5-3.0-3.0	0.54	13.99	25.72	359.89	2.04	7
CI-7.7R-9.8-4.85-2.7	0.47	14.41	30.62	441.23	2.38	13
CI-8.7-9.4-5.3-4.3	0.44	16.79	38.25	642.19	3.8	11
CI-8.7F-10.5-3.75-3	0.46	15.4	33.12	510.05	2.88	4
CI-9.6-11.7-2.9-2.5	0.57	17.24	30.3	522.43	2.8	9
CI-9.9-10.52-4.57-3.81	0.47	18.4	38.78	713.55	4.03	1
CI-10-10-5.2-3.6	0.54	19.72	36.57	721.16	3.87	12
CI-10.52-10.52	0.54	21.74	40	869.6	4.4	1
CI-10.7-9.7	0.51	19.26	37.9	729.95	4.11	1
CI-12.68-12.68	0.61	23.84	43.19	1029.64	5.38	1
CI-12.7-13-4.57-3.81	0.4	21.52	53.48	1150.89	6.43	1
CI-12.7D-12.7-3.6-3.7	0.51	22.62	44.68	1010.76	5.18	7
CI-13-12.5-5.2-3.6	0.45	22.82	50.59	1154.46	6.53	12



规格 Type	尺寸Dimensions (mm)								图号 Fig.
	F	G	H	J	K	A1	C1	I	
CI-7.0-9.8-4.5-2.2	0.80 ± 0.07	0.65 ± 0.07	9.00 ± 0.15	-	-	7.00 ± 0.15	9.80 ± 0.15	2.20 ± 0.10	3
CI-7.0-9.9-3.6-2.95	0.50 ± 0.10	0.15 ± 0.08	-	-	-	7.00 ± 0.15	10.00 ± 0.15	2.95 ± 0.10	1
CI-7.0B-3.6-1.35-0.95	0.35 ± 0.10	-	-	-	-	7.00 ± 0.20	3.60 ± 0.20	0.95 ± 0.05	4
CI-7.1B-9.95-4.2-2.4	0.85 ± 0.07	0.35 ± 0.07	8.80 ± 0.15	-	-	7.15 ± 0.13	10.00 ± 0.13	2.40 ± 0.10	10
CI-7.2A-10.2-4.75-3.75	1.08 ± 0.10	-	-	-	-	7.20 ± 0.15	10.20 ± 0.15	3.75 ± 0.05	11
CI-7.5-13.3-2.05-1.45	0.37 ± 0.10	0.20 ± 0.10	12.70 ± 0.12	-	-	7.50 ± 0.15	13.30 ± 0.20	1.45 ± 0.05	9
CI-7.5A-9.0-3.8-3.2	0.70 ± 0.10	0.40 ± 0.10	-	-	-	7.50 ± 0.15	9.00 ± 0.15	3.20 ± 0.10	7
CI-7.5B-9.5-3.0-3.0	0.40 ± 0.10	0.20 ± 0.10	-	-	-	7.50 ± 0.15	9.50 ± 0.15	3.00 ± 0.10	7
CI-7.7R-9.8-4.85-2.7	1.00 ± 0.10	0.75 ± 0.08	8.20 ± 0.15	3.10 ± 0.10	2.70 ± 0.10	7.70 ± 0.15	9.80 ± 0.15	2.70 ± 0.10	13
CI-8.7-9.4-5.3-4.3	1.00 ± 0.10	-	-	-	-	8.70 ± 0.15	9.40 ± 0.15	4.30 ± 0.05	11
CI-8.7F-10.5-3.75-3	0.70 ± 0.10	-	-	-	-	8.70 ± 0.15	10.50 ± 0.15	3.00 ± 0.10	4
CI-9.6-11.7-2.9-2.5	0.30 ± 0.10	0.10 ± 0.08	11.00 ± 0.20	-	-	9.60 ± 0.15	11.70 ± 0.20	2.50 ± 0.05	9
CI-9.9-10.52-4.57-3.81	0.70 ± 0.10	0.25 ± 0.10	10.00 ± 0.15	-	-	9.90 ± 0.20	10.52 ± 0.20	3.81 ± 0.05	1
CI-10-10-5.2-3.6	1.15 ± 0.10	0.65 ± 0.10	1.80 ± 0.15	-	-	10.00 ± 0.15	10.00 ± 0.15	3.60 ± 0.10	12
CI-10.52-10.52	0.55 ± 0.05	0.25 ± 0.05	-	-	-	10.82 ± 0.20	10.82 ± 0.20	3.81 ± 0.05	1
CI-10.7-9.7	0.70±0.1 0/0.07	0.25 ± 0.05	-	-	-	10.75 ± 0.20	9.75 ± 0.20	3.80 ± 0.10	1
CI-12.68-12.68	0.69 ± 0.10	0.15 ± 0.10	12.29 ± 0.15	-	-	12.68 ± 0.15	12.68 ± 0.15	3.38± 0.08	1
CI-12.7-13-4.57-3.81	0.65 ± 0.10	0.25 ± 0.10	12.50 ± 0.20	-	-	12.70 ± 0.20	13.00 ± 0.20	3.81 ± 0.10	1
CI-12.7D-12.7-3.6-3.7	0.40 ± 0.10	0.20 ± 0.10	-	-	-	12.70 ± 0.15	12.70 ± 0.15	3.70 ± 0.10	7
CI-13-12.5-5.2-3.6	1.20 ± 0.10	0.50 ± 0.10	1.60 ± 0.15	-	-	13.00 ± 0.15	12.5 ± 0.15	3.60 ± 0.10	12