

the clients' demands - the target we are seeking for

Superpools™

Hardware and Tool Accessories

Superpools™

常州市太宇橡塑有限公司

地址：江苏省常州市劳动东路307号

电话：+86 519 88387328 / 88387338

传真：+86 519 88373988

Changzhou Taiyu Rubber & Plastic Co.,Ltd

Add: 307 Laodong East RD, Changzhou, Jiangsu,China

PS: 213018

Tel: +86 519 88387328 / 88387338

Fax: +86 519 88373988

<http://www.cztaiyu.com>

E-mail: sales@cztaiyu.com

Grinding


Sanding

Polishing

Buffing



常州市太宇橡塑有限公司
Changzhou Taiyu Rubber & Plastic Co.,Ltd




A general view of company
ISO9001:2000 Quality
management system



Our company is a private industrial enterprise integrating with production, sales and development, founded in 1989 with investment by Mr.Chen Zhigang, for the industry of grinding apparatus and polishing materials for more than ten years, The company is located in the east of ChangZhou City, It is convenient for transportation in air (ChangZhou Airport), Water(Grand Canal) and land.

Since its establishment, the company has been specializing in development and production of power accessories and has accumulated the rich experiences. It has become the main supplier for the world known enterprises such as TTI, Ingersoll-Rand, etc. The series products for power accessories include Backing pad, DA pad, Buffing & Polishing foam pad, Sanding Block, The company sincerely, on the basis of trying to achieve mutual confidence and seeking mutual benefit by meeting each others needs, would like cooperate with all foreign and domestic traders for the brilliant future.

Professional Sander Pads



Item No	Size	Thread	Max.RPM	Density	Thickness
3002044	8"	5/8"U-11NC	6650	MEDIUM	12mm
3002032	8"	M14X2	6650	MEDIUM	12mm
3002031	7"	5/8"U-11NC	8500	MEDIUM	12mm
3002043	7"	M14X2	8500	MEDIUM	12mm
3002042	6"	5/8"U-11NC	10200	MEDIUM	12mm
3002093	6"	M14X2	10200	MEDIUM	12mm
3002055	6"	M10X1.5	10200	MEDIUM	12mm
3002041	5"	5/8"U-11NC	12250	MEDIUM	12mm
3002029	5"	M14X2	12250	MEDIUM	12mm
3002054	5"	M10X1.5	12250	MEDIUM	12mm
3002040	4.5"	5/8"U-11NC	13300	MEDIUM	12mm
3002028	4.5"	M14X2	13300	MEDIUM	12mm
3002039	4"	5/8"U-11NC	15300	MEDIUM	12mm
3002027	4"	M14X2	15300	MEDIUM	12mm
3002053	4"	M10X1.5	15300	MEDIUM	12mm
3002014	3"	5/8"U-11NC	20150	MEDIUM	12mm
3002104	3"	M14X2	20150	MEDIUM	12mm



7 inch



5 inch



4 inch

Professional Sander Pads, Hex Wrench Position



7 inch



5 inch



4 inch

Item No	Size	Thread	Max.RPM	Density	Thickness
3002109	7"	M14X2	8500	MEDIUM	10mm
3002112	6"	M14X2	10200	MEDIUM	10mm
3002092	5"	M14X2	12250	MEDIUM	10mm
3002067	4.5"	M14X2	13300	MEDIUM	10mm
3002136	4"	M14X2	15300	MEDIUM	10mm

Economical Sander Pads



Sander Polisher Pads

Economical Sander Pads






Item No	Size	Thread	Max.RPM	Density	Thickness
3002198	7"	M14X2	8500	MEDIUM	10mm
3002197	6"	M14X2	10200	MEDIUM	10mm
3002196	5"	M14X2	12250	MEDIUM	10mm
3002195	4.5"	M14X2	13300	MEDIUM	10mm
3002194	4"	M14X2	15300	MEDIUM	10mm
3002193	3"	M14X2	20150	MEDIUM	10mm








4 inch 5 inch 7 inch

Economical Sander Pads, Hex Wrench Position

Item No	Size	Thread	Max.RPM	Density	Thickness
3002151	7"	M14X2	8500	MEDIUM	10mm
3002150	6"	M14X2	10200	MEDIUM	10mm
3002149	5"	M14X2	12250	MEDIUM	10mm
3002148	4.5"	M14X2	13300	MEDIUM	10mm
3002147	4"	M14X2	15300	MEDIUM	10mm
3002146	3"	M14X2	20150	MEDIUM	10mm

4 inch 5 inch 7 inch

Economical Sander Pads, Hex Wrench Position




Item No	Size	Thread	Max.RPM	Density	Thickness
3002091	6"	M14X2	10200	HARD	3mm
3002103	5"	M14X2	12250	HARD	3mm
3002065	4.5"	M14X2	13300	HARD	3mm
3002061	4"	M14X2	15300	HARD	3mm
3002121	3"	M14X2	20150	HARD	3mm





4 inch 5 inch 7 inch




This pad is designed for stone polishing. The aluminum material of this backing pad will make the usage life of the pad to be very long.

Item No	Size	Thread	Max.RPM	Density	Thickness
3002171	4"	M14x2	12250	RIGID	25mm
3002172	4"	M16x2	12250	RIGID	25mm
3002173	4"	5/8"-11UNC	12250	RIGID	25mm



This pad is designed for stone polishing.

Item No	Size	Thread	Max.RPM	Density	Thickness
3002017	5"	M14x2	12250	HARD	25mm
3002020	6"	M14x2	10200	HARD	25mm
3002022	7"	M14X2	8500	HARD	25mm

Water Feed Hole

Our Rubber and Aluminium pads have a water feed hole for use with centre fed water polisher



This Rubber pad is designed for stone polishing, copper thread is hard to be corrupted.

Item No	Size	Thread	Max.RPM	Density	Thickness
3002179	5"	M14x2	12250	HARD	25mm
3002180	4"	M14x2	15300	HARD	25mm
3002178	3"	M14x2	20150	HARD	25mm



The thread of this rubber pad can be made to M14X2, M16X2 OR 5/8"-11UNC.

Item No	Size	Thread	Max.RPM	Density	Thickness
3002035	4"	M14x2	15300	MEDIUM	10mm
3002135	3"	M14x2	20150	MEDIUM	10mm

Flexible

Sander Polisher Pads



Angle Grinder Pads

Extra Grip Hook

Extra Grip Hook
Grinder Pads,
Low Profile

Item No	Size	Thread	Max.RPM	Density	Thickness
3002181	4"	M14x2	15300	RIGID	3mm
3002182	4"	M10x1.5	15300	RIGID	3mm
3002183	4.5"	M14x2	13300	RIGID	3mm
3002184	5"	M14x2	12250	RIGID	3mm
3002185	6"	M14x2	10200	RIGID	3mm
3002186	7"	M14x2	8500	RIGID	3mm



Extra Grip SDC's
Extra Grip hook is an enhanced tougher fixing for attaching to Non Woven Surface Conditioning Discs. Extra Grip is not suitable for use with standard Velcro abrasives.



3002181




3002184



3002186

Extra Grip Hook
Grinder Pads,
Medium Profile

Item No	Size	Thread	Max.RPM	Density	Thickness
3002187	4"	M10x1.5	15300	MEDIUM	12mm
3002188	4"	M14x2	15300	MEDIUM	12mm
3002189	4.5"	M14x2	13300	MEDIUM	12mm
3002190	5"	M14x2	12250	MEDIUM	12mm
3002191	6"	M14x2	10200	MEDIUM	12mm



3002188



3002190




3002191




SOFT 80 + FINER



MIDIUM 60 + FINER



HARD 36 + FINER




RIGID 16 + FINER

SOFT



Use with highest quality nylon, **soft as rubber**. Different type of the pads fits for customers' requirements. Fit with all kinds of electric and pneumatic angle grinders. Can sustain higher heat than most of the pads of this type on the market today.




Item No	Size	Thread	Max.RPM	For Abrasive
3002026-SS	220	M14x2	6500	80+Finer
3002115-SS	172	M14x2	8000	80+Finer
3002116-SS	124	M14x2	12000	80+Finer
3002117-SS	113	M14x2	13000	80+Finer
3002118-SS	105	M14x2	13000	80+Finer
3002119-SS	98	M14x2	15000	80+Finer
3002120-SS	90	M14x2	16800	80+Finer

MIDIUM



Use with highest quality nylon, **Flexible**. Different type of the pads fits for customers' requirements. Fit with all kinds of electric and pneumatic angle grinders. Can sustain higher heat than most of the pads of this type on the market today.



Item No	Size	Thread	Max.RPM	For Abrasive
3002026-S	220	M14x2	6500	60+Finer
3002115-S	172	M14x2	8000	60+Finer
3002116-S	124	M14x2	12000	60+Finer
3002117-S	113	M14x2	13000	60+Finer
3002118-S	105	M14x2	13000	60+Finer
3002119-S	98	M14x2	15000	60+Finer
3002120-S	90	M14x2	16800	60+Finer

Angle Grinder Pads




Dual Action Orbital Sander Pads


HARD



Use with highest quality nylon.
Different type of the pads fits for customers' requirements.
Fit with all kinds of electric and pneumatic angle grinders.
Can reduce more heat than normal Angle grinder pad.



Item No	Size	Thread	Max.RPM	For Abrasive
3002164	98	5/8"-11UNC	15000	36+Finer
3002163	113	5/8"-11UNC	13000	36+Finer
3002077	124	5/8"-11UNC	12000	36+Finer
3002162	172	5/8"-11UNC	8000	36+Finer




Item No	Size	Thread	Max.RPM	For Abrasive
3002207	4"	M14X2	15000	36+Finer
3002222	4.5"	M14X2	13000	36+Finer
3002206	5"	M14X2	12000	36+Finer
3002208	7"	M14X2	8000	36+Finer

RIGID



Use with highest quality nylon, black soft
Different type of the pads fits for customers' requirements.
Fit with all kinds of electric and pneumatic angle grinders.
Can sustain higher heat than most of the pads of this type on the market today.




Item No	Size	Thread	Max.RPM	For Abrasive
3002141	113	5/8"-11UNC	13000	16+Finer
3002052	123	5/8"-11UNC	12000	16+Finer
3002142	178	5/8"-11UNC	8000	16+Finer



Classic DA Pads

Dual Action Sander Backing Pads, Low Profile

Item No	Size	Thread	Velcro	PSA	Max.RPM	Density	Hole	Weight	Thickness
3003019	123mm	5/16"-24		✓	14400	MEDIUM	no	100+/-3g	10mm
3003020	123mm	5/16"-24	✓		14400	MEDIUM	no	100+/-3g	10mm
3003015	123mm	5/16"-24	✓		14400	MEDIUM	6	100+/-3g	10mm
3003150	123mm	5/16"-24		✓	14400	MEDIUM	6	100+/-3g	10mm
3003123	123mm	5/16"-24	✓		14400	MEDIUM	8	100+/-3g	10mm
3003003	123mm	5/16"-24	✓		14400	MEDIUM	5	100+/-3g	10mm
3003098	123mm	5/16"-24	✓		14400	MEDIUM	6+chunnel	100+/-3g	10mm



3003123



3003003



3003098

Item No	Size	Thread	Velcro	PSA	Max.RPM	Density	Hole	Weight	Thickness
3003002	148mm	5/16"-24		✓	14400	MEDIUM	no	130+/-3g	10mm
3003077	148mm	5/16"-24	✓		14400	MEDIUM	no	130+/-3g	10mm
3003011	148mm	5/16"-24	✓		14400	MEDIUM	6	130+/-3g	10mm
3003012	148mm	5/16"-24		✓	14400	MEDIUM	6	130+/-3g	10mm
3003139	148mm	5/16"-24	✓		14400	MEDIUM	6+chunnel	130+/-3g	10mm



3003077



3003011



3003139

Dual Action Sander Backing Pads, Middle Profile Bevel Edge

Item No	Size	Thread	Velcro	PSA	Max.RPM	Density	Hole	Weight	Thickness
3003081	148mm	5/16"-24	✓		14400	MEDIUM	no	130+/-3g	14mm
3003083	148mm	5/16"-24	✓		14400	MEDIUM	6	130+/-3g	14mm
3003014	123mm	5/16"-24		✓	14400	MEDIUM	no	100+/-3g	14mm
3003151	123mm	5/16"-24	✓		14400	MEDIUM	no	100+/-3g	14mm



3003081



3003083



3003151

Multi-Holes DA Pads

Multi-Holes DA Pads, Changable Screw for Festool Sander

Item No	Size	Thread	Velcro	Max.RPM	Density	Hole	Weight	Thickness
3003022	148mm	M8 & 5/16"	✓	14400	MEDIUM	8+6+1	130+/-3g	14mm
3003088	148mm	M8 & 5/16"	✓	14400	SOFT	8+6+8+1	130+/-3g	14mm
3003152	148mm	M8 & 5/16"	✓	14400	MEDIUM	8+6+1	130+/-3g	12mm
3003141	148mm	M8 & 5/16"	✓	14400	MEDIUM	8+8+1	130+/-3g	12mm



Multi-Holes DA Pads, Side Holes, Changable Screw and Adaptor for Festool Sander

Item No	Size	Thread	Velcro	Max.RPM	Density	Hole	Weight	Thickness
3003164	148mm	M8 & 5/16"	✓	14400	SOFT	8+6+6+1	130+/-3g	12mm
3003103	148mm	M8 & 5/16"	✓	14400	MEDIUM	8+6+6+1	130+/-3g	12mm
3003089	148mm	M8 & 5/16"	✓	14400	MEDIUM	8+6+8+1	130+/-3g	14mm
3003033	148mm	M8 & 5/16"	✓	14400	MEDIUM	8+6+1	130+/-3g	11mm
3003087	148mm	M8 & 5/16"	✓	14400	MEDIUM	8+1	130+/-3g	12mm
3003165	123mm	M8 & 5/16"	✓	14400	MEDIUM	8+1	130+/-3g	10mm



Other DA Pads

Other Backing Pads

Item No	Size	Mounting	Velcro	PSA	Max.RPM	Density	Hole	Fit to Sander
3001075	123mm	3 botls	✓		14400	MEDIUM	5	Poter Cable
3001076	123mm	3 botls	✓		14400	MEDIUM	8	Dewalt
3001077	123mm	3 botls	✓		14400	MEDIUM	8	Makita
3003153	123mm	1 botls	✓		14400	MEDIUM	8	Bosch
3003154	148mm	1 botls	✓		14400	MEDIUM	6	Bosch
3001124	100x110mm	4 botls		✓	n/a	SOFT	6	Makita
3001125	115x210mm	4 botls	✓		n/a	MEDIUM	10	Felisatti



Smart Repair Pads

Item No	Size	Thread	Velcro	PSA	Max.RPM	Density	Hole	Weight	Thickness
3003068	90mm	5/16"-24	✓		18000	MEDIUM	no	77+/-2g	12mm
3003112	48mm	M6x1	✓		18000	MEDIUM	no	20+/-2g	10mm
3003125	73mm	M6x1	✓		18000	SOFT	3	32+/-2g	10mm
3003132	73mm	5/16"-24	✓		18000	MEDIUM	no	70+/-2g	10mm
3003149	73mm	5/16"-24	✓		18000	MEDIUM	6	31+/-2g	10mm
3003155	73mm	5/16"-24	✓		18000	MEDIUM	no	31+/-2g	10mm



Dual Action Orbital Sander Pads




Backing Pads For Multi-Function Machine

Economical DA Pads



Item No	Size	Thread	Velcro	PSA	Max.RPM	Density	Hole	Weight	Thickness
3003102	148mm	5/16"-24		✓	14400	MEDIUM	None	130+/-3g	12mm

Item No	Size	Thread	Velcro	PSA	Max.RPM	Density	Hole	Weight	Thickness
3003184	148mm	5/16"-24	✓		14400	MEDIUM	no	130+/-3g	10mm
3003185	148mm	5/16"-24	✓		14400	MEDIUM	6	130+/-3g	10mm
3003186	123mm	5/16"-24	✓		14400	MEDIUM	no	100+/-3g	10mm
3003187	123mm	5/16"-24	✓		14400	MEDIUM	6	100+/-3g	10mm



Interface Pads

Interface Pads

Placed between pad and abrasive disc to create a very soft sanding surface.
10mm Soft foam layer.
Max RPM: 14400



Item No	Size	Foam Thickness	Hole	Density
3009001	150mm	10mm	52	SOFT
3009002	150mm	10mm	6+1	SOFT
3009003	150mm	10mm	8+1	SOFT
3009004	150mm	10mm	8+6+1	SOFT
3009005	150mm	10mm	no	SOFT
3009006	125mm	10mm	5+1	SOFT
3009007	125mm	10mm	no	SOFT
3009008	50mm	10mm	no	SOFT
3009009	75mm	10mm	no	SOFT



Protection Disc

Thin interface layer to protect and increase your pads life.



Item No	Size	Foam Thickness	Hole	Density
3009010	400x70mm	n/a	14	n/a
3009011	150mm	n/a	6	n/a
3009012	150mm	n/a	8+6+1	n/a
3009013	150mm	n/a	8+1	n/a
3009014	150mm	n/a	8+6+6+1	n/a
3009015	150mm	n/a	no	n/a
3009016	125mm	n/a	no	n/a
3009017	230x115mm	n/a	10	n/a



Item No	Description
3001127	Finger Sanding Pad with 2mm Foam Layer
3001128	Finger Sanding Pad with 7mm Foam Layer
3001129	Finger Sanding Pad with Double Side Foam Layer



Item No	Description
3001041	Delta Sanding Pad with 2mm Foam Layer & AL Hub
3001042	Delta Sanding Pad with 7mm Foam Layer & Fiber Glass Hub
3001034	Delta Sanding Pad with 7mm Foam Layer & 3 Dust Holes




Driller Pads

Rubber Driller Pads

Use with PSA Abrasives Disc
For use with any drill.



Item No	Size	Spindle Size	Velcro	PSA	Max.RPM	Density	Foam Thickness
3008027	115mm	6mm		✓	3000	MEDIUM	6mm
3008028	125mm	6mm		✓	3000	MEDIUM	6mm
3008029	150mm	6mm		✓	3000	MEDIUM	6mm



Plastic Driller Pads



Item No	Size	Thickness	Attachment	Accessory
3008030	123mm	23mm	8mm	Shaft for power drill

This spindle can work with different angles, and it can help the pad to sand the narrow area where the normal one cannot or hard to reach.



PVC Driller Pads

Use with PSA Abrasives Disc
For use with any drill.

Item No	Size	Spindle Size	Velcro	PSA	Max.RPM	Density	Foam Thickness
3001156	125mm	8mm		✓	3000	MEDIUM	8mm



Plastic Driller Pads

Use with Velcro Abrasives Disc
For use with any drill.

Item No	Size	Spindle Size	Velcro	PSA	Max.RPM	Density	Foam Thickness
3001158	125mm	8mm	✓		3000	MEDIUM	8mm



Driller Pads



Roloc Pads

Medium Soft Driller Pads

Idea for wood working, conical shape allows for accurate work in corners or different areas.



Item No	Size	Spindle Size	Velcro	PSA	Max.RPM	Density	Foam Thickness
3008013	25mm	6mm	✓		40100	MEDIUM	12mm
3008014	50mm	6mm	✓		30600	MEDIUM	20mm
3008015	75mm	6mm	✓		20125	MEDIUM	25mm



Soft Driller Pads

Idea for wood working, conical shape allows for accurate work in corners or different areas, Super soft foam make the pads to sanding the curve surface.



Item No	Size	Spindle Size	Velcro	PSA	Max.RPM	Density	Foam Thickness
3008016	50mm	6mm	✓		30600	SOFT	20mm
3008017	75mm	6mm	✓		20125	MEDIUM	25mm
3008020	75mm	6mm	✓		13000	MEDIUM	10mm



Spindle Pads with PSA & Velcro Face

Classic spindle pads for Velcro or PSA abrasive discs. For use with any drill.

Item No	Size	Spindle Size	Velcro	PSA	Max.RPM	Density	Foam Thickness
3008021	25mm	6mm		✓	40100	HARD	n/a
3008022	50mm	6mm		✓	30600	HARD	n/a
3008023	25mm	6mm	✓		40100	HARD	3mm
3008018	50mm	6mm	✓		30600	HARD	3mm
3008019	75mm	6mm	✓		20125	HARD	3mm




Item No	Diameter	Thread	Abrasive	Flexibility	Type	Max.RPM
3008001	34mm	1/4"-20	1.5"	Firm	TS	25000
3008002	34mm	1/4"-20	1.5"	Firm	TR	25000
3008003	45mm	1/4"-20	2"	Firm	TS	25000
3008004	45mm	1/4"-20	2"	Firm	TR	25000
3008005	69mm	1/4"-20	3"	Firm	TS	25000
3008006	69mm	1/4"-20	3"	Firm	TR	25000
3008007	98mm	1/4"-20	4"	Firm	TS	16800
3008008	98mm	1/4"-20	4"	Firm	TR	16800
3008009	45mm	1/4"-20	2"	Flexible	TS	25000
3008010	45mm	1/4"-20	2"	Flexible	TR	25000
3008011	69mm	1/4"-20	3"	Flexible	TS	25000
3008012	69mm	1/4"-20	3"	Flexible	TR	25000



Roloc Disc Holders



Item No	Size	Thread	Velcro	Max.RPM	Density	Thickness
3003108	3"	R-lock	✓	3000	Soft	20mm



Economical Foam Pads, Screw Type

Item No	Color	Attachment	Size
1003178CHO	Orange	M14x2	150x50mm
1003178CHW	White	M14x2	150x50mm
1003178CHBK	Black	M14x2	150x50mm



Item No	Color	Attachment	Size
1003246CHO	Orange	Velcro	150x25mm
1003246CHW	White	Velcro	150x25mm
1003246CHBK	Black	Velcro	150x25mm



Item No	Color	Spidle Size	Size
3001175	Black	8mm	125mm

Economical Polishing Bonnets



Item No	Material	Attachment	Size
1002045	Synthetic Wool	Elastic Strip	6"
1002046	Synthetic Wool	Elastic Strip	8"
1002047	Synthetic Wool	Elastic Strip	10"



Item No	Material	Attachment	Size
1002048	Micro Fiber	Elastic Strip	6"
1002049	Micro Fiber	Elastic Strip	8"
1002050	Micro Fiber	Elastic Strip	10"



Item No	Material	Attachment	Size
1002051	Synthetic Wool	Tied Up	6"
1002052	Synthetic Wool	Tied Up	8"
1002053	Synthetic Wool	Tied Up	10"

Economical Foam Pad for Janpan Market



Item No	Color	Attachment	Size
1003229PEO	Orange	Velcro	130x30mm

100% Wool Pad

100% Wool Pad,
Knitted Wool,
Tied Up



Item No	Size	Attachment	Backing Pad
1002034	125mm	Tied Up	105mm
1002035	150mm	Tied Up	130mm
1002036	180mm	Tied Up	160mm
1002037	200mm	Tied Up	180mm
1002038	225mm	Tied Up	205mm

100% Wool Pad,
Knitted Wool,
Velcro



Item No	Size	Attachment	Backing Pad
1002039	135mm	Velcro	135mm
1002040	150mm	Velcro	150mm
1002041	200mm	Velcro	200mm

Classic Square Hand Pads



Item No	Diameter	Velcro	PSA	Density
3004022	125x67mm	√		MEDIUM



Item No	Diameter	Velcro	PSA	Density
3004023	196x67mm	√		MEDIUM



Item No	Diameter	Velcro	PSA	Density
3004024	250x67mm	√		MEDIUM

Classic Square Hand Pads



Item No	Diameter	Velcro	PSA	Density
3004002	150mm	✓		MEDIUM
3004203	150mm		✓	MEDIUM
3004234	125mm	✓		MEDIUM



Item No	Diameter	Velcro	PSA	Density
3004221	125mm	✓		MEDIUM



Item No	Diameter	Velcro	PSA	Density
3004289	175x95	✓		MEDIUM



Economical

Item No	Diameter	Velcro	PSA	Density
3004294	121x70	✓		MEDIUM

Square Hands Pads with Lock System



Item No	Size	Lock	Density
3004026	70x125mm	✓	HARD



Economical

Item No	Size	Lock	Density
3004028E	210x103mm	✓	HARD




Economical

Item No	Size	Lock	Density
3004029E	163x86mm	✓	HARD



Item No	Size	Lock	Density
3004166	72x425mm	✓	HARD



Item No	Description
6000014	9 PCS Sanding Block Kit Allowing to sandpapering any concave,convex and flat part thanks to special accessories applicable to the pilot sanding block,each article cannot be sold separately.



Item No	Description
6000046	Includes: 1.pcs smart hand pad 25X90mm 2. 12 pcs velcro disc P80



Item No	Description
6000047	Includes: 1.pcs hand pad 70x130mm 2. 1 pcs velcro disc P80 3. 1 pcs velcro disc P120 4. 1 pcs velcro disc P240



Economical

Item No	Description
6000048	Includes: 1. 1 pc hand pad 125mm 2. 1 pc foam pad 125mm 3. 1 pc wool pad 125mm



Item No **Description**

6000025 **2" Sanding Kit**
 Includes:
 1 pc Spindle Pad and 3 pcs Surface Conditioning Discs,
 Coarse with Tan, Medium with Maroon, Fine with Blue,
 3 pcs Sanding discs with Grit 36 50 and 80



Item No **Description**

6000026 **3" Sanding Kit**
 Includes:
 1 pc Spindle Pad and 3 pcs Surface Conditioning Discs,
 Coarse with Tan, Medium with Maroon, Fine with Blue,
 3 pcs Sanding discs with Grit 36 50 and 80



Item No **Description**

6000011 **20 Pieces Sanding Drum Kit**
 Includes:
 Four Sizes of Sanding Drum: 1/2"x1-3/4" Long,
 3/4"x2-1/4" Long, 1"x2-1/4" Long, 2"x2-7/8" Long,
 Grit 80 & 120, Two Pieces for each grit
 Heavy Duty Cloth Backing for Longer Life
 Excellent for Sanding Holes, Edges,
 Contours and Irregular Shapes



Item No **Description**

6000018 **7" Sanding/Polishing Kit**
 Includes:
 1 pc Hook & Loop Backing Pad
 2 pcs Sanding Dics with Grit 60
 2 pcs Sanding Dics with Grit 80
 2 pcs Sanding Dics with Grit 100
 2 pcs Sanding Dics with Grit 120
 1 pc with Polishing Pad
 Max RPM: 8500

Economical



Item No **Description**

6000017 **5" Sanding/Polishing Kit**
 Includes:
 1 pc Hook & Loop Backing Pad
 2 pcs with Grit 60
 2 pcs with Grit 80
 2 pcs with Grit 100
 1 pc with Polishing Pad
 Max RPM: 10000

Economical

Scruff Balls



Item Code	Size	Spindle Fitting	Specification	Max RPM
3008037	75mm	6mm	Coarse Brown	10000
3008038	75mm	6mm	Medium Green	10000
3008039	75mm	6mm	Ultra Fine Grey	10000
3008040	75mm	6mm	Non-Scratch White	10000
3008041	100mm	6mm	Coarse Brown	10000
3008042	100mm	6mm	Medium Green	10000
3008043	100mm	6mm	Ultra Fine Grey	10000
3008044	100mm	6mm	Non-Scratch White	10000

Aluminum oxide sanding disc mainly for wood sanding

Item No:5002015A
Size:7"(180mm)
Available Grit:P36-P400
Holes:8
Description:Hook and Loop system



Item No:5002017A
Size:7"(180mm)
Available Grit:P36-P400
Holes:no
Description:Hook and Loop system



Item No:5002010A
Size:6"(150mm)
Available Grit:P36-P400
Holes:8+1
Description:Hook and Loop system



Item No:5002011A
Size:6"(150mm)
Available Grit:P36-P400
Holes:6+1
Description:Hook and Loop system



Abrasives



Abrasives



Item No:5002008A
Size:6"(150mm)
Available Grit:P36-P400
Holes:6
Description:Hook and Loop system

Item No:5002013A
Size:5"(125mm)
Available Grit:P36-P400
Holes:6
Description:Hook and Loop system



Item No:5002018A
Size:6"(150mm)
Available Grit:P36-P400
Holes:8
Description:Hook and Loop system

Item No:5002014A
Size:5"(125mm)
Available Grit:P36-P400
Holes:8+1
Description:Hook and Loop system



Item No:5002007A
Size:6"(150mm)
Available Grit:P36-P400
Holes:no
Description:Hook and Loop system

Item No:5002006A
Size:5"(125mm)
Available Grit:P36-P400
Holes:no
Description:Hook and Loop system



Item No:5002004A
Size:5"(125mm)
Available Grit:P36-P400
Holes:5
Description:Hook and Loop system

Item No:5002003A
Size:5"(125mm)
Available Grit:P36-P400
Holes:8
Description:Hook and Loop system



Item No:5002001A
Size:4.5"(115mm)
Available Grit:P36-P400
Holes:8
Description:Hook and Loop system



Abrasives

Abrasives

Abrasives



Abrasives



Item No:5001002A
Size:95X95X95mm
Available Grit:P36-P400
Holes:no
Description:Hook and Loop system



Item No:5001004A
Size:82X82X82mm
Available Grit:P36-P400
Holes:no
Description:Hook and Loop system



Item No:5001001A
Size:95X95X95MM
Available Grit:P36-P400
Holes:6
Description:Hook and Loop system



Item No:5001006A
Size:105X105X105MM
Available Grit:P36-P400
Holes:6
Description:Hook and Loop system



Item No	Size
5003001	70X125mm
5003002	70X205mm
5003003	70X250mm

Available Grit:P36-P400
Holes:no
Description:Hook and Loop system

Zinc-streared Dry Sanding Disc, White-paint and steel sanding



Item No:5002010SW
Size:6"(150mm)
Available Grit:P60-P1000
Holes:8+1
Description:Hook and Loop system



Item No:5002018SW
Size:6"(150mm)
Available Grit:P60-P1000
Holes:8
Description:Hook and Loop system



Item No:5002009SW
Size:6"(150mm)
Available Grit:P60-P1000
Holes:8+6+1
Description:Hook and Loop system



Item No:5002007SW
Size:6"(150mm)
Available Grit:P60-P1000
Holes:no
Description:Hook and Loop system

Abrasives

Abrasives

Item No:5002004SW

Size:5"(125mm)

Available Grit:P60-P1000

Holes:5

Description:Hook and Loop system



Item No:5002003SW

Size:5"(125mm)

Available Grit:P60-P1000

Holes:8

Description:Hook and Loop system



Item No:5002006SW

Size:5"(125mm)

Available Grit:P60-P1000

Holes: no

Description:Hook and Loop system



Flap Disc

the flap disc is a perfect substitute for grinding wheel of depressed center for its high flexibility, high grinding efficiency, low noise and terrific sharpness, which is suitable for finishing surfaces and for paint removing.



Aluminium Oxide

available grit: 40-320

Item No	SPC058	SPC059	SPC060	SPC061	SPC062
Size	100X16mm	115X22mm	125X22mm	150X22mm	180X22mm

Zircon Aluminium

available grit: 40-320

Item No	SPC063	SPC064	SPC065	SPC066	SPC067
Size	100X16mm	115X22mm	125X22mm	150X22mm	180X22mm

Carbon Oxide

available grit: 40-320

Item No	SPC068	SPC069	SPC070	SPC071	SPC072
Size	100X16mm	115X22mm	125X22mm	150X22mm	180X22mm



Industry scouring rolls and pads are based of nylon fibers, with professional resin bonded to substrate, the rich flexibility and whole 3d grinding system. Widely used in cleaning, polishing, burring, removing oxidation film, and precise treatment of fine lines of metal and non-metal surface etc.

Suitable for dry/wet grinding by machine or hand. Smooth and beautiful treated surface. Does not change the workpiece surface shape.

Item No	Size	Color	Abrasives	Grit	Application
8006001BN-AO	9" X 6"	Brown	A/O	60#	Professionally remove oxidation layer, applicable to be converted into wheels
8008001BN-AO	9" X 6"	Brown	A/O	80#	Professionally remove oxidation layer, applicable to convert into wheels to use
8012001BN-AO	9" X 6"	Brown	A/O	120#	Suitable for conversion into various products to remove oxidation layer and rust
8015001BN-SIC	9" X 6"	Black	SIC	150#	Suitable for stainless steel or wood surface decoration
8015001CO-AO	9" X 6"	Coffee	A/O	150#	Suitable for conversion into various products to remove oxidation layer and rust
8015001YE-AO	9" X 6"	Yellow	A/O	150#	Suitable for quickly remove oxidation layer, derusting and polishing
8024001BN-AO	9" X 6"	Brown	A/O	240#	Suitable for thick surface oxidation layer before paint
8024001GN-AO	9" X 6"	Green	A/O	240#	Suitable for thick surface oxidation layer before paint
8032001GN-AO	9" X 6"	Green	A/O	320#	Applicable to all kinds of metal surface derusting and thread decoration
8032001MN-AO	9" X 6"	Maroon	A/O	320#	Applicable to derusting and cleaning all kinds of metal and wood surface before the paint
8040001RD-AO	9" X 6"	Red	A/O	400#	Applicable to polishing, cleaning, deburring all various material surfaces
8060001VT-AO	9" X 6"	Purple	A/O	600#	Applicable to carpentry deburring, edge grinding and surface treatment before paint
8080001GY-SIC	9" X 6"	Grey	SIC	800#	Applicable to surface treatment before the paint
8100001GY-SIC-1	9" X 6"	Grey	SIC	1000#	Applicable to precisely polishing metal, plastic, wood materials etc.
8100001GY-SIC-2	9" X 6"	Grey	SIC	1000#	Applicable to complex parts precise treatment of wood materials etc.
8000001WH-X	9" X 6"	White	Without abrasive, applicable to cleaning metal, glass etc.

Endless Sanding Belt

Premium aluminum oxide grain | closed coat | heavy x-weight cloth backing on coarser grits | flexible j-weight cloth backing on finer grits. Precision engineered bi-directional tape joint, anti-clogging stearate, and resin over resin bonding for long belt life. Wet or dry applications | ideal for shaping and sharpening your knife edge or general metalworking.



Item No	Size	Grit
5003064-40	75X533mm	P40
5003064-60	75X533mm	P60
5003064-80	75X533mm	P80
5003064-120	75X533mm	P120



Item No	Size	Grit
5003066-40	40X303mm	P40
5003066-60	40X303mm	P60
5003066-80	40X303mm	P80
5003066-120	40X303mm	P120


Item No	Size	Grit
5003065-40	65X410mm	P40
5003065-60	65X410mm	P60
5003065-80	65X410mm	P80
5003065-120	65X410mm	P120

Item No	Size	Grit
5003067-40	13X455mm	P40
5003067-60	13X455mm	P60
5003067-80	13X455mm	P80
5003067-120	13X455mm	P120

Foam Sanding Sponge

Flexible sanding pads are perfect for sanding irregular shapes and contours

- For use on wood, metal, drywall, fiberglass and painted surfaces
- Flexible Aluminum Oxide



Item No	Size	Grit
3004307-60	4.75x3.5x1 inch	P60
3004307-100	4.75x3.5x1 inch	P100
3004307-150	4.75x3.5x1 inch	P150



Item No	Size	Grit
3004308-60	3.875x2.75x1 inch	P60
3004308-80	3.875x2.75x1 inch	P80
3004308-150	3.875x2.75x1 inch	P150



All Purposes - Can be used for both wet or dry

- Durable - Last longer than sandpaper with less cleanup
- Reusable - Washable and excellent sanding performance
- Sanding Places - Flexible to sand edges, contours, grooves, flat surfaces, corners

Item No	Size	Grit
3004309-80	4.75" x 4" x 0.4"	P80
3004309-100	4.75" x 4" x 0.4"	P100
3004309-120	4.75" x 4" x 0.4"	P120
3004309-150	4.75" x 4" x 0.4"	P150
3004309-180	4.75" x 4" x 0.4"	P180

Sanding Roll

2-3/4" hook & loop sanding rolls for longboard sanders and 2-3/4" hand sanding blocks will stick to any Velcro backing pad and aids in quick and easy grit changes

- For wet or dry sanding. Waterproof backing paper. For use on wood, metal, fiberglass, auto body, marine, glass, marble and general purpose polishing.
- Sharp silicon Carbide grain for a consistent smooth finish
- Size: 2.75"x25 ft



Item No	Grit
5003068-80	P80
5003068-120	P120
5003068-240	P240

PSA Sanding Disc



For use on metal platen stationary sanders for wood metal plastic paint removal heavy stock removal

- Strong X-weight heavy duty tear resistant 65/35 polyester/cotton backing for longer cutting and heavy stock removal
- Full resin on resin bond offers extended belt life and medium open coat is excellent for reduced loading
- P graded aluminum oxide grain provides fast smooth cut while fracturing to create new cutting services extending abrasive life
- Individual discs with liner to protect from dust increases storage life

Item No	Size	Grit	Item No	Size	Grit	Item No	Size	Grit	Item No	Size	Grit	Item No	Size	Grit
503069-P24	1"	P24	503073-P24	5"	P24	503077-P24	9"	P24	503081-P24	13"	P24	503085-P24	17"	P24
503069-P36	1"	P36	503073-P36	5"	P36	503077-P36	9"	P36	503081-P36	13"	P36	503085-P36	17"	P36
503069-P40	1"	P40	503073-P40	5"	P40	503077-P40	9"	P40	503081-P40	13"	P40	503085-P40	17"	P40
503069-P50	1"	P50	503073-P50	5"	P50	503077-P50	9"	P50	503081-P50	13"	P50	503085-P50	17"	P50
503069-P60	1"	P60	503073-P60	5"	P60	503077-P60	9"	P60	503081-P60	13"	P60	503085-P60	17"	P60
503069-P80	1"	P80	503073-P80	5"	P80	503077-P80	9"	P80	503081-P80	13"	P80	503085-P80	17"	P80
503069-P100	1"	P100	503073-P100	5"	P100	503077-P100	9"	P100	503081-P100	13"	P100	503085-P100	17"	P100
503069-P120	1"	P120	503073-P120	5"	P120	503077-P120	9"	P120	503081-P120	13"	P120	503085-P120	17"	P120
503069-P180	1"	P180	503073-P180	5"	P180	503077-P180	9"	P180	503081-P180	13"	P180	503085-P180	17"	P180
503069-P240	1"	P240	503073-P240	5"	P240	503077-P240	9"	P240	503081-P240	13"	P240	503085-P240	17"	P240
503069-P320	1"	P320	503073-P320	5"	P320	503077-P320	9"	P320	503081-P320	13"	P320	503085-P320	17"	P320
503070-P24	2"	P24	503074-P24	6"	P24	503078-P24	10"	P24	503082-P24	14"	P24	503086-P24	18"	P24
503070-P36	2"	P36	503074-P36	6"	P36	503078-P36	10"	P36	503082-P36	14"	P36	503086-P36	18"	P36
503070-P40	2"	P40	503074-P40	6"	P40	503078-P40	10"	P40	503082-P40	14"	P40	503086-P40	18"	P40
503070-P50	2"	P50	503074-P50	6"	P50	503078-P50	10"	P50	503082-P50	14"	P50	503086-P50	18"	P50
503070-P60	2"	P60	503074-P60	6"	P60	503078-P60	10"	P60	503082-P60	14"	P60	503086-P60	18"	P60
503070-P80	2"	P80	503074-P80	6"	P80	503078-P80	10"	P80	503082-P80	14"	P80	503086-P80	18"	P80
503070-P100	2"	P100	503074-P100	6"	P100	503078-P100	10"	P100	503082-P100	14"	P100	503086-P100	18"	P100
503070-P120	2"	P120	503074-P120	6"	P120	503078-P120	10"	P120	503082-P120	14"	P120	503086-P120	18"	P120
503070-P180	2"	P180	503074-P180	6"	P180	503078-P180	10"	P180	503082-P180	14"	P180	503086-P180	18"	P180
503070-P240	2"	P240	503074-P240	6"	P240	503078-P240	10"	P240	503082-P240	14"	P240	503086-P240	18"	P240
503070-P320	2"	P320	503074-P320	6"	P320	503078-P320	10"	P320	503082-P320	14"	P320	503086-P320	18"	P320
503071-P24	3"	P24	503075-P24	7"	P24	503079-P24	11"	P24	503083-P24	15"	P24	503087-P24	19"	P24
503071-P36	3"	P36	503075-P36	7"	P36	503079-P36	11"	P36	503083-P36	15"	P36	503087-P36	19"	P36
503071-P40	3"	P40	503075-P40	7"	P40	503079-P40	11"	P40	503083-P40	15"	P40	503087-P40	19"	P40
503071-P50	3"	P50	503075-P50	7"	P50	503079-P50	11"	P50	503083-P50	15"	P50	503087-P50	19"	P50
503071-P60	3"	P60	503075-P60	7"	P60	503079-P60	11"	P60	503083-P60	15"	P60	503087-P60	19"	P60
503071-P80	3"	P80	503075-P80	7"	P80	503079-P80	11"	P80	503083-P80	15"	P80	503087-P80	19"	P80
503071-P100	3"	P100	503075-P100	7"	P100	503079-P100	11"	P100	503083-P100	15"	P100	503087-P100	19"	P100
503071-P120	3"	P120	503075-P120	7"	P120	503079-P120	11"	P120	503083-P120	15"	P120	503087-P120	19"	P120
503071-P180	3"	P180	503075-P180	7"	P180	503079-P180	11"	P180	503083-P180	15"	P180	503087-P180	19"	P180
503071-P240	3"	P240	503075-P240	7"	P240	503079-P240	11"	P240	503083-P240	15"	P240	503087-P240	19"	P240
503071-P320	3"	P320	503075-P320	7"	P320	503079-P320	11"	P320	503083-P320	15"	P320	503087-P320	19"	P320
503072-P24	4"	P24	503076-P24	8"	P24	503080-P24	12"	P24	503084-P24	16"	P24	503088-P24	20"	P24
503072-P36	4"	P36	503076-P36	8"	P36	503080-P36	12"	P36	503084-P36	16"	P36	503088-P36	20"	P36
503072-P40	4"	P40	503076-P40	8"	P40	503080-P40	12"	P40	503084-P40	16"	P40	503088-P40	20"	P40
503072-P50	4"	P50	503076-P50	8"	P50	503080-P50	12"	P50	503084-P50	16"	P50	503088-P50	20"	P50
503072-P60	4"	P60	503076-P60	8"	P60	503080-P60	12"	P60	503084-P60	16"	P60	503088-P60	20"	P60
503072-P80	4"	P80	503076-P80	8"	P80	503080-P80	12"	P80	503084-P80	16"	P80	503088-P80	20"	P80
503072-P100	4"	P100	503076-P100	8"	P100	503080-P100	12"	P100	503084-P100	16"	P100	503088-P100	20"	P100
503072-P120	4"	P120	503076-P120	8"	P120	503080-P120	12"	P120	503084-P120	16"	P120	503088-P120	20"	P120
503072-P180	4"	P180	503076-P180	8"	P180	503080-P180	12"	P180	503084-P180	16"	P180	503088-P180	20"	P180
503072-P240	4"	P240	503076-P240	8"	P240	503080-P240	12"	P240	503084-P240	16"	P240	503088-P240	20"	P240
503072-P320	4"	P320	503076-P320	8"	P320	503080-P320	12"	P320	503084-P320	16"	P320	503088-P320	20"	P320